

**San Joaquin Valley
Unified Air Pollution Control District**

Best Performance Standard (BPS) x.x.xx

Date: 2/23/2011

Class	Front-line Organic Liquid Storage Tanks
Category	<u>Subcategories:</u> 1) Fixed Roof Tanks < 5,000 bbl 2) Fixed Roof Tanks ≥ 5,000 bbl
Best Performance Standard	1) <u>Front-line Fixed Roof Tanks < 5,000 bbl</u> Minimize GHG emissions by equipping fixed roof tanks <5,000 bbl with PV-vent set to within 10% of maximum allowable pressure 2) <u>Front-line Fixed Roof Tanks ≥ 5,000 bbl</u> Minimize GHG emissions of fixed roof tanks ≥ 5,000 bbl by controlling the emissions by 99% by weight
Percentage Achieved GHG Emission Reduction Relative to Baseline Emissions	1) Front-line Fixed Roof Tanks < 5,000 bbl: 0% 2) Front-line Fixed Roof Tanks ≥ 5,000 bbl: 0%

District Project Number	C-1100392
Evaluating Engineer	Dolores Gough, P.E.
Lead Engineer	Leonard Scandura, P.E.
Public Participation: Public Notice: start date	January 20, 2010
Public Participation: Public Notice: ending date	February 22, 2011
Determination Effective Date	February 23, 2011