



DEC 23 2009

Jim Sears  
Central California Almond Growers Association  
P. O. Box 338  
Kerman, CA 93630

**RE: Notice of Final Action - Authority to Construct  
Project Number: C-1093229**

Dear Mr. Sears:

The Air Pollution Control Officer has issued Authority to Construct permits to Central California Almond Growers Association for modification of almond precleaning #1, precleaning #2, shelling #2, huller/sheller #1, shell storage silos, precleaning #3, huller/sheller #3, huller/sheller #4, to increase days per year operation from 146 to 147.98 per year, at 8325 S Madera Avenue in Kerman, CA.

Enclosed are copies of the Authority to Construct permits and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue this Authority to Construct was published on November 23, 2009. The District's analysis of the proposal was also sent to CARB on November 19, 2009. No comments were received following the District's preliminary decision on this project.

Also enclosed is an invoice for the engineering evaluation fees pursuant to District Rule 3010. Please remit the amount owed, along with a copy of the attached invoice, within 60 days.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

DW:rh

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



DEC 23 2009

Mike Tollstrup, Chief  
Project Assessment Branch  
Stationary Source Division  
California Air Resources Board  
PO Box 2815  
Sacramento, CA 95812-2815

**RE: Notice of Final Action - Authority to Construct**  
**Project Number: C-1093229**

Dear Mr. Tollstrup:

The Air Pollution Control Officer has issued Authority to Construct permits to Central California Almond Growers Association for modification of almond precleaning #1, precleaning #2, shelling #2, huller/sheller #1, shell storage silos, precleaning #3, huller/sheller #3, huller/sheller #4, to increase days per year operation from 146 to 147.98 per year, at 8325 S Madera Avenue in Kerman, CA.

Enclosed are copies of the Authority to Construct permits and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue this Authority to Construct was published on November 23, 2009. The District's analysis of the proposal was also sent to CARB on November 19, 2009. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney at (559) 230-5900.

Sincerely,

David Warner  
Director of Permit Services

DW:rh

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585

Fresno Bee

**NOTICE OF FINAL ACTION  
FOR THE ISSUANCE OF AUTHORITY  
TO CONSTRUCT PERMITS**

NOTICE IS HEREBY GIVEN that the Air Pollution Control Officer has issued Authority to Construct permits to Central California Almond Growers Association for modification of almond precleaning #1, precleaning #2, shelling #2, huller/sheller #1, shell storage silos, precleaning #3, huller/sheller #3, huller/sheller #4, to increase days per year operation from 146 to 147.98 per year, at 8325 S Madera Avenue in Kerman, CA.

No comments were received following the District's preliminary decision on this project.

The application review for Project #C-1093229 is available for public inspection at [http://www.valleyair.org/notices/public\\_notices\\_idx.htm](http://www.valleyair.org/notices/public_notices_idx.htm) and the **SAN JOAQUIN VALLEY UNIFIED AIR POLLUTION CONTROL DISTRICT, 1990 EAST GETTYSBURG AVENUE, FRESNO, CA 93726.**



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** C-258-1-3

**ISSUANCE DATE:** 12/21/2009

**LEGAL OWNER OR OPERATOR:** CENTRAL CA ALMOND GROWERS ASSC

**MAILING ADDRESS:** P O BOX 338  
KERMAN, CA 93630

**LOCATION:** 8325 S MADERA AVE  
KERMAN, CA 93630

**EQUIPMENT DESCRIPTION:**

MODIFICATION OF 223 HP ALMOND PRECLEANING OPERATION #1 CONSISTING OF ONE RECEIVING PIT, TWO STICKREEL, TWO DESTONER, THREE DIRT CONVEYORS, AND TWO SAND SCREENS, SERVED BY A SAUNCO BAGHOUSE MODEL #2-32, AND TWO CYCLONES SERVING THE DESTONER: REVISE EMISSION FACTORS TO REFLECT 2006 SOURCE TEST RESULTS, AND INCREASE DAYS PER YEAR OF OPERATION FROM 146 DAYS PER YEAR TO 149.32 DAYS PER YEAR

### CONDITIONS

1. Upon implementation of the modification and startup of the equipment authorized by these Authorities to Construct (ATCs), ATCs C-258-1-2, C-258-2-3, C-258-3-3, C-258-4-3, C-258-5-3, C-258-9-1, C-258-10-1 and C-258-11-1 shall be cancelled. [District Rule 2201]
2. Prior to operating equipment under Authorities to Construct C-258-1-3, '-2-4, '-3-4, '-4-4, '-5-4, '-9-2, '-10-2, and '-11-2 permittee shall surrender PM10 emission reduction credits for the following quantity of emissions: 1st quarter - 0 lb, 2nd quarter - 0 lb, 3rd quarter - 176 lb, and fourth quarter - 176 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 9/21/06). [District Rule 2201]
3. ERC Certificate Number C-1004-4 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This almond processing operation shall not operate more than 149.32 days per calendar year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
\_\_\_\_\_  
DAVID WARNER, Director of Permit Services  
C-258-1-3 Dec 21 2009 9:40AM - HARRISR Joint Inspection NOT Required

6. Visible emissions from the baghouse serving this almond pre-cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule]
7. The baghouse shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]
8. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule]
10. Replacement bags numbering at least 10% of the total number of bags in the baghouse shall be maintained on the premises. [District Rule 2201]
11. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule]
12. The pressure drop across the bags shall be maintained below 6 inches of water column. [District Rule 2201]
13. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule]
14. Differential operating pressure shall be monitored and recorded on each day that the baghouse operates. [District Rule 2201]
15. During seasonal operation the baghouse shall be inspected monthly and any tears, holes, or rips in the bags shall be repaired or blinded upon detection. [District Rule 2201]
16. Emissions from the Saunco baghouse and the two cyclones controlling this almond pre-cleaning operation shall not exceed 4.1 lb-PM10/day. [District Rule 2201]
17. PM10 emissions concentration from the Saunco baghouse controlling this almond pre-cleaning operation shall not exceed 0.001 grains/scf. [District Rule 2201]
18. Maximum airflow from the Saunco baghouse controlling this almond pre-cleaning operation shall not exceed 20,120 scfm. [District Rule 2201]
19. Permittee shall maintain records of days of operation. [District Rule 2201]
20. Records of all maintenance of the baghouse, including all change outs of filter media, shall be maintained. [District Rule 2201]
21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070]



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** C-258-2-4

**ISSUANCE DATE:** 12/21/2009

**LEGAL OWNER OR OPERATOR:** CENTRAL CA ALMOND GROWERS ASSC

**MAILING ADDRESS:** P O BOX 338  
KERMAN, CA 93630

**LOCATION:** 8325 S MADERA AVE  
KERMAN, CA 93630

**EQUIPMENT DESCRIPTION:**

MODIFICATION OF 248 HP ALMOND PRECLEANING OPERATION #2 CONSISTING OF CONVEYORS, ELEVATORS, DESTONER, DETWIGGERS, TEXAS SHAKERS, STICKREEL, AUGERS, PUMP, AND AIR COMPRESSOR, SERVED BY ONE MAC MODEL #144MCF572 BAGHOUSE: REVISE EMISSION FACTORS TO REFLECT 2005 SOURCE TEST RESULTS, AND INCREASE DAYS PER YEAR OF OPERATION FROM 146 DAYS PER YEAR TO 149.32 DAYS PER YEAR


### CONDITIONS

1. Upon implementation of the modification and startup of the equipment authorized by these Authorities to Construct (ATCs), ATCs C-258-1-2, C-258-2-3, C-258-3-3, C-258-4-3, C-258-5-3, C-258-9-1, C-258-10-1 and C-258-11-1 shall be cancelled. [District Rule 2201]
2. Prior to operating equipment under Authorities to Construct C-258-1-3, '-2-4, '-3-4, '-4-4, '-5-4, '-9-2, '-10-2, and '-11-2 permittee shall surrender PM10 emission reduction credits for the following quantity of emissions: 1st quarter - 0 lb, 2nd quarter - 0 lb, 3rd quarter - 176 lb, and fourth quarter - 176 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 9/21/06). [District Rule 2201]
3. ERC Certificate Number C-1004-4 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This almond processing operation shall not operate more than 149.32 days per calendar year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
DAVID WARNER, Director of Permit Services  
C-258-2-4 Dec 21 2009 9:40AM - HARRISR Joint Inspection NOT Required

6. Visible emissions from the baghouse serving this almond pre-cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule]
7. The baghouse shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]
8. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule]
10. Replacement bags numbering at least 10% of the total number of bags in the baghouse shall be maintained on the premises. [District Rule 2201]
11. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule]
12. The pressure drop across the bags shall be maintained between 1 inch and 4 inches of water column. [District Rule 2201]
13. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule]
14. Differential operating pressure shall be monitored and recorded on each day that the baghouse operates. [District Rule 2201]
15. During seasonal operation the baghouse shall be inspected monthly and any tears, holes, or rips in the bags shall be repaired or blinded upon detection. [District Rule 2201]
16. Emissions from the MAC baghouse controlling this almond pre-cleaning operation shall not exceed 49.1 lb-PM10/day. [District Rule 2201]
17. PM10 emissions concentration from the MAC baghouse controlling this almond pre-cleaning operation shall not exceed 0.0038 grains/scf. [District Rule 2201]
18. Maximum airflow from the MAC baghouse controlling this almond pre-cleaning operation shall not exceed 60,850 scfm. [District Rule 2201]
19. Permittee shall maintain records of days of operation. [District Rule 2201]
20. Records of all maintenance of the baghouse, including all change outs of filter media, shall be maintained. [District Rule 2201]
21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070]



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** C-258-3-4

**ISSUANCE DATE:** 12/21/2009

**LEGAL OWNER OR OPERATOR:** CENTRAL CA ALMOND GROWERS ASSC

**MAILING ADDRESS:** P O BOX 338  
KERMAN, CA 93630

**LOCATION:** 8325 S MADERA AVE  
KERMAN, CA 93630

**EQUIPMENT DESCRIPTION:**

MODIFICATION OF 636 HP ALMOND SHELLING OPERATION #2 CONSISTING OF AUGERS, CONVEYORS, ELEVATORS, TURRENT DRIVES, DESTONERS, ROLLERS, CRACKERS, AND AUGERS SERVED BY TWO MAC MODEL #144MCF572 BAGHOUSES: REVISE EMISSION FACTORS TO REFLECT 2006 SOURCE TEST RESULTS, AND INCREASE DAYS PER YEAR OF OPERATION FROM 146 DAYS PER YEAR TO 149.32 DAYS PER YEAR

### CONDITIONS

1. Upon implementation of the modification and startup of the equipment authorized by these Authorities to Construct (ATCs), ATCs C-258-1-2, C-258-2-3, C-258-3-3, C-258-4-3, C-258-5-3, C-258-9-1, C-258-10-1 and C-258-11-1 shall be cancelled. [District Rule 2201]
2. Prior to operating equipment under Authorities to Construct C-258-1-3, '-2-4, '-3-4, '-4-4, '-5-4, '-9-2, '-10-2, and '-11-2 permittee shall surrender PM10 emission reduction credits for the following quantity of emissions: 1st quarter - 0 lb, 2nd quarter - 0 lb, 3rd quarter - 176 lb, and fourth quarter - 176 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 9/21/06). [District Rule 2201]
3. ERC Certificate Number C-1004-4 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This almond processing operation shall not operate more than 149.32 days per calendar year. [District Rule 2201]
6. Visible emissions from the baghouse serving this almond pre-cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
DAVID WARNER, Director of Permit Services

C-258-3-4 Dec 11 2009 9 40AM - HARRISR Joint Inspection NOT Required



7. The baghouse shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]
8. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule]
10. Replacement bags numbering at least 10% of the total number of bags in the baghouse shall be maintained on the premises. [District Rule 2201]
11. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule]
12. The pressure drop across the bags shall be maintained below 6 inches of water column. [District Rule 2201]
13. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule]
14. Differential operating pressure shall be monitored and recorded on each day that the baghouse operates. [District Rule 2201]
15. During seasonal operation the baghouse shall be inspected monthly and any tears, holes, or rips in the bags shall be repaired or blinded upon detection. [District Rule 2201]
16. Emissions from the MAC baghouses controlling this almond shelling operation shall not exceed 32.6 lb-PM10/day combined. [District Rule 2201]
17. PM10 emissions concentration from either MAC baghouse controlling this almond shelling operation shall not exceed 0.0013 grains/scf. [District Rule 2201]
18. Maximum airflow from either MAC baghouse controlling this almond shelling operation shall not exceed 60,850 scfm. [District Rule 2201]
19. Permittee shall maintain records of days of operation. [District Rule 2201]
20. Records of all maintenance of the baghouse, including all change outs of filter media, shall be maintained. [District Rule 2201]
21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070]



# AUTHORITY TO CONSTRUCT

**PERMIT NO:** C-258-4-4

**ISSUANCE DATE:** 12/21/2009

**LEGAL OWNER OR OPERATOR:** CENTRAL CA ALMOND GROWERS ASSC  
**MAILING ADDRESS:** P O BOX 338  
KERMAN, CA 93630

**LOCATION:** 8325 S MADERA AVE  
KERMAN, CA 93630

**EQUIPMENT DESCRIPTION:**  
MODIFICATION OF 642 HP ALMOND HULLER AND SHELLER #1 CONSISTING OF SCREENS, CRACKERS, SHEAR ROLLS, CONVEYORS, AUGERS, AND ELEVATORS SERVED BY MAC MODEL #144MCF255 AND SAUNCO #5-3200 BAGHOUSES: INCREASE DAYS PER YEAR OF OPERATION FROM 146 DAYS PER YEAR TO 149.32 DAYS PER YEAR

## CONDITIONS

1. Upon implementation of the modification and startup of the equipment authorized by these Authorities to Construct (ATCs), ATCs C-258-1-2, C-258-2-3, C-258-3-3, C-258-4-3, C-258-5-3, C-258-9-1, C-258-10-1 and C-258-11-1 shall be cancelled. [District Rule 2201]
2. Prior to operating equipment under Authorities to Construct C-258-1-3, '-2-4, '-3-4, '-4-4, '-5-4, '-9-2, '-10-2, and '-11-2 permittee shall surrender PM10 emission reduction credits for the following quantity of emissions: 1st quarter - 0 lb, 2nd quarter - 0 lb, 3rd quarter - 176 lb, and fourth quarter - 176 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 9/21/06). [District Rule 2201]
3. ERC Certificate Number C-1004-4 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This almond processing operation shall not operate more than 149.32 days per calendar year. [District Rule 2201]
6. Visible emissions from the baghouse serving this almond pre-cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

\_\_\_\_\_  
DAVID WARNER, Director of Permit Services  
C-258-4-4 Dec 21 2009 9 40AM - HARRISR Joint Inspection NOT Required

7. The baghouse shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]
8. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule]
10. Replacement bags numbering at least 10% of the total number of bags in the baghouse shall be maintained on the premises. [District Rule 2201]
11. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule]
12. The pressure drop across the bags shall be maintained between 3 inches and 6 inches of water column. [District Rule 2201]
13. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule]
14. Differential operating pressure shall be monitored and recorded on each day that the baghouse operates. [District Rule 2201]
15. During seasonal operation the baghouse shall be inspected monthly and any tears, holes, or rips in the bags shall be repaired or blinded upon detection. [District Rule 2201]
16. Emissions from the MAC and Saunco baghouses controlling this almond hulling and shelling operation shall not exceed 28.8 lb-PM10/day combined. [District Rule 2201]
17. PM10 emissions concentration from either the MAC or Saunco baghouse controlling this almond hulling and shelling operation shall not exceed 0.0015 grains/scf. [District Rule 2201]
18. Maximum airflow from the Saunco baghouse controlling this almond hulling and shelling operation shall not exceed 64,000 scfm. [District Rule 2201]
19. Maximum airflow from the MAC baghouse controlling this almond hulling and shelling operation shall not exceed 29,392 scfm. [District Rule 2201]
20. Permittee shall maintain records of days of operation. [District Rule 2201]
21. Records of all maintenance of the baghouse, including all change outs of filter media, shall be maintained. [District Rule 2201]
22. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070]



# AUTHORITY TO CONSTRUCT

**PERMIT NO:** C-258-5-4

**ISSUANCE DATE:** 12/21/2009

**LEGAL OWNER OR OPERATOR:** CENTRAL CA ALMOND GROWERS ASSC

**MAILING ADDRESS:** P O BOX 338  
KERMAN, CA 93630

**LOCATION:** 8325 S MADERA AVE  
KERMAN, CA 93630

**EQUIPMENT DESCRIPTION:**

MODIFICATION OF FOUR SHELL STORAGE SILOS SERVED BY A MAC MODEL #96AVS16 FABRIC COLLECTOR BAGHOUSE: REVISE EMISSION FACTORS TO REFLECT 2006 SOURCE TEST RESULTS, AND INCREASE DAYS PER YEAR OF OPERATION FROM 146 DAYS PER YEAR TO 149.32 DAYS PER YEAR

## CONDITIONS

1. Upon implementation of the modification and startup of the equipment authorized by these Authorities to Construct (ATCs), ATCs C-258-1-2, C-258-2-3, C-258-3-3, C-258-4-3, C-258-5-3, C-258-9-1, C-258-10-1 and C-258-11-1 shall be cancelled. [District Rule 2201]
2. Prior to operating equipment under Authorities to Construct C-258-1-3, '-2-4, '-3-4, '-4-4, '-5-4, '-9-2, '-10-2, and '-11-2 permittee shall surrender PM10 emission reduction credits for the following quantity of emissions: 1st quarter - 0 lb, 2nd quarter - 0 lb, 3rd quarter - 176 lb, and fourth quarter - 176 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 9/21/06). [District Rule 2201]
3. ERC Certificate Number C-1004-4 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This almond processing operation shall not operate more than 149.32 days per calendar year. [District Rule 2201]
6. Visible emissions from the baghouse serving this almond pre-cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule]
7. The baghouse shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
**DAVID WARNER, Director of Permit Services**  
C-258-5-4 Dec 21 2009 9 40AM - HARRISR Joint Inspection NOT Required

8. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule]
10. Replacement bags numbering at least 10% of the total number of bags in the baghouse shall be maintained on the premises. [District Rule 2201]
11. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule]
12. The pressure drop across the bags shall be maintained below 6 inches of water column. [District Rule 2201]
13. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule]
14. Differential operating pressure shall be monitored and recorded on each day that the baghouse operates. [District Rule 2201]
15. During seasonal operation the baghouse shall be inspected monthly and any tears, holes, or rips in the bags shall be repaired or blinded upon detection. [District Rule 2201]
16. Emissions from the MAC baghouse controlling this almond storage silo operation shall not exceed 0.2 lb-PM10/day. [District Rule 2201]
17. PM10 emissions concentration from the MAC baghouse controlling this almond storage silo operation shall not exceed 0.0012 grains/scf. [District Rule 2201]
18. The MAC baghouse shall be equipped with a non-resettable hour meter. [District Rule 2201]
19. Maximum airflow from the MAC baghouse controlling this almond storage silo operation shall not exceed 836 scfm. [District Rule 2201]
20. Records of all maintenance of the baghouse, including all change outs of filter media, shall be maintained. [District Rule 2201]
21. Permittee shall maintain records of days of operation. [District Rule 2201]
22. All records shall be retained for a period of at least five (5) years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** C-258-9-2

**ISSUANCE DATE:** 12/21/2009

**LEGAL OWNER OR OPERATOR:** CENTRAL CA ALMOND GROWERS ASSC

**MAILING ADDRESS:** P O BOX 338  
KERMAN, CA 93630

**LOCATION:** 8325 S MADERA AVE  
KERMAN, CA 93630

**EQUIPMENT DESCRIPTION:**

MODIFICATION OF 478 HP ALMOND PRE-CLEANING OPERATION #3 CONSISTING OF CONVEYORS, ELEVATORS, AUGERS, A DESTONER, AND A 72" X 60" DETWIGGER ALL CONTROLLED WITH A LMC MODEL 780LP12T BAGHOUSE AND A FAN EQUIPMENT MODEL 600BCS 90,000 CFM EXHAUST FAN: REVISE EMISSION FACTORS TO REFLECT 2006 SOURCE TEST RESULTS, AND INCREASE DAYS PER YEAR OF OPERATION FROM 146 DAYS PER YEAR TO 149.32 DAYS PER YEAR

### CONDITIONS

1. Upon implementation of the modification and startup of the equipment authorized by these Authorities to Construct (ATCs), ATCs C-258-1-2, C-258-2-3, C-258-3-3, C-258-4-3, C-258-5-3, C-258-9-1, C-258-10-1 and C-258-11-1 shall be cancelled. [District Rule 2201]
2. Prior to operating equipment under Authorities to Construct C-258-1-3, '-2-4, '-3-4, '-4-4, '-5-4, '-9-2, '-10-2, and '-11-2 permittee shall surrender PM10 emission reduction credits for the following quantity of emissions: 1st quarter - 0 lb, 2nd quarter - 0 lb, 3rd quarter - 176 lb, and fourth quarter - 176 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 9/21/06). [District Rule 2201]
3. ERC Certificate Number C-1004-4 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This almond processing operation shall not operate more than 149.32 days per calendar year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
**DAVID WARNER**, Director of Permit Services  
C-258-9-2 Dec 21 2009 9:40AM - HARRISR Joint Inspection NOT Required

6. Visible emissions from the baghouse serving this almond pre-cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule]
7. The baghouse shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]
8. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule]
10. Replacement bags numbering at least 10% of the total number of bags in the baghouse shall be maintained on the premises. [District Rule 2201]
11. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule]
12. The pressure drop across the bags shall be maintained between 1 inch and 4 inches of water column. [District Rule 2201]
13. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule]
14. Differential operating pressure shall be monitored and recorded on each day that the baghouse operates. [District Rule 2201]
15. During seasonal operation the baghouse shall be inspected monthly and any tears, holes, or rips in the bags shall be repaired or blinded upon detection. [District Rule 2201]
16. Emissions from the LMC baghouse controlling this almond pre-cleaning operation shall not exceed 29.6 lb-PM10/day. [District Rule 2201]
17. PM10 emissions concentration from the LMC baghouse controlling this almond pre-cleaning operation shall not exceed 0.0016 grains/scf. [District Rule 2201]
18. Maximum airflow from the LMC baghouse controlling this almond pre-cleaning operation shall not exceed 90,000 scfm. [District Rule 2201]
19. Permittee shall maintain records of days of operation. [District Rule 2201]
20. Records of all maintenance of the baghouse, including all change outs of filter media, shall be maintained. [District Rule 2201]
21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070]



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** C-258-10-2

**ISSUANCE DATE:** 12/21/2009

**LEGAL OWNER OR OPERATOR:** CENTRAL CA ALMOND GROWERS ASSC

**MAILING ADDRESS:** P O BOX 338  
KERMAN, CA 93630

**LOCATION:** 8325 S MADERA AVE  
KERMAN, CA 93630

**EQUIPMENT DESCRIPTION:**

MODIFICATION OF 820.45 HP ALMOND HULLER AND SHELLER OPERATION #3 CONSISTING OF SCREENS, CRACKERS, SHEAR ROLLERS, CONVEYORS, AUGERS, AND ELEVATORS ALL CONTROLLED WITH A LMC MODEL 882LP12T BAGHOUSE AND A FAN EQUIPMENT MODEL 660BCS 130,000 CFM EXHAUST FAN: REVISE EMISSION FACTORS TO REFLECT 2006 SOURCE TEST RESULTS, AND INCREASE DAYS PER YEAR OF OPERATION FROM 146 DAYS PER YEAR TO 149.32 DAYS PER YEAR

### CONDITIONS

1. Upon implementation of the modification and startup of the equipment authorized by these Authorities to Construct (ATCs), ATCs C-258-1-2, C-258-2-3, C-258-3-3, C-258-4-3, C-258-5-3, C-258-9-1, C-258-10-1 and C-258-11-1 shall be cancelled. [District Rule 2201]
2. Prior to operating equipment under Authorities to Construct C-258-1-3, '-2-4, '-3-4, '-4-4, '-5-4, '-9-2, '-10-2, and '-11-2 permittee shall surrender PM10 emission reduction credits for the following quantity of emissions: 1st quarter - 0 lb, 2nd quarter - 0 lb, 3rd quarter - 176 lb, and fourth quarter - 176 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 9/21/06). [District Rule 2201]
3. ERC Certificate Number C-1004-4 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This almond processing operation shall not operate more than 149.32 days per calendar year. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

DAVID WARNER, Director of Permit Services

C-258-10-2 Dec 21 2009 9 40AM - HARRISR Joint Inspection NOT Required



6. Visible emissions from the baghouse serving this almond pre-cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule]
7. The baghouse shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]
8. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule]
10. Replacement bags numbering at least 10% of the total number of bags in the baghouse shall be maintained on the premises. [District Rule 2201]
11. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule]
12. The pressure drop across the bags shall be maintained between 1 inch and 4 inches of water column. [District Rule 2201]
13. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule]
14. Differential operating pressure shall be monitored and recorded on each day that the baghouse operates. [District Rule 2201]
15. During seasonal operation the baghouse shall be inspected monthly and any tears, holes, or rips in the bags shall be repaired or blinded upon detection. [District Rule 2201]
16. Emissions from the LMC baghouse controlling this almond pre-cleaning operation shall not exceed 13.4 lb-PM10/day. [District Rule 2201]
17. PM10 emissions concentration from the LMC baghouse controlling this almond pre-cleaning operation shall not exceed 0.0005 grains/scf. [District Rule 2201]
18. Maximum airflow from the LMC baghouse controlling this almond pre-cleaning operation shall not exceed 130,000 scfm. [District Rule 2201]
19. Permittee shall maintain records of days of operation. [District Rule 2201]
20. Records of all maintenance of the baghouse, including all change outs of filter media, shall be maintained. [District Rule 2201]
21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070]



# AUTHORITY TO CONSTRUCT

**PERMIT NO:** C-258-11-2

**ISSUANCE DATE:** 12/21/2009

**LEGAL OWNER OR OPERATOR:** CENTRAL CA ALMOND GROWERS ASSC

**MAILING ADDRESS:** P O BOX 338  
KERMAN, CA 93630

**LOCATION:** 8325 S MADERA AVE  
KERMAN, CA 93630

**EQUIPMENT DESCRIPTION:**

MODIFICATION OF 779.0 HP ALMOND HULLER AND SHELLER OPERATION #3 CONSISTING OF SCREENS, CRACKERS, SHEAR ROLLERS, CONVEYORS, AUGERS, AND ELEVATORS ALL CONTROLLED WITH A LMC MODEL 882LP12T BAGHOUSE AND A FAN EQUIPMENT MODEL 660BCS 130,000 CFM EXHAUST FAN: INCREASE DAYS PER YEAR OF OPERATION FROM 146 DAYS PER YEAR TO 149.32 DAYS PER YEAR

## CONDITIONS

1. Upon implementation of the modification and startup of the equipment authorized by these Authorities to Construct (ATCs), ATCs C-258-1-2, C-258-2-3, C-258-3-3, C-258-4-3, C-258-5-3, C-258-9-1, C-258-10-1 and C-258-11-1 shall be cancelled. [District Rule 2201]
2. Prior to operating equipment under Authorities to Construct C-258-1-3, '-2-4, '-3-4, '-4-4, '-5-4, '-9-2, '-10-2, and '-11-2 permittee shall surrender PM10 emission reduction credits for the following quantity of emissions: 1st quarter - 0 lb, 2nd quarter - 0 lb, 3rd quarter - 176 lb, and fourth quarter - 176 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 9/21/06). [District Rule 2201]
3. ERC Certificate Number C-1004-4 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201]
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This almond processing operation shall not operate more than 149.32 days per calendar year. [District Rule 2201]
6. Visible emissions from the baghouse serving this almond pre-cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
**DAVID WARNER**, Director of Permit Services  
C-258-11-2 Dec 21 2009 9 40AM - HARRISR Joint Inspection NOT Required

7. The baghouse shall be maintained and operated according to manufacturer's specifications. [District Rule 2201]
8. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
9. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule]
10. Replacement bags numbering at least 10% of the total number of bags in the baghouse shall be maintained on the premises. [District Rule 2201]
11. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule]
12. The pressure drop across the bags shall be maintained between 1 inch and 4 inches of water column. [District Rule 2201]
13. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule]
14. Differential operating pressure shall be monitored and recorded on each day that the baghouse operates. [District Rule 2201]
15. During seasonal operation the baghouse shall be inspected monthly and any tears, holes, or rips in the bags shall be repaired or blinded upon detection. [District Rule 2201]
16. Emissions from the LMC baghouse controlling this almond hulling and shelling operation shall not exceed 40.1 lb-PM10/day. [District Rule 2201]
17. PM10 emissions concentration from the LMC baghouse controlling this almond hulling and shelling operation shall not exceed 0.0015 grains/scf. [District Rule 2201]
18. Maximum airflow from the LMC baghouse controlling this almond hulling and shelling operation shall not exceed 130,000 scfm. [District Rule 2201]
19. Permittee shall maintain records of days of operation. [District Rule 2201]
20. Records of all maintenance of the baghouse, including all change outs of filter media, shall be maintained. [District Rule 2201]
21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 1070]