



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT

APR 05 2010

Lochlin Caffey
Browning Ferris Industries of California, Inc.
8622 W. Muscat Avenue
Fresno, CA 93710

**Re: Notice of Preliminary Decision - Title V Permit Renewal
District Facility # C-150
Project # C-1084002**

Dear Mr. Caffey:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for Browning Ferris Industries of California, Inc. for its Landfill at 8662 W. Muscat Avenue, Fresno, CA 93710, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 30-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

A handwritten signature in black ink, appearing to read "David Warner", with a long horizontal flourish extending to the right.

David Warner
Director of Permit Services

Attachments

C: Don Ctibor, Permit Services Engineer.

Seyed Sadredin

Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061
www.valleyair.org

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585



San Joaquin Valley

AIR POLLUTION CONTROL DISTRICT

APR 05 2010

Gerardo C. Rios, Chief
Permits Office (AIR-3)
U.S. EPA - Region IX
75 Hawthorne St.
San Francisco, CA 94105

**Re: Notice of Preliminary Decision – Title V Permit Renewal
District Facility # C-150
Project # C-1084002**

Dear Mr. Rios:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for Browning Ferris Industries of California, Inc. for its Landfill at 8662 W. Muscat Avenue, Fresno, CA 93710, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 45-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Attachments

C: Don Ctibor, Permit Services Engineer

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061
www.valleyair.org

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585



San Joaquin Valley

AIR POLLUTION CONTROL DISTRICT

APR 05 2010

Mike Tollstrup, Chief
Project Assessment Branch
Air Resources Board
P O Box 2815
Sacramento, CA 95812-2815

**Re: Notice of Preliminary Decision - Title V Permit Renewal
District Facility # C-150
Project # C-1084002**

Dear Mr. Tollstrup:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for Browning Ferris Industries of California, Inc. for its at Landfill 8662 W. Muscat Avenue, Fresno, CA 93710, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 30-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Attachments
C: Don Ctibor, Permit Services Engineer

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061
www.valleyair.org

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: (661) 392-5500 FAX: (661) 392-5585

Fresno Bee

**NOTICE OF PRELIMINARY DECISION
FOR THE PROPOSED RENEWAL OF
THE FEDERALLY MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District solicits public comment on the proposed renewal of the Federally Mandated Operating Permit to Browning Ferris Industries of California, Inc. for its Landfill 8662 W. Muscat Avenue, Fresno, CA 93710, California.

The District's analysis of the legal and factual basis for this proposed action, project #C-1084002, is available for public inspection at http://www.valleyair.org/notices/public_notices_idx.htm and the District office at the address below. This will be the public's only opportunity to comment on the specific conditions of the proposed renewal of the Federally Mandated Operating permit. If requested by the public, the District will hold a public hearing regarding issuance of this renewed permit. For additional information, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900. Written comments on the proposed renewed permit must be submitted within 30 days of the publication date of this notice to DAVID WARNER, DIRECTOR OF PERMIT SERVICES, SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 E. GETTYSBURG AVE, FRESNO, CALIFORNIA 93726-0244.

SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT

**Proposed Title V Permit Renewal Evaluation
Browning Ferris Industries of California, Inc. (Chateau Fresno Landfill Facility)
C-150**

TABLE OF CONTENTS

I.	PROPOSAL	2
II.	FACILITY LOCATION	2
III.	EQUIPMENT LISTING.....	3
IV.	GENERAL PERMIT TEMPLATE USAGE.....	3
V.	SCOPE OF EPA AND PUBLIC REVIEW.....	3
VI.	FEDERALLY ENFORCEABLE REQUIREMENTS.....	3
VII.	REQUIREMENTS NOT FEDERALLY ENFORCEABLE	5
VIII.	PERMIT REQUIREMENTS.....	6
IX.	PERMIT SHIELD	9
X.	PERMIT CONDITIONS.....	9
XI.	ATTACHMENTS.....	9
A.	DRAFT RENEWED TITLE V OPERATING PERMIT	
B.	PREVIOUS TITLE V OPERATING PERMIT	
C.	DETAILED FACILITY LIST	

TITLE V PERMIT RENEWAL EVALUATION
Landfill

Engineer: Don Ctibor
Date: January 12, 2010

Facility Number: C-150
Facility Name: Browning Ferris Industries of California, Inc.
Mailing Address: 8622 W. Muscat
Fresno, CA

Contact Name: Lochin Caffey
Phone: (925) 458-9800 ext. 18

Responsible Official: Lochin Caffey
Title: Regional Environmental Manager

Project # : C-150
Deemed Complete: January 26, 2010

I. PROPOSAL

Browning Ferris Industries' Chateau Fresno Landfill Facility @ Fresno was issued a Title V permit on September 6, 2000 and was renewed on August 17, 2005. As required by District Rule 2520, the applicant is requesting a permit renewal. The existing Title V permit shall be reviewed and modified to reflect all applicable District and federal rules updated, removed, or added since the last permit renewal.

The purpose of this evaluation is to provide the legal and factual basis for all updated applicable requirements and to determine if the facility will comply with these updated requirements. It also specifically identifies all additions, deletions, and/or changes made to permit conditions or equipment descriptions.

II. FACILITY LOCATION

Chateau Fresno Landfill Facility @ Fresno is located at 8622 W. Muscat Fresno, CA.

III. EQUIPMENT LISTING

A detailed facility printout listing all permitted equipment at the facility is included as Attachment C.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant does not propose to use any model general permit templates.

V. SCOPE OF EPA AND PUBLIC REVIEW

Certain segments of the proposed Renewed Operating Permit are based on model general permit templates that have been previously subject to EPA and public review. The terms and conditions from the model general permit templates are included in the proposed permit and are not subject to further EPA and public review.

For permit applications utilizing model general permit templates, public and agency comments on the District's proposed actions are limited to the applicant's eligibility for model general permit template, applicable requirements not covered by the model general permit template, and the applicable procedural requirements for issuance of Title V Operating Permits.

The following permit conditions, including their underlying applicable requirements, originate from model general permit templates and are not subject to further EPA or public review.

The applicant is not requesting any model general permit templates. Therefore, all federally enforceable conditions in this current Title V permit will be subject to EPA and public review.

VI. FEDERALLY ENFORCEABLE REQUIREMENTS

A. Rules Updated

- District Rule 2201, New and Modified Stationary Source Review Rule (amended December 19, 2002)
- District Rule 4101, Visible Emissions (amended December 17, 1992 ⇒ amended February 17, 2005)
- District Rule 4311, Flares (amended June 18, 2009)

- District Rule 4601, Architectural Coatings
(amended December 17, 2009)
- District Rule 4642, Solid Waste Disposal Sites (amended April 16, 1998)
- District Rule 8011, General Requirements
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8021, Construction, Demolition, Excavation, Extraction, and Other Earthmoving Activities
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8031, Bulk Materials
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8041, Carryout and Trackout
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8051, Open Areas
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8061, Paved and Unpaved Roads
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8071, Unpaved Vehicle/Equipment Traffic Areas
(adopted November 15, 2001 ⇒ amended August 19, 2004)
- 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos
(amended September 18, 2003)
- 40 CFR Part 63, Subpart AAAA, National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills
(amended April 20, 2006)
- 40 CFR Part 82, Subpart B, Stratospheric Ozone
(amended November 9, 2007)
- 40 CFR Part 82, Subpart F, Stratospheric Ozone
(amended June 8, 2008)

B. Rules Not Updated

- District Rule 1100, Equipment Breakdown (amended December 17, 1992)

- District Rule 1160, Emission Statements (adopted November 18, 1992)
- District Rule 2010, Permits Required (amended December 17, 1992)
- District Rule 2020, Exemptions (amended March 21, 2002)
- District Rule 2031, Transfer of Permits (amended December 17, 1992)
- District Rule 2040, Applications (amended December 17, 1992)
- District Rule 2070, Standards for Granting Applications (amended December 17, 1992)
- District Rule 2080, Conditional Approval (amended December 17, 1992)
- District Rule 2520, Federally Mandated Operating Permits (amended June 21, 2001)
- 40 CFR Part 60, Subpart A, General Provisions
- 40 CFR Part 60, Subpart Cc, Emission Guidelines and Compliance Times for Municipal Solid Waste Landfills
- 40 CFR Part 60, Subpart WWW, Standards of Performance for Municipal Solid Waste Landfills (amended September 21, 2006)
- 40 CFR Part 64, CAM

VII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits. The terms and conditions that are part of the facility's Title V permit are designated as "Federally Enforceable Through Title V Permit".

The following rule, which has not been updated since the last Title V permit renewal, is not federally enforceable and will not be discussed in further detail:

District Rule 4102 – Nuisance

This rule is applicable to any source operation which emits or may emit air contaminants or other materials. This rule stipulates that a person shall not discharge from any source whatsoever such quantities of air contaminants or other materials which cause injury, detriment, nuisance or annoyance to any considerable number of persons or to the public or which endanger the comfort, repose, health or safety of any such person or the public or which cause or have a natural tendency to cause injury or damage to business or property.

The following permit requirements, which are based on this rule, were addressed as follows:

a. C-150-0-3 – Facilitywide Requirements

- Condition 39 on the existing permit to operate has not been modified.

VIII. PERMIT REQUIREMENTS

The purpose of this evaluation is to review changes to federally enforceable requirements; therefore, this compliance section will only address rules that have been amended or added since the issuance of the initial Title V permit.

A. District Rule 2201 - New and Modified Stationary Source Review Rule

District Rule 2201 has been amended since this facility's last Title V permit renewal. This Title V permit renewal does not constitute a modification per section 3.26, defined as an action including at least one of the following items:

- 1) Any change in hours of operation, production rate, or method of operation of an existing emissions unit, which would necessitate a change in permit conditions.
- 2) Any structural change or addition to an existing emissions unit which would necessitate a change in permit conditions. Routine replacement shall not be considered to be a structural change.
- 3) An increase in emissions from an emissions unit caused by a modification of the Stationary Source when the emissions unit is not subject to a daily emissions limitation.
- 4) Addition of any new emissions unit which is subject to District permitting requirements.
- 5) A change in a permit term or condition proposed by an applicant to obtain an exemption from an applicable requirement to which the source would otherwise be subject.

Therefore, the updated requirements of this rule are not applicable at this time.

Authority to Construct (ATC) # C-150-1-5 was issued on 2/25/08 to allow up to 15% O₂ on 36 perimeter well heads. Conditions 25 & 26 have been included to the draft TV permit # C-150-1-6.

B. District Rule 4101 – Visible Emissions

District Rule 4101 was approved by EPA on August 11, 2005 to replace SIP approved Rule 401 (all counties of the SJVUAPCD).

Section 5.0 prohibits the discharge of any air contaminant for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker in shade as that designated as No. 1 on the Ringelmann Chart; or is of such opacity as to obscure an observer's view to a degree equal to or greater than the smoke described in Section 5.1 of Rule 4101.

The following permit requirement, which is based on this rule, has been revised as follows:

a. C-150-0-3 – Facilitywide Requirements

- Condition 22 on the existing permit to operate has been revised to update the rule amendment date referenced in the condition text, and to remove the superceded County Rule 401 from the citation section.

C. District Rule 4311 – Flares

This rule applies to the operation of flares to limit the emissions of volatile organic compounds (VOC) and oxides of nitrogen (NO_x).

Section 4.2 states that flares subject to the requirements of 40 CFR 60 Subpart Cc, Emission Guidelines and Compliance Times for Municipal Solid Waste Landfills, are exempt from this rule. Therefore, the requirements of this rule do not apply to permit unit C-150-1-4.

D. District Rule 4601 – Architectural Coatings

District Rule 4601 was approved by EPA on January 2, 2004 to become part of the District's SIP. The existing permit conditions are based on the SIP-approved version of the rule (amended 10/31/01), but the permit condition for sections 6.1 and 6.3 of the rule was omitted. The missing condition has been added to the permit as follows:

a. C-150-0-3– Facilitywide Requirements

- New condition 45 has been added to the existing permit to ensure compliance with section 5.2 of the rule.
- New condition 41 has been added to the existing permit to ensure compliance with section 5.5 of the rule.

E. 40 CFR Part 60–Subpart Cc

The subpart applies to each existing municipal solid waste (MSW) landfill for which construction, reconstruction, or modification was commenced before May 30, 1991.

This subpart does apply since this is a municipal solid waste (MSW) landfill for which construction, reconstruction, or modification was commenced before May 30, 1991. However, this landfill gas collection system has not been source tested. Conditions 26-28 have been added to the permit renewal of C-150-1-6 to verify compliance with 40 CFR60 Cc. The source shall be source tested within 90 days of permit renewal issuance.

F. 40 CFR Part 60–Subpart WWW

The requirements of this subpart apply to each existing municipal solid waste landfill for which construction, reconstruction, or modification was commenced on or after May 30, 1991. Sections 60.752 (b)(2)(iii)(A) and 60.754(e) were amended in September 21, 2006. The amendment applies to the operation of open flares and requires that Method 3C is used to determine the concentration of methane in the landfill gas. This change does not affect this facility because it has an enclosed flare.

a. C-150-2-2, 4.6 Million Megagram Capacity Landfill with Landfill Gas Collection System

- Conditions 1 through 23 ensure compliance with the requirements of this rule.

G. 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos

These regulations apply to demolition or renovation activity, as defined in 40 CFR 61.141. 40 CFR Section 61.150 of this Subpart was amended September 18, 2003, and condition 37 of C-150-0-3 assures compliance with the requirements.

H. 40 CFR Part 63-Subpart AAAA-Municipal Solid Waste Landfills Standards

This subpart establishes national emission standards for hazardous air pollutants for existing and new municipal solid waste (MSW) landfills. MSW landfill must comply

with the requirements of 40 CFR 60 subpart WWW. In addition, MSW landfills that are new affected source (an affected source that commenced construction or reconstruction after November 7, 2000) and is a major source must comply with the requirements of 40 CFR 63.1955(b) and 63.1960 through 63.1980 by the date the landfill installs a collection and control system as required by 49 CFR 60.752(b)(2) of subpart WWW.

a. C-150-2-2, 4.6 Million Megagram Capacity Landfill with Landfill Gas Collection System

- Conditions 21 and 23 ensure compliance with the requirements of this rule.

I. **40 CFR Part 82, Subparts B and F, Stratospheric Ozone**

These regulations apply to servicing motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC). Sections of this regulation were amended in 2007 and 2008, and conditions 27 and 28 of C-150-0-3 assure compliance with the requirements.

IX. PERMIT SHIELD

A permit shield legally protects a facility from enforcement of the shielded regulations when a source is in compliance with the terms and conditions of the Title V permit. Compliance with the terms and conditions of the Operating Permit is considered compliance with all applicable requirements upon which those conditions are based, including those that have been subsumed.

A. Requirements Addressed by Model General Permit Templates

The applicant does not propose to use any model general permit templates.

B. Requirements not Addressed by Model General Permit Templates

There are no permit shields in the existing permit requirements.

X. PERMIT CONDITIONS

See Attachment A - Draft Renewed Title V Operating Permit.

XI. ATTACHMENTS

- A. Draft Renewed Title V Operating Permit
- B. Previous Title V Operating Permit
- C. Detailed Facility List

ATTACHMENT A

Draft Renewed Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: C-150-0-3

EXPIRATION DATE: 04/30/2009

FACILITY-WIDE REQUIREMENTS

DRAFT

1. {2285} The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. {2286} The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. {2287} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. {2288} Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (3/21/02). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. {2289} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.12.1] Federally Enforceable Through Title V Permit
6. {2290} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. {2291} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. {2292} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: BROWNING FERRIS INDUSTRIES
Location: 8662 W MUSCAT AVE, FRESNO, CA 93710
C-150-0-3: Apr 1 2010 11:55AM -- CTIBORD

DRAFT

9. {2293} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
10. {2294} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. {2295} Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. {2296} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. {2297} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. {2298} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. {2299} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. {2300} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. {2301} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. {2302} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. {2303} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. {2304} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. {2305} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (2/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101] Federally Enforceable Through Title V Permit
23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in the Table of Standards of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials for architectural coatings subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. {2310} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. {2311} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. {2312} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR 82, Subpart B. [40 CFR 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 75 vehicle trips per day shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 100 vehicle trips per day shall comply with the requirements of Section 5.1.2 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/04) or Rule 8011 (8/19/04). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

35. {2319} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit
36. {2320} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. {2321} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. {2322} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. {98} No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
40. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin October 1 of each year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
41. A person shall not use VOCs for the cleanup of spray equipment unless equipment for collection of the cleaning compounds and minimizing its evaporation to the atmosphere is used, unless exempted under section 4.0 of District Rule 4601. [District Rule 4601, 5.5] Federally Enforceable Through Title V Permit
42. All operational landfills shall comply with the requirements of District Rule 8041 (8/19/04). This condition also applies to closure activities and closed landfill sites when activities are conducted which disturb surface soils covering an area greater than one (1) acre. [District Rule 8041]
43. Any open area having 3.0 acres or more of disturbed surface area, that has remained undeveloped, unoccupied, unused or vacant for more than seven days shall comply with the requirements of Rule 8051 (8/19/04), unless specifically exempted under section 4.0 of Rule 8051. [District Rule 8051]
44. Any unpaved vehicle/equipment traffic area of 1.0 acre or larger shall comply with the requirements of Rule 8071 (9/16/04), unless specifically exempted under section 4.0 of Rule 8071. [District Rule 8071]
45. Specialty Coating Limitations: No person shall apply, sell, solicit, or offer for sale any architectural coating listed in the Tables of Standards (District Rule 4601, Table 1 and Table 2), nor manufacture, blend, or repackage such coating for use within the District, which contains VOCs in excess of the specified limits after the corresponding date listed in Table 1 (grams of VOC per liter of coating as applied less water and exempt compounds, excluding any colorant added to tint bases) and in Table 2 (grams of VOC per liter of material), except as provided in Section 5.3 of Rule 4601 (Amended 12/17/09). [District Rule 4601, 5.2] Federally Enforceable Through Title V Permit
46. {2323} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), and Rule 111 (Kern, Tulare, Kings). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

47. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601, sections 5.1, 5.2, 5.3, 5.8 and 8.0 (12/17/09); 8021 (8/19/04); 8031 (8/19/04); 8041 (8/19/04); 8051 (8/19/04); 8061 (8/19/04); and 8071 (9/16/04). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-150-1-6

EXPIRATION DATE: 04/30/2009

EQUIPMENT DESCRIPTION:

54 MMBTU/HR LANDFILL GAS COLLECTION AND TREATMENT SYSTEM WITH MCGILL MODEL EGF-4 ENCLOSED FLARE WITH COMBUSTION AIR CONTROLS, PROPANE-FIRED PILOT FLAME, FLAME ARRESTOR, BLOWERS, CONCRETE CONDENSATE SUMPS, EXHAUST STACK AND 67 EXTRACTION WELLS

PERMIT UNIT REQUIREMENTS

1. Flares shall be designed for and operated with no visible emissions, except for periods not to exceed a total of 5 minutes during any 2 consecutive hours. [40 CFR 60.18(c)(1)] Federally Enforceable Through Title V Permit
2. Testing the visible emissions of the flare shall be conducted at least annually, using EPA Method 22. The observation period shall be 2 hours. [40 CFR 60.18(f)(1)] Federally Enforceable Through Title V Permit
3. Landfill gas shall be tested for sulfur content quarterly using Draeger tubes. If source specific historical data (for a period of at least one year) shows seasonal variation of less than 20%, then landfill gas shall be tested annually using Draeger tubes. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
4. The operator shall maintain all records of required monitoring data and support information for inspection at any time for a period of five years. [District Rule 2520, 9.5.2] Federally Enforceable Through Title V Permit
5. The flare shall be operated according to the manufacturer's specifications, a copy of which shall be maintained on site. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
6. Actual flare emissions shall not exceed 20 tons VOC/year. Process information, including fuel usage data for the flare and process rates for operations controlled by the flare, shall be submitted to the District annually. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
7. Flares shall only be used with the net heating value of the gas being combusted being 200 Btu/scf or greater if the flare is non-assisted; or with the net heating value of the gas being combusted being 300 Btu/scf or greater if the flare is air-assisted or steam-assisted. [40 CFR 60.18 (c)(3)] Federally Enforceable Through Title V Permit
8. The net heating value of the gas being combusted in a flare shall be calculated annually, pursuant to 40 CFR 60.18(f)(3) and using EPA Method 18, ASTM D1946-77, and ASTM D2382-76. [40 CFR 60.18 (f)(3-6)] Federally Enforceable Through Title V Permit
9. Air-assisted flares shall be operated with an exit velocity less than V_{max} , as calculated by the equation specified in paragraph 40 CFR 60.18 (f)(6). [40 CFR 60.18 (c)(5)] Federally Enforceable Through Title V Permit
10. Nonassisted and steam-assisted flares shall be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), less than 60 ft/sec, except as provided in 40 CFR 60.18 (c)(4)(ii) and (iii). [40 CFR 60.18 (c)(4)(i)] Federally Enforceable Through Title V Permit
11. Nonassisted and steam-assisted flares may be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), equal to or greater than 60 ft/sec, but less than 400 ft/sec if the net heating value of the gas being combusted is greater than 1,000 Btu/scf. [40 CFR 60.18 (c)(4)(ii)] Federally Enforceable Through Title V Permit
12. Nonassisted and steam-assisted flares may be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), less than the velocity, V_{max} , as determined by the equation specified in paragraph 40 CFR 60.18 (f)(5), and less than 400 ft/sec. [40 CFR 60.18 (c)(4)(iii)] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. The actual exit velocity of a flare shall be calculated by dividing the volumetric flowrate (in units of standard temperature and pressure), as determined by Reference Methods 2, 2A, 2C, or 2D as appropriate; by the unobstructed (free) cross sectional area of the flare tip. [40 CFR 60.18 (f)(4)] Federally Enforceable Through Title V Permit
14. Flares shall be operated with a flame present at all times, and kept in operation when emissions may be vented to them. The presence of a flare pilot flame shall be monitored using a thermocouple or any other equivalent device to detect the presence of a flame. [40 CFR 60.18 (c)(2), 60.18 (e), and 60.18 (f)(2)] Federally Enforceable Through Title V Permit
15. Flare shall be equipped with a failure alarm to automatically shut off the blower and landfill gas supply. [District NSR Rule] Federally Enforceable Through Title V Permit
16. Landfill gas flowrate shall be monitored by flow indicator and recorders. [District NSR Rule] Federally Enforceable Through Title V Permit
17. Gas collection system shall be sealed at all times during operation. [District NSR Rule] Federally Enforceable Through Title V Permit
18. All condensate traps shall remain covered unless treatment of condensate is taking place. [District NSR Rule] Federally Enforceable Through Title V Permit
19. Flame temperature indicator and recorder shall be operated whenever gas is flared. [District NSR Rule] Federally Enforceable Through Title V Permit
20. Flare temperature shall be maintained to at least 1400 degree F. [District NSR Rule] Federally Enforceable Through Title V Permit
21. Total volume of landfill gas flared shall not exceed 2600 scf/min (3,744,000 scf/day) and shall be recorded daily. [District Rules 2520, 9.4.2 and NSR] Federally Enforceable Through Title V Permit
22. Emissions shall not exceed any of the following: NOx - 0.0616 lb/MMbtu, PM10 - 2.92 lb/hr, CO - 7.75 lb/hr, SOx - 1.1 lb/hr, nor VOC(NHMC) - 1.92 lb/hr. [District NSR Rule] Federally Enforceable Through Title V Permit
23. Daily emissions shall not exceed any of the following: NOx - 63.4 lb/day, PM10 - 70.0 lb/day, CO - 186.0 lb/day, SOx - 27.1 lb/day, nor VOC(NMHC) - 47.0 lb/day. [District NSR Rule] Federally Enforceable Through Title V Permit
24. Interior wells: DEW-04, DEW-06, and DEW-07 may be operated with 15% oxygen concentration or less, provided that the temperature of these wells stays below the 130 °F which would indicate that aerobic decomposition is not occurring. [40 CFR 60.753(c)] Federally Enforceable Through Title V Permit
25. Perimeter wells: EW-01, EW-02, EW-04, EW-05, EW-07, EW-09, EW-10, EW-12, EW-16, EW-17, EW-18, EW-20, EW-22, EW-23, EW-24, EW-25, EW-28, EW-29, EW-31, EW-32, EW-33, EW-35, EW-36, EW-38, EW-40, EW-43, EW-46, EW-47, EW-49, EW-50, EW-53, EW-55, and EW-56 may be operated with 15% oxygen concentration or less, provided that the temperature of these wells stays below the 130 °F which would indicate that aerobic decomposition is not occurring. [40 CFR 60.753(c)] Federally Enforceable Through Title V Permit
26. The landfill gas control system shall reduce NMOC by 98 weight percent; or reduce the outlet NMOC concentration to 20 ppm as hexane by volume, dry basis at 3 percent oxygen. [40 CFR 60.33c(c)(2) & (3)] Federally Enforceable Through Title V Permit
27. Source testing for NOx and CO shall be conducted utilizing EPA Method 7E and EPA Method 10 respectively, or CARB Method 100. [District Rule 1080] Federally Enforceable Through Title V Permit
28. Source testing for VOC control efficiency and VOC concentration shall be conducted utilizing EPA Method 25A or 25C. [District Rule 1080] Federally Enforceable Through Title V Permit
29. Source test plan shall be submitted at least 30 days prior to source test date. [District Rule 1080] Federally Enforceable Through Title V Permit
30. Source test within 90 days of permit renewal. [District Rule 1080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-150-2-2

EXPIRATION DATE: 04/30/2009

EQUIPMENT DESCRIPTION:

MUNICIPAL SOLID WASTE LANDFILL (81 ACRES), 4.6 MILLION MEGAGRAM CAPACITY

DRAFT

PERMIT UNIT REQUIREMENTS

1. Each owner or operator shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity, the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. [40 CFR 60.758(a) and District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
2. This operating permit may be cancelled with APCO approval when the landfill 1) is closed, pursuant to the requirements of this permit, 2) never needed control, and 3) is not otherwise subject to the requirements of part 40 CFR 70. [40 CFR 60.752(b)] Federally Enforceable Through Title V Permit
3. If the landfill is permanently closed, a closure notification shall be submitted to the APCO within 30 days of waste disposal cessation. A permanent closure must take place in accordance with 40 CFR 258.60. If a closure report has been submitted, no additional waste may be placed in the landfill without filing a notification of modification to the APCO, pursuant to 40 CFR 60.7(a)(4). [40 CFR 60.752(b)(1)(ii)(B) and 60.757(d)] Federally Enforceable Through Title V Permit
4. If a gas collection and control system is installed, it shall comply with the operational standards of 40 CFR 60.753, the compliance provisions of 40 CFR 60.755, the monitoring provisions of 40 CFR 60.756, the reporting and recordkeeping requirements of 40 CFR 60.757 and 60.758, and the requirements of 40 CFR 60.759 (for active collection systems). [40 CFR 60.752(b)(2)(ii), 60.753, 60.755, 60.756, 60.757, 60.758, and 60.759] Federally Enforceable Through Title V Permit
5. If required to install a gas collection and control system in accordance with the provisions of 40 CFR 60.752(b)(2), the owner or operator shall comply with the requirements of 40 CFR 63.1960 through 63.1985, and with the general provisions of 40 CFR part 63, as specified in table 1 of 40 CFR part 63, subpart AAAA. [40 CFR 63.1955(b) and 63.1980(b)] Federally Enforceable Through Title V Permit
6. If required to install a gas collection and control system in accordance with the provisions of 40 CFR 60.752(b)(2), the owner or operator shall develop and implement a written startup, shutdown and malfunction (SSM) plan according to the provisions of 40 CFR 63.6(e)(3). A copy of the SSM plan shall be maintained on site. Failure to write, implement or maintain a copy of the SSM plan is a deviation from the requirements of 40 CFR part 63, subpart AAAA. [40 CFR 63.1960] Federally Enforceable Through Title V Permit
7. If required to install a gas collection and control system in accordance with the provisions of 40 CFR 60.752(b)(2), the owner or operator shall keep records and reports as specified in 40 CFR part 60 subpart WWW, except that the owner or operator shall submit the annual report described in 40 CFR 60.757(f) every 6 months. [40 CFR 63.1980(a)] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

ATTACHMENT B

Previous Title V Operating Permit



Permit to Operate

FACILITY: C-150

EXPIRATION DATE: 04/30/2009

LEGAL OWNER OR OPERATOR:
MAILING ADDRESS:

BROWNING FERRIS INDUSTRIES
ATTN: LANDFILL OFFICES
1601 DIXON LANDING RD
MILPITAS, CA 95035

FACILITY LOCATION:

8662 W MUSCAT AVE
FRESNO, CA 93710

FACILITY DESCRIPTION:

MUNICIPAL WASTE LANDFILL

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

Seyed Sadredin
Executive Director / APCO

David Warner
Director of Permit Services

San Joaquin Valley Air Pollution Control District

FACILITY: C-150-0-2

EXPIRATION DATE: 04/30/2009

FACILITY-WIDE REQUIREMENTS

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (3/21/02). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.12.1] Federally Enforceable Through Title V Permit
6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: BROWNING FERRIS INDUSTRIES
Location: 8662 W MUSCAT AVE, FRESNO, CA 93710
C-150-0-2; Jan 20 2010 4:25PM - CTIBORD

10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (11/15/01). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in the Table of Standards of District Rule 4601 (10/31/01) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials for architectural coatings subject to Rule 4601 (10/31/01) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (10/31/01). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR 82, Subpart B. [40 CFR 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 75 vehicle trips per day shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 100 vehicle trips per day shall comply with the requirements of Section 5.1.2 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
40. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin October 1 of each year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-150-1-4

EXPIRATION DATE: 04/30/2009

EQUIPMENT DESCRIPTION:

54 MMBTU/HR LANDFILL GAS COLLECTION AND TREATMENT SYSTEM WITH MCGILL MODEL EGF-4 ENCLOSED FLARE WITH COMBUSTION AIR CONTROLS, PROPANE-FIRED PILOT FLAME, FLAME ARRESTOR, BLOWERS, CONCRETE CONDENSATE SUMPS, EXHAUST STACK AND 67 EXTRACTION WELLS

PERMIT UNIT REQUIREMENTS

1. Flares shall be designed for and operated with no visible emissions, except for periods not to exceed a total of 5 minutes during any 2 consecutive hours. [40 CFR 60.18(c)(1)] Federally Enforceable Through Title V Permit
2. Testing the visible emissions of the flare shall be conducted at least annually, using EPA Method 22. The observation period shall be 2 hours. [40 CFR 60.18(f)(1)] Federally Enforceable Through Title V Permit
3. Landfill gas shall be tested for sulfur content quarterly using Draeger tubes. If source specific historical data (for a period of at least one year) shows seasonal variation of less than 20%, then landfill gas shall be tested annually using Draeger tubes. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
4. The operator shall maintain all records of required monitoring data and support information for inspection at any time for a period of five years. [District Rule 2520, 9.5.2] Federally Enforceable Through Title V Permit
5. The flare shall be operated according to the manufacturer's specifications, a copy of which shall be maintained on site. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
6. Actual flare emissions shall not exceed 20 tons VOC/year. Process information, including fuel usage data for the flare and process rates for operations controlled by the flare, shall be submitted to the District annually. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
7. Flares shall only be used with the net heating value of the gas being combusted being 200 Btu/scf or greater if the flare is non-assisted; or with the net heating value of the gas being combusted being 300 Btu/scf or greater if the flare is air-assisted or steam-assisted. [40 CFR 60.18 (c)(3)] Federally Enforceable Through Title V Permit
8. The net heating value of the gas being combusted in a flare shall be calculated annually, pursuant to 40 CFR 60.18(f)(3) and using EPA Method 18, ASTM D1946-77, and ASTM D2382-76. [40 CFR 60.18 (f)(3-6)] Federally Enforceable Through Title V Permit
9. Air-assisted flares shall be operated with an exit velocity less than V_{max} , as calculated by the equation specified in paragraph 40 CFR 60.18 (f)(6). [40 CFR 60.18 (c)(5)] Federally Enforceable Through Title V Permit
10. Nonassisted and steam-assisted flares shall be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), less than 60 ft/sec, except as provided in 40 CFR 60.18 (c)(4)(ii) and (iii). [40 CFR 60.18 (c)(4)(i)] Federally Enforceable Through Title V Permit
11. Nonassisted and steam-assisted flares may be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), equal to or greater than 60 ft/sec, but less than 400 ft/sec if the net heating value of the gas being combusted is greater than 1,000 Btu/scf. [40 CFR 60.18 (c)(4)(ii)] Federally Enforceable Through Title V Permit
12. Nonassisted and steam-assisted flares may be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), less than the velocity, V_{max} , as determined by the equation specified in paragraph 40 CFR 60.18 (f)(5), and less than 400 ft/sec. [40 CFR 60.18 (c)(4)(iii)] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. The actual exit velocity of a flare shall be calculated by dividing the volumetric flowrate (in units of standard temperature and pressure), as determined by Reference Methods 2, 2A, 2C, or 2D as appropriate; by the unobstructed (free) cross sectional area of the flare tip. [40 CFR 60.18 (f)(4)] Federally Enforceable Through Title V Permit
14. Flares shall be operated with a flame present at all times, and kept in operation when emissions may be vented to them. The presence of a flare pilot flame shall be monitored using a thermocouple or any other equivalent device to detect the presence of a flame. [40 CFR 60.18 (c)(2), 60.18 (e), and 60.18 (f)(2)] Federally Enforceable Through Title V Permit
15. Flare shall be equipped with a failure alarm to automatically shut off the blower and landfill gas supply. [District NSR Rule] Federally Enforceable Through Title V Permit
16. Landfill gas flowrate shall be monitored by flow indicator and recorders. [District NSR Rule] Federally Enforceable Through Title V Permit
17. Gas collection system shall be sealed at all times during operation. [District NSR Rule] Federally Enforceable Through Title V Permit
18. All condensate traps shall remain covered unless treatment of condensate is taking place. [District NSR Rule] Federally Enforceable Through Title V Permit
19. Flame temperature indicator and recorder shall be operated whenever gas is flared. [District NSR Rule] Federally Enforceable Through Title V Permit
20. Flare temperature shall be maintained to at least 1400 degree F. [District NSR Rule] Federally Enforceable Through Title V Permit
21. Total volume of landfill gas flared shall not exceed 2600 scf/min (3,744,000 scf/day) and shall be recorded daily. [District Rules 2520, 9.4.2 and NSR] Federally Enforceable Through Title V Permit
22. Emissions shall not exceed any of the following: NO_x - 0.0616 lb/MMbtu, PM₁₀ - 2.92 lb/hr, CO - 7.75 lb/hr, SO_x - 1.1 lb/hr, nor VOC(NHMC) - 1.92 lb/hr. [District NSR Rule] Federally Enforceable Through Title V Permit
23. Daily emissions shall not exceed any of the following: NO_x - 63.4 lb/day, PM₁₀ - 70.0 lb/day, CO - 186.0 lb/day, SO_x - 27.1 lb/day, nor VOC(NMHC) - 47.0 lb/day. [District NSR Rule] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.



AUTHORITY TO CONSTRUCT

PERMIT NO: C-150-1-5

ISSUANCE DATE: 02/25/2008

LEGAL OWNER OR OPERATOR: BROWNING FERRIS INDUSTRIES
MAILING ADDRESS: 901 BAILEY RD
PITTSBURG, CA 94565

LOCATION: 8662 W MUSCAT AVE
FRESNO, CA 93710

EQUIPMENT DESCRIPTION:

MODIFICATION OF 54 MMBTU/HR LANDFILL GAS COLLECTION AND TREATMENT SYSTEM WITH MCGILL MODEL EGF-4 ENCLOSED FLARE WITH COMBUSTION AIR CONTROLS, PROPANE-FIRED PILOT FLAME, FLAME ARRESTOR, BLOWERS, CONCRETE CONDENSATE SUMPS, EXHAUST STACK AND 67 EXTRACTION WELLS: ALLOW 15% OXYGEN CONCENTRATION ON 36 WELLHEADS.

CONDITIONS

1. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520] Federally Enforceable Through Title V Permit
2. Flares shall be designed for and operated with no visible emissions, except for periods not to exceed a total of 5 minutes during any 2 consecutive hours. [40 CFR 60.18(c)(1)] Federally Enforceable Through Title V Permit
3. Testing the visible emissions of the flare shall be conducted at least annually, using EPA Method 22. The observation period shall be 2 hours. [40 CFR 60.18(f)(1)] Federally Enforceable Through Title V Permit
4. Landfill gas shall be tested for sulfur content quarterly using Draeger tubes. If source specific historical data (for a period of at least one year) shows seasonal variation of less than 20%, then landfill gas shall be tested annually using Draeger tubes. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. The operator shall maintain all records of required monitoring data and support information for inspection at any time for a period of five years. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
6. The flare shall be operated according to the manufacturer's specifications, a copy of which shall be maintained on site. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
7. Actual flare emissions shall not exceed 20 tons VOC/year. Process information, including fuel usage data for the flare and process rates for operations controlled by the flare, shall be submitted to the District annually. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of Issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Sayed Sedreth, Executive Director / APCO

DAVID WARNER, Director of Permit Services
C-150-1-5; Feb 25 2008 1:08PM - SPANK Joint Inspection NOT Required

8. Flares shall only be used with the net heating value of the gas being combusted being 200 Btu/scf or greater if the flare is non-assisted; or with the net heating value of the gas being combusted being 300 Btu/scf or greater if the flare is air-assisted or steam-assisted. [40 CFR 60.18 (c)(3)] Federally Enforceable Through Title V Permit
9. The net heating value of the gas being combusted in a flare shall be calculated annually, pursuant to 40 CFR 60.18(f)(3) and using EPA Method 18, ASTM D1946, and ASTM D2382. [40 CFR 60.18 (f)(3-6)] Federally Enforceable Through Title V Permit
10. Air-assisted flares shall be operated with an exit velocity less than V_{max} , as calculated by the equation specified in paragraph 40 CFR 60.18 (f)(6). [40 CFR 60.18 (c)(5)] Federally Enforceable Through Title V Permit
11. Nonassisted and steam-assisted flares shall be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), less than 60 ft/sec, except as provided in 40 CFR 60.18 (c)(4)(ii) and (iii). [40 CFR 60.18 (c)(4)(i)] Federally Enforceable Through Title V Permit
12. Nonassisted and steam-assisted flares may be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), equal to or greater than 60 ft/sec, but less than 400 ft/sec if the net heating value of the gas being combusted is greater than 1,000 Btu/scf. [40 CFR 60.18 (c)(4)(ii)] Federally Enforceable Through Title V Permit
13. Nonassisted and steam-assisted flares may be operated with an exit velocity, as calculated by the methods specified in 40 CFR 60.18 (f)(4), less than the velocity, V_{max} , as determined by the equation specified in paragraph 40 CFR 60.18 (f)(5), and less than 400 ft/sec. [40 CFR 60.18 (c)(4)(iii)] Federally Enforceable Through Title V Permit
14. The actual exit velocity of a flare shall be calculated by dividing the volumetric flowrate (in units of standard temperature and pressure), as determined by Reference Methods 2, 2A, 2C, or 2D as appropriate; by the unobstructed (free) cross sectional area of the flare tip. [40 CFR 60.18 (f)(4)] Federally Enforceable Through Title V Permit
15. Flares shall be operated with a flame present at all times, and kept in operation when emissions may be vented to them. The presence of a flare pilot flame shall be monitored using a thermocouple or any other equivalent device to detect the presence of a flame. [40 CFR 60.18 (c)(2), 60.18 (e), and 60.18 (f)(2)] Federally Enforceable Through Title V Permit
16. Flare shall be equipped with a failure alarm to automatically shut off the blower and landfill gas supply. [District NSR Rule] Federally Enforceable Through Title V Permit
17. Landfill gas flowrate shall be monitored by flow indicator and recorders. [District NSR Rule] Federally Enforceable Through Title V Permit
18. Gas collection system shall be sealed at all times during operation. [District NSR Rule] Federally Enforceable Through Title V Permit
19. All condensate traps shall remain covered unless treatment of condensate is taking place. [District NSR Rule] Federally Enforceable Through Title V Permit
20. Flame temperature indicator and recorder shall be operated whenever gas is flared. [District NSR Rule] Federally Enforceable Through Title V Permit
21. Flare temperature shall be maintained to at least 1400 degree F. [District NSR Rule] Federally Enforceable Through Title V Permit
22. Total volume of landfill gas flared shall not exceed 2600 scf/min (3,744,000 scf/day) and shall be recorded daily. [District Rules 2520, 9.3.2 and NSR] Federally Enforceable Through Title V Permit
23. Emissions shall not exceed any of the following: NO_x - 0.0616 lb/MMbtu, PM₁₀ - 2.92 lb/hr, CO - 7.75 lb/hr, SO_x - 1.1 lb/hr, nor VOC(NHMC) - 1.92 lb/hr. [District NSR Rule] Federally Enforceable Through Title V Permit
24. Daily emissions shall not exceed any of the following: NO_x - 63.4 lb/day, PM₁₀ - 70.0 lb/day, CO - 186.0 lb/day, SO_x - 27.1 lb/day, nor VOC(NMHC) - 47.0 lb/day. [District NSR Rule] Federally Enforceable Through Title V Permit
25. Interior wells: DEW-04, DEW-06, and DEW-07 may be operated with 15% oxygen concentration or less, provided that the temperature of these wells stays below the 130 °F which would indicate that aerobic decomposition is not occurring. [40 CFR 60.753(c)] Federally Enforceable Through Title V Permit

FILE

CONDITIONS CONTINUE ON NEXT PAGE

26. Perimeter wells: EW-01, EW-02, EW-04, EW-05, EW-07, EW-09, EW-10, EW-12, EW-16, EW-17, EW-18, EW-20, EW-22, EW-23, EW-24, EW-25, EW-28, EW-29, EW-31, EW-32, EW-33, EW-35, EW-36, EW-38, EW-40, EW-43, EW-46, EW-47, EW-49, EW-50, EW-53, EW-55, and EW-56 may be operated with 15% oxygen concentration or less, provided that the temperature of these wells stays below the 130 °F which would indicate that aerobic decomposition is not occurring. [40 CFR 60.753(c)] Federally Enforceable Through Title V Permit

FILE

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-150-2-1

EXPIRATION DATE: 04/30/2009

EQUIPMENT DESCRIPTION:

MUNICIPAL SOLID WASTE LANDFILL (81 ACRES), 4.6 MILLION MEGAGRAM CAPACITY

PERMIT UNIT REQUIREMENTS

1. Each owner or operator shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity, the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. [40 CFR 60.758(a) and District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
2. This operating permit may be cancelled with APCO approval when the landfill 1) is closed, pursuant to the requirements of this permit, 2) never needed control, and 3) is not otherwise subject to the requirements of part 40 CFR 70. [40 CFR 60.752(b)] Federally Enforceable Through Title V Permit
3. If the landfill is permanently closed, a closure notification shall be submitted to the APCO within 30 days of waste disposal cessation. A permanent closure must take place in accordance with 40 CFR 258.60. If a closure report has been submitted, no additional waste may be placed in the landfill without filing a notification of modification to the APCO, pursuant to 40 CFR 60.7(a)(4). [40 CFR 60.752(b)(1)(ii)(B) and 60.757(d)] Federally Enforceable Through Title V Permit
4. If a gas collection and control system is installed, it shall comply with the operational standards of 40 CFR 60.753, the compliance provisions of 40 CFR 60.755, the monitoring provisions of 40 CFR 60.756, the reporting and recordkeeping requirements of 40 CFR 60.757 and 60.758, and the requirements of 40 CFR 60.759 (for active collection systems). [40 CFR 60.752(b)(2)(ii), 60.753, 60.755, 60.756, 60.757, 60.758, and 60.759] Federally Enforceable Through Title V Permit
5. If required to install a gas collection and control system in accordance with the provisions of 40 CFR 60.752(b)(2), the owner or operator shall comply with the requirements of 40 CFR 63.1960 through 63.1985, and with the general provisions of 40 CFR part 63, as specified in table 1 of 40 CFR part 63, subpart AAAA. [40 CFR 63.1955(b) and 63.1980(b)] Federally Enforceable Through Title V Permit
6. If required to install a gas collection and control system in accordance with the provisions of 40 CFR 60.752(b)(2), the owner or operator shall develop and implement a written startup, shutdown and malfunction (SSM) plan according to the provisions of 40 CFR 63.6(e)(3). A copy of the SSM plan shall be maintained on site. Failure to write, implement or maintain a copy of the SSM plan is a deviation from the requirements of 40 CFR part 63, subpart AAAA. [40 CFR 63.1960] Federally Enforceable Through Title V Permit
7. If required to install a gas collection and control system in accordance with the provisions of 40 CFR 60.752(b)(2), the owner or operator shall keep records and reports as specified in 40 CFR part 60 subpart WWW, except that the owner or operator shall submit the annual report described in 40 CFR 60.757(f) every 6 months. [40 CFR 63.1980(a)] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT C

Detailed Facility List

Detailed Facility Report
For Facility=150
Sorted by Facility Name and Permit Number

BROWNING FERRIS INDUSTRIES 8662 W MUSCAT AVE FRESNO, CA 93710	FAC # STATUS: TELEPHONE:	C 150 A (925) 458-9800	TYPE: TOXIC ID:	TitleV	EXPIRE ON: AREA: INSP. DATE:	04/30/2009 3 / 09/10
--	--------------------------------	------------------------------	--------------------	--------	------------------------------------	----------------------------

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-150-1-4	54,000 KBTU/HR FLARE	3020-02 H	1	1,030.00	1,030.00	A	54 MMBTU/HR LANDFILL GAS COLLECTION AND TREATMENT SYSTEM WITH MCGILL MODEL EGF-4 ENCLOSED FLARE WITH COMBUSTION AIR CONTROLS, PROPANE-FIRED PILOT FLAME, FLAME ARRESTOR, BLOWERS, CONCRETE CONDENSATE SUMPS, EXHAUST STACK AND 67 EXTRACTION WELLS
C-150-2-1	81 acre landfill	3020-12 Q	1	2,108.00	2,108.00	A	MUNICIPAL SOLID WASTE LANDFILL (81 ACRES), 4.6 MILLION MEGAGRAM CAPACITY

Number of Facilities Reported: 1