



OCT 12 2010

Chris Kaji  
Sensient Dehydrated Flavors Company  
P O Box 485  
Livingston, CA 95334

**Re: Notice of Final Action - Title V Permit Renewal  
District Facility # N-1657  
Project # N-1062643**

Dear Mr. Kaji:

The District has issued the Final Title V Permit for Sensient Dehydrated Flavors Company. The preliminary decision for this project was made on July 28, 2010. No comments were received subsequent to the District preliminary decision. Enclosed are the Renewed Final Title V Permit and public notice to be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner  
Director of Permit Services

**Attachments**

cc: Jonah Aiyabei, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



OCT 12 2010

Gerardo C. Rios, Chief  
Permits Office (AIR-3)  
U.S. EPA - Region IX  
75 Hawthorne St  
San Francisco, CA 94105

**Re: Notice of Final Action - Title V Permit Renewal  
District Facility # N-1657  
Project # N-1062643**

Dear Mr. Rios:

The District has issued the Final Title V Permit Renewal for Sensient Dehydrated Flavors Company. The preliminary decision for this project was made on July 28, 2010. No comments were received subsequent to the District preliminary decision. Enclosed are the Renewed Final Title V Permit and public notice to be published approximately three days from the date of this letter.

I would like to thank you and your staff for working with us. We appreciate your concurrence with this action. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner  
Director of Permit Services

Attachments

cc: Jonah Aiyabei, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



OCT 12 2010

Mike Tollstrup, Chief  
Project Assessment Branch  
Air Resources Board  
P O Box 2815  
Sacramento, CA 95812-2815

**Re: Notice of Final Action - Title V Permit Renewal  
District Facility # N-1657  
Project # N-1062643**

Dear Mr. Tollstrup:

The District has issued the Final Title V Permit for Sensient Dehydrated Flavors Company. The preliminary decision for this project was made on July 28, 2010. No comments were received subsequent to the District preliminary decision. Enclosed are the Renewed Final Title V Permit and public notice to be published approximately three days from the date of this letter.

I would like to thank you and your staff for working with us. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

**Attachments**

cc: Jonah Aiyabei, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585

Merced Sun Star

**SAN JOAQUIN VALLEY  
AIR POLLUTION CONTROL DISTRICT  
NOTICE OF FINAL DECISION TO ISSUE  
RENEWED FEDERALLY MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District has made its final decision to issue the renewed Federally Mandated Operating Permit to Sensient Dehydrated Flavors Company for its dehydrated food processing at 9984 W. Walnut Avenue in Livingston, California.

The District's analysis of the legal and factual basis for this proposed action, project #N-1062643, is available for public inspection at [http://www.valleyair.org/notices/public\\_notices\\_idx.htm](http://www.valleyair.org/notices/public_notices_idx.htm) and the District office at the address below. For additional information regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900, or contact David Warner, Director of Permit Services, in writing at SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 E. GETTYSBURG AVE, FRESNO, CA 93726-0244.



# Permit to Operate

**FACILITY:** N-1657

**EXPIRATION DATE:** 09/30/2015

**LEGAL OWNER OR OPERATOR:**  
**MAILING ADDRESS:**

SENSIENT DEHYDRATED FLAVORS COMPANY  
ATTN: CHRIS KAJI, EHS ENGINEER  
PO BOX 485  
LIVINGSTON, CA 95334

**FACILITY LOCATION:**

9984 WEST WALNUT AVENUE  
LIVINGSTON, CA 95334

**FACILITY DESCRIPTION:**

DEHYDRATED VEGETABLE PROCESSING

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

**Seyed Sadredin**  
Executive Director / APCO

**David Warner**  
Director of Permit Services

# San Joaquin Valley Air Pollution Control District

**FACILITY:** N-1657-0-2

**EXPIRATION DATE:** 09/30/2015

## **FACILITY-WIDE REQUIREMENTS**

---

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.9.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: SENSIENT DEHYDRATED FLAVORS COMPANY  
Location: 9984 WEST WALNUT AVENUE, LIVINGSTON, CA 95334  
N-1657-0-2: Oct 7 2010 5:29PM - AIYABEU

10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.



36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following outdated SIP requirements: Merced County Rule 109, Merced County Rule 202. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/1709); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin on March 1 of every year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
42. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-1-3

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

DEHYDRATOR #6: 65.0 MMBTU/HR PROCTOR & SCHWARTZ NATURAL GAS FIRED DEHYDRATOR

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The unit shall only be fired on PUC regulated natural gas. [District Rules 2201 and 4309, 5.1] Federally Enforceable Through Title V Permit
3. The total fuel usage of this unit shall not exceed 780,000 standard cubic feet in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. A non-resettable, totalizing mass or volumetric fuel flow meter shall be installed on the fuel line to the dehydrator burners. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
6. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
7. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 0.133 lb-NOX/MMBtu, 0.0029 lb-SOX/MMBtu, 0.0076 lb-PM10/MMBtu, 0.369 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
8. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
9. The dehydrator shall be operated and maintained in proper operating condition as recommended by the dehydrator's manufacturer or APCO-approved alternative procedures. [District Rule 4309, 5.1] Federally Enforceable Through Title V Permit
10. A copy of the manufacturer's operation specifications and maintenance instruction manual or APCO-approved alternative procedures shall be maintained on-site during normal business hours. [District Rule 4309, 6.1.3] Federally Enforceable Through Title V Permit
11. Permittee shall maintain records which demonstrate the unit is fired exclusively on PUC quality natural gas. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
12. Permittee shall maintain daily operation and maintenance records that demonstrate the dehydrator is operated within the limits of the manufacturer's specification, and maintenance is performed according to the manufacturer's recommendation or APCO-approved alternative procedures. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
14. The permittee shall maintain records of the daily fuel usage of this unit. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be maintained for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070 and 4309, 6.1.6] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-2-3

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

DEHYDRATOR #1: 65.0 MMBTU/HR PROCTOR & SCHWARTZ NATURAL GAS FIRED FOUR-STAGE DEHYDRATOR

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The unit shall only be fired on PUC regulated natural gas. [District Rules 2201 and 4309, 5.1] Federally Enforceable Through Title V Permit
3. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
4. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
6. The dehydrator shall be operated and maintained in proper operating condition as recommended by the dehydrator's manufacturer or APCO-approved alternative procedures. [District Rule 4309, 5.1] Federally Enforceable Through Title V Permit
7. A copy of the manufacturer's operation specifications and maintenance instruction manual or APCO-approved alternative procedures shall be maintained on-site during normal business hours. [District Rule 4309, 6.1.3] Federally Enforceable Through Title V Permit
8. Permittee shall maintain records which demonstrate the unit is fired exclusively on PUC quality natural gas. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
9. Permittee shall maintain daily operation and maintenance records that demonstrate the dehydrator is operated within the limits of the manufacturer's specification, and maintenance is performed according to the manufacturer's recommendation or APCO-approved alternative procedures. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
10. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. All records shall be maintained for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070 and 4309, 6.1.6] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-3-3

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

DEHYDRATOR #2: 65.0 MMBTU/HR PROCTOR & SCHWARTZ NATURAL GAS FIRED FOUR-STAGE DEHYDRATOR

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The unit shall only be fired on PUC regulated natural gas. [District Rules 2201 and 4309, 5.1] Federally Enforceable Through Title V Permit
3. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
4. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
6. The dehydrator shall be operated and maintained in proper operating condition as recommended by the dehydrator's manufacturer or APCO-approved alternative procedures. [District Rule 4309, 5.1] Federally Enforceable Through Title V Permit
7. A copy of the manufacturer's operation specifications and maintenance instruction manual or APCO-approved alternative procedures shall be maintained on-site during normal business hours. [District Rule 4309, 6.1.3] Federally Enforceable Through Title V Permit
8. Permittee shall maintain records which demonstrate the unit is fired exclusively on PUC quality natural gas. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
9. Permittee shall maintain daily operation and maintenance records that demonstrate the dehydrator is operated within the limits of the manufacturer's specification, and maintenance is performed according to the manufacturer's recommendation or APCO-approved alternative procedures. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
10. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. All records shall be maintained for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070 and 4309, 6.1.6] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-4-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

ONION MILL SERVED BY A PRIMARY AND A SECONDARY BAGHOUSE

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
3. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-5-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

GARLIC BIN DRYERS SERVED BY THREE (3) 8 MMBTU/HR NATURAL GAS-FIRED BURNERS, EACH WITH AN ALLADIN TYPE BA540 FAN

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
3. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit
5. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
6. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
7. The dryers shall be fired on PUC regulated natural gas. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
8. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-6-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

D-STAGE (STEAM HEATED) FOR PROCTOR & SCHWARTZ DEHYDRATOR #2

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The unit shall only be fired on PUC regulated natural gas. [District Rules 2201 and 4309, 5.1] Federally Enforceable Through Title V Permit
3. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
5. The dehydrator shall be operated and maintained in proper operating condition as recommended by the dehydrator's manufacturer or APCO-approved alternative procedures. [District Rule 4309, 5.1] Federally Enforceable Through Title V Permit
6. A copy of the manufacturer's operation specifications and maintenance instruction manual or APCO-approved alternative procedures shall be maintained on-site during normal business hours. [District Rule 4309, 6.1.3] Federally Enforceable Through Title V Permit
7. Permittee shall maintain records which demonstrate the unit is fired exclusively on PUC quality natural gas. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
8. Permittee shall maintain daily operation and maintenance records that demonstrate the dehydrator is operated within the limits of the manufacturer's specification, and maintenance is performed according to the manufacturer's recommendation or APCO-approved alternative procedures. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
9. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
10. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. All records shall be maintained for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070 and 4309, 6.1.6] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-7-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

ONION & GARLIC DEHYDRATOR SERVED BY A MICRO PULSAIRE MODEL 1325-8-20 BAGHOUSE AND A MAC H60 CYCLONE

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
3. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1657-8-5

EXPIRATION DATE: 09/30/2015

## EQUIPMENT DESCRIPTION:

GARLIC CRACKING LINE SERVED BY TWO CYCLONES AND A CARTER DAY MODEL 232-RF8 BAGHOUSE

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Visible emissions from the baghouse serving the garlic cracking operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in any one hour. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Material removed from the dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
5. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule] Federally Enforceable Through Title V Permit
6. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
7. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
8. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
9. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
10. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit
12. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. PM10 emissions from this operation shall not exceed 3.6 pounds in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
14. Records shall be maintained and updated daily, and shall include the quantity of PM10 emissions. [District Rules NSR and 1070] Federally Enforceable Through Title V Permit
15. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rules NSR and 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-9-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

DEHYDRATOR #3: 50.0 MMBTU/HR PROCTOR AND SCHWARTZ NATURAL GAS FIRED THREE-STAGE DEHYDRATOR

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The unit shall only be fired on PUC regulated natural gas. [District Rules 2201 and 4309, 5.1] Federally Enforceable Through Title V Permit
3. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
4. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
6. The dehydrator shall be operated and maintained in proper operating condition as recommended by the dehydrator's manufacturer or APCO-approved alternative procedures. [District Rule 4309, 5.1] Federally Enforceable Through Title V Permit
7. A copy of the manufacturer's operation specifications and maintenance instruction manual or APCO-approved alternative procedures shall be maintained on-site during normal business hours. [District Rule 4309, 6.1.3] Federally Enforceable Through Title V Permit
8. Permittee shall maintain records which demonstrate the unit is fired exclusively on PUC quality natural gas. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
9. Permittee shall maintain daily operation and maintenance records that demonstrate the dehydrator is operated within the limits of the manufacturer's specification, and maintenance is performed according to the manufacturer's recommendation or APCO-approved alternative procedures. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
10. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

12. All records shall be maintained for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070 and 4309, 6.1.6] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-10-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

DEHYDRATOR #4: 35.0 MMBTU/HR PUCCINELI NATURAL GAS FIRED TWO-STAGE DEHYDRATOR

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The unit shall only be fired on PUC regulated natural gas. [District Rules 2201 and 4309, 5.1] Federally Enforceable Through Title V Permit
3. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
4. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
6. The dehydrator shall be operated and maintained in proper operating condition as recommended by the dehydrator's manufacturer or APCO-approved alternative procedures. [District Rule 4309, 5.1] Federally Enforceable Through Title V Permit
7. A copy of the manufacturer's operation specifications and maintenance instruction manual or APCO-approved alternative procedures shall be maintained on-site during normal business hours. [District Rule 4309, 6.1.3] Federally Enforceable Through Title V Permit
8. Permittee shall maintain records which demonstrate the unit is fired exclusively on PUC quality natural gas. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
9. Permittee shall maintain daily operation and maintenance records that demonstrate the dehydrator is operated within the limits of the manufacturer's specification, and maintenance is performed according to the manufacturer's recommendation or APCO-approved alternative procedures. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
10. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. All records shall be maintained for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070 and 4309, 6.1.6] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-12-3

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

ONION UNLOADING AND STORAGE, DRYING EQUIPMENT (43.25 MMBTU/HR), AND WET PROCESSING: EQUIPMENT CONSISTING OF CONVEYORS, BLOWERS, FANS, CURING BAYS, HOPPERS, SOAK TANKS, SLICERS, CORING MACHINE, PUMPS, TUBE DRYERS AND COOLING TOWERS

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The dryer shall only be fired on PUC regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Natural gas-fired emission rates shall not exceed any of the following: NO<sub>x</sub> - 0.133 lb/MMBtu, VOC - 0.0055 lb/MMBtu, CO - 0.369 lb/MMBtu, PM<sub>10</sub> - 0.0076 lb/MMBtu, and SO<sub>x</sub> - 0.0029 lb/MMBtu. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit
6. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
7. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
8. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
9. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-13-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

GARLIC PROCESSING AND MILLING EQUIPMENT

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
3. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-14-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

BIN ROOM EQUIPMENT CONSISTING OF A 40 HP VACULIFT CYCLONE, DUMPING HOPPER, INSPECTION CONVEYOR, AND MICRO PULSAIRE MODEL 1325-8 BAGHOUSE WITH A 40 HP ALLADIN FAN

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
3. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-15-7

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

14.7 MMBTU/HR HURST FIRETUBE BOILER WITH A POWER FLAME MODEL NVC 8-G-30 ULTRA LOW-NOX BURNER

## PERMIT UNIT REQUIREMENTS

---

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed 0.1 grain/dscf at operating conditions, nor 0.1 grain/dscf calculated to 12% CO<sub>2</sub>, nor 10 lb/hr. [District Rule 4201 and District Rule 4301, 5.1 and 5.2.3] Federally Enforceable Through Title V Permit
3. Except for NO<sub>x</sub> and CO during startup and shutdown, emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NO<sub>x</sub> @ 3% O<sub>2</sub> or 0.018 lb-NO<sub>x</sub>/MMBtu, 0.0029 lb-SO<sub>x</sub>/MMBtu, 0.0076 lb-PM10/MMBtu, 50 ppmvd CO @ 3% O<sub>2</sub> or 0.037 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201; 4305, 5.1 & 5.3; 4306, 5.1; and 4351, 5.1 & 5.5] Federally Enforceable Through Title V Permit
4. During startup and shutdown, emissions shall not exceed any of the following limits: 30 ppmvd NO<sub>x</sub> @ 3% O<sub>2</sub> or 0.036 lb-NO<sub>x</sub>/MMBtu, or 100 ppmvd CO @ 3% O<sub>2</sub> or 0.074 lb-CO/MMBtu [District Rules 2201; 4305, 5.1 & 5.3; 4306, 5.3; and 4351, 5.1 & 5.5] Federally Enforceable Through Title V Permit
5. Startup and shutdown shall not exceed 1 hour each per year. The emission control system shall be in operation and emissions shall be minimized insofar as technologically feasible during start-up and shutdown. [District Rules 2201 and 4306, 5.3] Federally Enforceable Through Title V Permit
6. The unit shall only be fired on PUC-regulated natural gas. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Source testing to measure natural gas-combustion NO<sub>x</sub> and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months until the source demonstrates compliance on two (2) consecutive annual source tests, in which case source testing shall revert back to once every thirty-six (36) months. [District Rules 4305, 6.3.1; 4306, 6.3.1; and 4351, 6.3.1] Federally Enforceable Through Title V Permit
8. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 5.5.1; 4306, 5.5.1; and 4351, 5.7.1] Federally Enforceable Through Title V Permit
9. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305, 5.5.2; 4306, 5.5.2; and 4351, 5.7.2] Federally Enforceable Through Title V Permit
10. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 5.5.5 and 4306, 5.5.5] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

11. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
12. NO<sub>x</sub> emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 6.2.2 & 6.2.5; 4306, 6.2.2 & 6.2.5; and 4351, 6.2.2 & 6.2.5] Federally Enforceable Through Title V Permit
13. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 6.2.3; 4306, 6.2.3; and 4351, 6.2.3] Federally Enforceable Through Title V Permit
14. Stack gas oxygen (O<sub>2</sub>) shall be determined using EPA Method 3 or 3A or ARB Method 100. Stack gas velocity shall be determined using EPA Method 2. Stack gas moisture content shall be determined using EPA Method 4. [District Rules 4305, 6.2.4, 6.2.6 & 6.2.7; 4306, 6.2.4, 6.2.6 & 6.2.7; and 4351, 6.2.4, 6.2.6 & 6.2.7] Federally Enforceable Through Title V Permit
15. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
16. During the 36-month source testing interval, the owner/operator shall have unit tuned at least twice each calendar year, from four to eight months apart, in which it operates, by a technician that is qualified, to the satisfaction of the APCO, in accordance with the procedure described in Rule 4304 (Equipment Tuning Procedure for Boilers, Steam Generators, and Process Heaters); and shall monitor, at least on a monthly basis, the unit's operational characteristics recommended by the manufacturer to ensure compliance with the emission limits. Records to verify that the required tune-ups and the required monitoring of the operational characteristics of the unit have been performed shall be maintained. [District Rules 4305, 6.3.1 & 6.1.4; 4306, 6.3.1 & 6.1.3; and 4351, 6.3.1] Federally Enforceable Through Title V Permit
17. If the unit does not operate throughout a continuous six-month period within a calendar year, only one tune-up is required for that calendar year. No tune-up is required for any unit that is not operated during that calendar year; this unit may be test fired to verify availability of the unit for its intended use, but once the test firing is completed the unit shall be shutdown. [District Rule 4306, 5.2.1] Federally Enforceable Through Title V Permit
18. The stack O<sub>2</sub> concentration measurement and inspection of burner mechanical settings shall be conducted at least on a weekly basis. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last week. Records must be maintained of the dates of non-operation to validate extended monitoring frequencies. [District Rules 4305, 5.4.2 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
19. The normal range/level of stack O<sub>2</sub> concentration and visible mechanical burner settings shall be established by source testing this unit or other representative units per Rule 4305 and as approved by the District. The normal range/level shall be that for which compliance with applicable NO<sub>x</sub> and CO emission limits has been demonstrated through source testing at a similar firing rate. [District Rules 4305, 5.4.2 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
20. Normal range or level for the stack O<sub>2</sub> concentration and burner mechanical settings shall be re-established during each source test required by this permit. [District Rules 4305, 5.4.2 and 4306, 5.4.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

21. If either the stack O<sub>2</sub> concentration or visible mechanical burner settings are less than the normal range/level, the permittee shall return the stack O<sub>2</sub> concentration and visible mechanical burner settings to the normal range/level as soon as possible, but no longer than 1 hour of operation after detection. If the stack O<sub>2</sub> concentration and visible mechanical burner settings are not returned to the normal range/level within 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour, and conduct a source test within 60 days of the first exceedance, to demonstrate compliance with the applicable emission limits at the new stack O<sub>2</sub> concentration and visible mechanical burner settings. A District-approved portable analyzer may be used in lieu of a source test to demonstrate compliance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 5.4.2 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
22. The permittee shall maintain records of the date and time of O<sub>2</sub> measurements and burner adjustments, the measured O<sub>2</sub> concentrations (% by volume) and firing rate at the time of O<sub>2</sub> measurement, and the observed burner mechanical settings. The records must also include a description of any corrective action taken to maintain the O<sub>2</sub> concentration and the burner mechanical settings within the acceptable range. [District Rules 4305, 5.4.2 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
23. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070; 4305, 6.1; 4306, 6.1; and 4351, 6.1] Federally Enforceable Through Title V Permit
24. NO<sub>x</sub>, and CO emissions shall be measured with source testing conducted by independent testing laboratory and shall be witnessed or authorized by the District. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
25. Emissions for this unit shall be calculated using the arithmetic mean, pursuant to District Rule 1081 (Amended December 16, 1993), of 3 thirty minute test runs for NO<sub>x</sub> and CO. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
26. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2; and 4351, 6.1.1] Federally Enforceable Through Title V Permit
27. Operator shall provide that fuel hhv be certified by third party fuel supplier or determined by: ASTM D 1826 or D 1945 in conjunction with ASTM D 3588 for gaseous fuels. [District Rule 2520, 9.4.2; 4305, 6.2.1; 4306, 6.2.1; and 4351, 6.2.1] Federally Enforceable Through Title V Permit
28. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following subsumed requirements: Rule 405 (Madera), Rule 408 (Fresno), Rule 408.2 (Merced) and 407.2 (Kern, Tulare, Kings, Stanislaus, and San Joaquin); Rule 402 (Madera) and 404 (all seven remaining counties in the San Joaquin Valley); SJVUAPCD Rule 4301. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
29. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following subsumed requirements: Rule 407 (Merced); SJVUAPCD Rule 4801. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
30. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following requirements: SJVUAPCD Rule 4201 and 4301. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
31. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following requirements: SJVUAPCD Rule 1081. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

32. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following requirements: SJVUAPCD Rule 4305, Sec. 4.2, 5.1.1, 5.1.2,, 5.4, 6.1.1, 6.2 (excepting 6.2.324), 6.3, 8.1 and Rule 4351 Sec 4.2, 5.2.2.1, 5.2.2.2, 6.1.1, 6.2 (excepting 6.2.324), 8.1. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
33. This unit has not been used to produce electricity for sale in 1985 or on or after November 15, 1990. Therefore, the requirements of 40 CFR 72.6(b) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1657-18-3

EXPIRATION DATE: 09/30/2015

## EQUIPMENT DESCRIPTION:

GARLIC DRYING FACILITY EQUIPPED WITH A MAXON SERIES NP-I 8.0 MMBTU/HR NATURAL GAS FIRED BURNER AND AN ALLADIN MODEL BB542 FAN

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The dryer shall only be fired on PUC regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Natural gas-fired emission rates shall not exceed any of the following: NO<sub>x</sub> - 0.1 lb/MMBtu, VOC - 0.0057 lb/MMBtu, CO - 0.369 lb/MMBtu, PM<sub>10</sub> - 0.0076 lb/MMBtu, and SO<sub>x</sub> - 0.0029 lb/MMBtu. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit
6. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
7. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
8. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
9. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-21-3

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

DEHYDRATED ONION PRODUCTS SEPARATION AND CLEANING OPERATION SERVED BY P&F RECOV-AIRE, MODEL J8-224-2522, 20,000 CFM AIR FLOW DUST COLLECTOR

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
4. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
5. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
6. Visible emissions from the baghouse serving dehydrated onion products separation and cleaning operation shall not equal or exceed 5% opacity for a period or periods aggregating more than three minutes in one hour. [District NSR Rule] Federally Enforceable Through Title V Permit
7. PM10 emissions from the extruding operations shall not exceed 0.8 pounds during any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
8. The permittee shall maintain records sufficient to demonstrate compliance with each daily emission limit. These records shall contain each calculated emission quantity as well as each process variable used in the respective calculations. All records shall be retained for a minimum of five years, and shall be made available for District inspection upon request. [District NSR Rule and 1070] Federally Enforceable Through Title V Permit
9. The baghouse pressure drop shall be observed and recorded weekly during operation of this unit. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
10. Records of baghouse pressure drop shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
14. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
15. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-22-5

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

DEHYDRATOR #7: 70 MMBTU/HR PROCTOR & SCHWARTZ, MODEL SCF 4 STAGE, DEHYDRATOR WITH ECLIPSE COMBUSTION, MODEL MINNOX, BURNERS

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The unit shall only be fired on PUC regulated natural gas. [District Rules 2201 and 4309, 5.1] Federally Enforceable Through Title V Permit
3. The total heat input to this unit shall not exceed 306,600 MMBtu in any one calendar year. [District Rule 2201] Federally Enforceable Through Title V Permit
4. A non-resettable, totalizing mass or volumetric fuel flow meter shall be installed on the fuel line to the dryer burners. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Sulfur compound emissions shall not exceed 0.2% by volume, 2000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and Merced County Rule 407] Federally Enforceable Through Title V Permit
6. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
7. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 0.036 lb-NOX/MMBtu, 0.004 lb-SOX/MMBtu, 0.012 lb-PM10/MMBtu, 0.296 lb-CO/MMBtu, or 0.005 lb-VOC/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
8. This unit is not used in the process of burning fuel for the primary purpose of producing heat or power by indirect heat transfer. Therefore, the requirements of District Rule 4301 (Amended December 17, 1992) do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
9. The dehydrator shall be operated and maintained in proper operating condition as recommended by the dehydrator's manufacturer or APCO-approved alternative procedures. [District Rule 4309, 5.1] Federally Enforceable Through Title V Permit
10. A copy of the manufacturer's operation specifications and maintenance instruction manual or APCO-approved alternative procedures shall be maintained on-site during normal business hours. [District Rule 4309, 6.1.3] Federally Enforceable Through Title V Permit
11. Permittee shall maintain records which demonstrate the unit is fired exclusively on PUC quality natural gas. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. Permittee shall maintain daily operation and maintenance records that demonstrate the dehydrator is operated within the limits of the manufacturer's specification, and maintenance is performed according to the manufacturer's recommendation or APCO-approved alternative procedures. [District Rule 4309, 5.4.2 & 6.1.3] Federally Enforceable Through Title V Permit
13. Records of inspections and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
14. The permittee shall maintain records of the cumulative annual heat input to this unit. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be maintained for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070 and 4309, 6.1.6] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-24-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

ONE (1) DEHYDRATED GARLIC & OTHER ASSORTED VEGETABLE MILLING OPERATION (FLAKE CIRCUIT)  
SERVED BY A P&F FABRICATION, MODEL NO. JI 10 263 3782, BAGHOUSE

## PERMIT UNIT REQUIREMENTS

---

1. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule] Federally Enforceable Through Title V Permit
2. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
4. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
5. There shall be no visible emissions from the baghouse. [District NSR Rule] Federally Enforceable Through Title V Permit
6. All ducting from the milling operations to the baghouse shall be properly maintained to prevent fugitive dust emissions. [District NSR Rule] Federally Enforceable Through Title V Permit
7. The maximum quantity of dehydrated products processed through this milling operation shall not exceed 100 tons in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
8. The PM10 emission concentration shall not exceed 0.004 lbs/ton of product processed through this milling operation. [District NSR Rule] Federally Enforceable Through Title V Permit
9. Records of the daily amount of product processed through this milling operation, in tons, shall be retained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
10. The baghouse pressure drop shall be observed and recorded quarterly during operation of this unit. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Records of baghouse pressure drop shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
13. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

14. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
15. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
16. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
17. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-25-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

ONE (1) DEHYDRATED GARLIC & OTHER ASSORTED VEGETABLE MILLING OPERATION (GRANULATED/GROUND CIRCUIT) SERVED BY A P&F FABRICATION, MODEL NO. JI 10 263 3782, BAGHOUSE IN PERMIT N-1657-24

## PERMIT UNIT REQUIREMENTS

---

1. The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule] Federally Enforceable Through Title V Permit
2. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
3. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
4. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
5. There shall be no visible emissions from the baghouse. [District NSR Rule] Federally Enforceable Through Title V Permit
6. All ducting from the milling operations to the baghouse shall be properly maintained to prevent fugitive dust emissions. [District NSR Rule] Federally Enforceable Through Title V Permit
7. The maximum quantity of dehydrated products processed through this milling operation shall not exceed 100 tons in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
8. The PM10 emission concentration shall not exceed 0.004 lbs/ton of product processed through this milling operation. [District NSR Rule] Federally Enforceable Through Title V Permit
9. Records of the daily amount of product processed through this milling operation, in tons, shall be retained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
10. The baghouse pressure drop shall be observed and recorded quarterly during operation of this unit. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
11. Records of baghouse pressure drop shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
12. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
13. Visible emissions shall be observed once per calendar quarter during operation. Any indication of potential visible emissions in excess of the limits of Rule 4101 shall be corrected within 24 hours. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

14. Dust collection system shall be completely inspected annually while in operation for evidence of particulate matter leaks and repaired as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
15. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
16. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
17. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E=3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E=17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-30-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

MOTOR VEHICLE AND MOBILE EQUIPMENT COATING OPERATION (GROUP II VEHICLES) WITH HVLP SPRAY EQUIPMENT AND AN ENCLOSED GUN CLEANING SYSTEM.

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
3. The VOC emissions from this operation shall not exceed 27.5 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The VOC emissions from this operation shall not exceed 235 pounds in any given year. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The PM10 emissions from this operation shall not exceed 2.0 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The PM10 emissions from this operation shall not exceed 80 pounds in any given year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The permittee shall maintain annual records of the amount of VOC and PM10 emissions generated by this coating operation and those records shall be updated daily. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Permittee shall not apply to any motor vehicle, mobile equipment, or associated parts and components, any coating with a VOC regulatory content exceeding any of the following limits, as applicable: adhesion promoter 840 g/l (7.0 lb/gal) until 12/31/2009, and 540 g/l (4.5 lb/gal) thereafter; clear coating 250 g/l (2.1 lb/gal); color coating 420 g/l (3.5 lb/gal); multi-color coating 680 g/l (5.7 lb/gal); pretreatment coating 660 g/l (5.5 lb/gal); primer 250 g/l (2.1 lb/gal); primer sealer 420 g/l (3.5 lb/gal) until 12/31/2009, and 250 g/l (2.1 lb/gal) thereafter; single-stage coating 420 g/l (3.5 lb/gal) until 12/31/2009, and 340 g/l (2.8 lb/gal) thereafter; temporary protective coating 60 g/l (0.5 lb/gal); underbody coating 430 g/l (3.6 lb/gal); uniform finish coating 540 g/l (4.5 lb/gal); and any other coating type 250 g/l (2.1 lb/gal). [District Rule 4612, 5.1] Federally Enforceable Through Title V Permit
9. If anywhere on the container of any automotive coating, or any label or sticker affixed to the container, or in any sales, advertising, or technical literature, any representation is made that indicates that the coating meets the definition of or is recommended for use for more than one of the coating categories listed in Section 5.1 of District Rule 4612, then the lowest applicable VOC content limit shall apply. [District Rule 4612, 5.2] Federally Enforceable Through Title V Permit
10. Permittee shall not possess any automotive coating that is not in compliance with Section 5.1 of District Rule 4612. [District Rule 4612, 5.5] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

11. Except for underbody coatings, graphic arts operations, truck bed liner coatings, or any coating use of less than one (1.0) fluid ounce (29.6 milliliters), permittee shall not apply any coating to any motor vehicle, mobile equipment, or associated parts and components unless one of the following application methods is used: brush, dip, roller, electrostatic spray, or High-Volume Low-Pressure (HVLV) spray equipment. [District Rule 4612, 5.8] Federally Enforceable Through Title V Permit
12. If a spray gun is used, the permittee must demonstrate that the gun meets the HVLV definition in section 3.21 of District Rule 4612 in design and use. A satisfactory demonstration must be based on the manufacturer's published technical material on the design of the gun and by a demonstration of the operation of the gun using an air pressure tip gauge from the manufacturer of the gun. [District Rule 4612, 5.8] Federally Enforceable Through Title V Permit
13. For solvent cleaning operations other than for bug and tar removal, permittee shall not use solvents that have VOC content greater than 25 grams VOC per liter of cleaning material. For bug and tar removal, permittee shall not use any material other than bug and tar remover regulated under the Consumer Products Regulation (California Code of Regulations Section 94507 et seq.). [District Rule 4612, 5.9] Federally Enforceable Through Title V Permit
14. Permittee shall store or dispose of fresh or spent solvents, waste solvent cleaning materials such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners in closed, non-absorbent and non-leaking containers, which shall remain closed at all times except when depositing or removing the contents or when empty. [District Rule 4612, 5.10] Federally Enforceable Through Title V Permit
15. Permittee shall maintain and have available at all times, on site, the following: (1) A current list of all coatings used that are subject to this rule, which shall include the following information for each coating: (a) material name and manufacturer (b) application method (c) coating type (as listed in section 5.1 of the rule) and mix ratio specific to the coating (d) VOC Actual for Coatings and VOC Regulatory for Coatings, as applied, calculated pursuant to section 3.43 of the rule (2) Current manufacturer specification sheets, material safety data sheets, technical data sheets, or air quality data sheets, which list the VOC Actual for Coatings and VOC Regulatory for Coatings of each ready-to-spray coating (based on the manufacturer's stated mix ratio) and automotive coating components (3) Purchase records identifying the coating type (as listed in section 5.1 of the rule), name, and volume of coatings. [District Rule 4612, 6.4] Federally Enforceable Through Title V Permit
16. If using solvents for cleaning, permittee shall keep the following records: (1) A copy of the manufacturer's product data sheet or material safety data sheet of the solvents used (2) A current list of solvents, which shall include the following information: (a) the name of the solvent and its manufacturer's name (b) the VOC content of the solvent expressed in grams/liter or lb/gallon (c) when the solvent is a mixture of different materials that are blended by the end user, the mix ratio of the batch shall be recorded and the VOC content of the batch shall be calculated and recorded in order to determine compliance with the specified limits of VOC content (3) The quantity of solvent used for solvent cleaning activities. [District Rule 4612, 6.5] Federally Enforceable Through Title V Permit
17. Records shall be retained on site for a period of five years; shall be made available on site during normal business hours to the APCO, ARB, or EPA; and shall be submitted to the APCO, ARB, or EPA upon request. [District Rule 4612, 6.3] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-31-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

220 BHP CHRYSLER MODEL HB 426-474 GASOLINE-FIRED EMERGENCY IC ENGINE #1 POWERING A FIRE PUMP

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. This engine shall only be fired on gasoline. [District Rule 2010] Federally Enforceable Through Title V Permit
3. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 4.3] Federally Enforceable Through Title V Permit
4. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 100 hours per year. [District Rules 4701, 4.2 and 4702, 4.3] Federally Enforceable Through Title V Permit
5. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the total hours of operation, the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, type and quantity of fuel used, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.), and other support documentation necessary to demonstrate a claim to the exemption. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rules 4701, 6.2.2 and 4702, 6.2.3] Federally Enforceable Through Title V Permit
6. All records shall be maintained and retained on-site for a period of at least five years, shall be readily available, and be made available to the APCO upon request. [District Rules 4701, 6.2.3 and 4702, 6.2.3] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** N-1657-32-2

**EXPIRATION DATE:** 09/30/2015

**EQUIPMENT DESCRIPTION:**

220 BHP CHRYSLER MODEL HB 426 GASOLINE-FIRED EMERGENCY IC ENGINE #2 POWERING A FIRE PUMP:

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. This engine shall only be fired on gasoline. [District Rule 2010] Federally Enforceable Through Title V Permit
3. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 4.3] Federally Enforceable Through Title V Permit
4. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 100 hours per year. [District Rules 4701, 4.2 and 4702, 4.3] Federally Enforceable Through Title V Permit
5. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the total hours of operation, the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, type and quantity of fuel used, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.), and other support documentation necessary to demonstrate a claim to the exemption. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rules 4701, 6.2.2 and 4702, 6.2.3] Federally Enforceable Through Title V Permit
6. All records shall be maintained and retained on-site for a period of at least five years, shall be readily available, and be made available to the APCO upon request. [District Rules 4701, 6.2.3 and 4702, 6.2.3] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.