



OCT 2 9 2010

Steven Sylvester E & J Gallo Winery PO Box 1130 Modesto, CA 95353-1130

Re: Notice of Preliminary Decision - Title V Permit Renewal District Facility # N-3386 Project # N-1092180

Dear Mr. Sylvester:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for E & J Gallo Winery for its wine production facility, 600 Yosemite Blvd, Modesto, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 30-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner

David Warner Director of Permit Services

Attachments C: Juscelino Siongco, Permit Services Engineer

> Seyed Sadredin Executive Director/Air Pollution Control Officer

Northern Region 4800 Enterprise Way Modesto, CA 95356-8718 Tel: (209) 557-6400 FAX: (209) 557-6475 Central Region (Main Office) 1990 E. Gettysburg Avenue Fresno, CA 93726-0244 Tel: (559) 230-6000 FAX: (559) 230-6061 Southern Region 34946 Flyover Court Bakersfield, CA 93308-9725 Tel: 661-392-5500 FAX: 661-392-5585

www.valleyair.org www.healthyairliving.com





OCT 2 9 2010

Gerardo C. Rios, Chief Permits Office (AIR-3) U.S. EPA - Region IX 75 Hawthorne St. San Francisco, CA 94105

Re: Notice of Preliminary Decision – Title V Permit Renewal District Facility # N-3386 Project # N-1092180

Dear Mr. Rios:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for E & J Gallo Winery for its wine production facility, 600 Yosemite Blvd, Modesto, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 45-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner Director of Permit Services

Attachments C: Juscelino Siongco, Permit Services Engineer

Northern Region 4800 Enterprise Way Modesto, CA 95356-8718 Tel: (209) 557-6400 FAX: (209) 557-6475 Central Region (Main Office) 1990 E. Gettysburg Avenue Fresno, CA 93726-0244 Tel: (559) 230-6000 FAX: (559) 230-6061

Seyed Sadredin Executive Director/Air Pollution Control Officer

> Southern Region 34946 Flyover Court Bakersfield, CA 93308-9725 Tel: 661-392-5500 FAX: 661-392-5585

www.valleyair.org www.healthyairliving.com





OCT 2 9 2010

Mike Tollstrup, Chief Project Assessment Branch Air Resources Board P O Box 2815 Sacramento, CA 95812-2815

Re: Notice of Preliminary Decision - Title V Permit Renewal District Facility # N-3386 Project # N-1092180

Dear Mr. Tollstrup:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for E & J Gallo Winery for its wine production facility, 600 Yosemite Blvd, Modesto, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. Please submit your written comments on this project within the 30-day comment period which begins on the date of publication of the public notice.

Thank you for your cooperation in this matter. If you have any questions regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner Director of Permit Services

Attachments C: Juscelino Siongco, Permit Services Engineer

> Seyed Sadredin Executive Director/Air Pollution Control Officer

Northern Region 4800 Enterprise Way Modesto, CA 95356-8718 Tel: (209) 557-6400 FAX: (209) 557-6475 Central Region (Main Office) 1990 E. Gettysburg Avenue Fresno, CA 93726-0244 Tel: (559) 230-6000 FAX: (559) 230-6061 Southern Region 34946 Flyover Court Bakersfield, CA 93308-9725 Tel: 661-392-5500 FAX: 661-392-5585

www.valleyair.org www.healthyairliving.com

Modesto Bee

NOTICE OF PRELIMINARY DECISION FOR THE PROPOSED RENEWAL OF THE FEDERALLY MANDATED OPERATING PERMIT

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District solicits public comment on the proposed renewal of the Federally Mandated Operating Permit to E & J Gallo Winery for its wine production facility, 600 Yosemite Blvd, Modesto, California.

The District's analysis of the legal and factual basis for this proposed action, #N-1092180. project is available for public inspection at http://www.valleyair.org/notices/public notices idx.htm and the District office at the address below. There are no emission changes associated with this proposed action. This will be the public's only opportunity to comment on the specific conditions of the proposed renewal of the Federally Mandated Operating permit. If requested by the public, the District will hold a public hearing regarding issuance of this renewed permit. For additional information, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900. Written comments on the proposed renewed permit must be submitted within 30 days of the publication date of this notice to DAVID WARNER, DIRECTOR OF PERMIT SERVICES, SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 E. GETTYSBURG AVE, FRESNO, CALIFORNIA 93726-0244.

SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT

Proposed Title V Permit Renewal Evaluation E & J Gallo Winery N-3386

TABLE OF CONTENTS

Ι.	PROPOSAL	2
II.	FACILITY LOCATION	2
III.	EQUIPMENT LISTING	3
IV.	GENERAL PERMIT TEMPLATE USAGE	3
ν.	SCOPE OF EPA AND PUBLIC REVIEW	3
VI.	FEDERALLY ENFORCEABLE REQUIREMENTS	3
VII.	REQUIREMENTS NOT FEDERALLY ENFORCEABLE	6
	PERMIT REQUIREMENTS	
IX.	PERMIT SHIELD	22
X .	PERMIT CONDITIONS	23
XI.	ATTACHMENTS	23

- A. DRAFT RENEWED TITLE V OPERATING PERMIT
- B. PREVIOUS TITLE V OPERATING PERMIT
- C. DETAILED FACILITY LIST

TITLE V PERMIT RENEWAL EVALUATION Wine Production

Engineer: Juscelino Siongco Date: July 21, 2010

Facility Number: Facility Name: Mailing Address:	E & J Gallo Winery
	Steven Sylvester (209) 341-6804
Responsible Official:	Doug Reifsteck
Title:	VP-Modesto Cellar and Bottling Operation
Project # :	N-1092180
Deemed Complete:	May 14, 2009

I. PROPOSAL

E & J Gallo Winery was issued a Title V permit on June 29, 2000. As required by District Rule 2520, the applicant is requesting a permit renewal. The existing Title V permit shall be reviewed and modified to reflect all applicable District and federal rules updated, removed, or added since the issuance of the initial Title V permit.

The purpose of this evaluation is to provide the legal and factual basis for all updated applicable requirements and to determine if the facility will comply with these updated requirements. It also specifically identifies all additions, deletions, and/or changes made to permit conditions or equipment descriptions.

II. FACILITY LOCATION

E & J Gallo Winery is located at 600 Yosemite Blvd, Modesto in Stanislaus County.

III. EQUIPMENT LISTING

A detailed facility printout listing all permitted equipment at the facility is included as Attachment C.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant does not propose to use any model general permit templates.

V. SCOPE OF EPA AND PUBLIC REVIEW

Certain segments of the proposed Renewed Operating Permit are based on model general permit templates that have been previously subject to EPA and public review. The terms and conditions from the model general permit templates are included in the proposed permit and are not subject to further EPA and public review.

For permit applications utilizing model general permit templates, public and agency comments on the District's proposed actions are limited to the applicant's eligibility for model general permit template, applicable requirements not covered by the model general permit template, and the applicable procedural requirements for issuance of Title V Operating Permits.

The applicant is not requesting any model general permit templates. Therefore, all federally enforceable conditions in this current Title V permit will be subject to EPA and public review.

VI. FEDERALLY ENFORCEABLE REQUIREMENTS

A. Rules Updated

- District Rule 2020, <u>Exemptions</u> (amended September 21, 2006 ⇒ amended December 20, 2007)
- District Rule 2201, <u>New and Modified Stationary Source Review Rule</u> (amended September 21, 2006 ⇒ amended December 18, 2008)
- District Rule 4101, <u>Visible Emissions</u> (amended November 15, 2001 ⇒ amended February 17, 2005)
- District Rule 4306, <u>Boilers, Steam Generators, and Process Heaters–Phase</u> <u>3</u> (amended March 17, 2005 ⇒ amended October 16, 2008)

- District Rule 4601, <u>Architectural Coatings</u> (amended October 31, 2001 ⇒ amended December 17, 2009)
- District Rule 4603, <u>Surface Coating of Metal Parts and Products</u>, <u>Plastic Parts and Products</u>, <u>and Pleasure Crafts</u> (amended October 16, 2008 ⇒ amended September 17, 2009)
- District Rule 4621, <u>Gasoline Transfer into Stationary Storage Containers</u>, <u>Delivery Vessels and Bulk Plants</u> (amended June 18, 1998 ⇒ amended December 20, 2007)
- District Rule 4622, <u>Gasoline Transfer into Motor Vehicle Fuel Tanks</u> (amended September 19, 2002 ⇒ amended December 20, 2007)
- District Rule 4702, <u>Internal Combustion Engines–Phase 2</u> (amended April 20, 2006 ⇒ amended January 18, 2007)
- District Rule 8011, <u>General Requirements</u> (adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8021, <u>Construction, Demolition, Excavation, Extraction, and</u> <u>Other Earthmoving Activities</u> (adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8031, <u>Bulk Materials</u> (adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8041, <u>Carryout and Trackout</u> (adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8051, <u>Open Areas</u> (adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8061, <u>Paved and Unpaved Roads</u> (adopted November 15, 2001 ⇒ amended August 19, 2004)
- District Rule 8071, <u>Unpaved Vehicle/Equipment Traffic Areas</u> (adopted November 15, 2001 ⇒ amended September 16, 2004)

E & J Gallo Winery N-3386 N-1092180

- 40 CFR Part 60, Subpart Dc, <u>Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units</u> (amended January 28, 2009)
- 40 CFR Part 63, Subpart ZZZZ, <u>National Emissions Standards for</u> <u>Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion</u> <u>Engines</u> (amended January 18, 2008)
- 40 CFR Part 82, Subpart B, <u>Stratospheric Ozone</u> (amended November 9, 2007)
- 40 CFR Part 82, Subpart F, <u>Stratospheric Ozone</u> (amended June 8, 2008)

B. Rules Not Updated

- District Rule 1081, Source Sampling (amended December 16, 1993)
- District Rule 1100, Equipment Breakdown (amended December 17,1992)
- District Rule 1160, Emission Statements (adopted November 18, 1992)
- District Rule 2010, Permits Required (amended December 17, 1992)
- District Rule 2031, <u>Transfer of Permits</u> (amended December 17, 1992)
- District Rule 2040, <u>Applications</u> (amended December 17, 1992)
- District Rule 2070, <u>Standards for Granting Applications</u> (amended December 17, 1992)
- District Rule 2080, Conditional Approval (amended December 17, 1992)
- District Rule 2520, <u>Federally Mandated Operating Permits</u> (amended June 21, 2001)
- District Rule 4201, <u>Particulate Matter Concentration</u> (amended December 17, 1992)
- District Rule 4202, <u>Particulate Matter Emission Rate</u> (amended December 17, 1992)

- District Rule 4305, <u>Boilers, Steam Generators, and Process Heaters–Phase</u> <u>2</u> (amended August 21, 2003)
- District Rule 4801, <u>Sulfur Compounds</u> (amended December 17, 1992)
- 40 CFR Part 60, Subpart IIII, <u>Standards of Performance for Stationary</u> <u>Compression Ignition Internal Combustion Engines</u>
- 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos
- 40 CFR Part 82, Subpart F, <u>Stratospheric Ozone</u>

VII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits. The terms and conditions that are part of the facility's Title V permit are designated as "Federally Enforceable Through Title V Permit."

For this facility, the following are not federally enforceable and will not be discussed in further detail:

A. District Rule 4102, Nuisance (Amended December 17, 1992)

The purpose of this rule is to protect the health and safety of the public. This rule applies to any source operation which emits or may emit air contaminants or other materials.

- a. N-3386-0-3 Facility-Wide Requirements
 - Condition 39 on the proposed permit is based on this rule.
- b. <u>N-3386-23-6 240 bhp Ford-Generac Model 7.5DTA Diesel-Fired</u> Emergency Standby IC Engine Powering an Electrical Generator
 - Condition 3 on the proposed permit is based on this rule.
- c. <u>N-3386-26-3 192 bhp Generac Model 64DTAH Diesel-Fired Emergency</u> <u>Standby IC Engine Powering an Electrical Generator</u>
 - Condition 3 on the proposed permit is based on this rule.

- d. <u>N-3386-27-2 1,120 bhp Detroit Diesel Model 12V2000 Diesel-Fired</u> Emergency Standby IC Engine Powering an Electrical Generator
 - Condition 6 on the proposed permit is based on this rule.
- e. <u>N-3386-28-4 270 bhp Cummins Model 6CTA8.3-F2 Diesel-Fired</u> Emergency IC Engine Powering a Firewater Pump
 - Condition 6 on the proposed permit is based on this rule.
- f. <u>N-3386-29-3 Trans portable 460 bhp Caterpillar Model 3406DITA Tier 2</u> <u>Diesel-Fired IC Engine Served by a Mine-X Model DC16-6 Oxidation Purifier</u> <u>Powering an Air Compressor</u>
 - Condition 2 on the proposed permit is based on this rule.

B. District Rule 4694, <u>Wine Fermentation and Storage Tanks</u> (adopted December 15, 2005)

The purpose of this rule is to reduce emissions of volatile organic compounds (VOC) from the fermentation and bulk storage of wine, or achieve equivalent reductions from alternative emission sources. This rule applies to any winery fermenting wine and/or storing wine in bulk containers.

- 1. <u>N-3386-0-3 Facility-Wide Requirements</u>
 - Condition 42 on the proposed permit is based on this rule.

VIII. PERMIT REQUIREMENTS

The purpose of this evaluation is to review changes to federally enforceable requirements; therefore, this compliance section will only address rules that have been amended or added since the issuance of the initial Title V permit.

A. District Rule 2020 – Exemptions

District Rule 2020 lists equipment which are specifically exempt from obtaining permits and specifies recordkeeping requirements to verify such exemptions. The amendments to this rule do not have any affect on current permit requirements and will therefore not be addressed in this evaluation.

B. District Rule 2201 – New and Modified Stationary Source Review Rule

District Rule 2201 has been amended since this facility's initial Title V permit was issued. This Title V permit renewal does not constitute a modification per section 3.26, defined as an action including at least one of the following items:

- 1) Any change in hours of operation, production rate, or method of operation of an existing emissions unit, which would necessitate a change in permit conditions.
- 2) Any structural change or addition to an existing emissions unit which would necessitate a change in permit conditions. Routine replacement shall not be considered to be a structural change.
- An increase in emissions from an emissions unit caused by a modification of the Stationary Source when the emissions unit is not subject to a daily emissions limitation.
- 4) Addition of any new emissions unit which is subject to District permitting requirements.
- 5) A change in a permit term or condition proposed by an applicant to obtain an exemption from an applicable requirement to which the source would otherwise be subject.

Therefore, the updated requirements of this rule are not applicable at this time.

C. District Rule 4101 – Visible Emissions

This rule prohibits the discharge of any air contaminant for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker in shade as that designated as No. 1 on the Ringelmann Chart; or is of such opacity as to obscure an observer's view to a degree equal to or greater than the smoke described in Section 5.1 of Rule 4101. The rule was amended in February 17, 2005.

- a. N-3386-0-3 Facility-Wide Requirements
 - Condition 22 on the proposed permit assures compliance with this rule.

D. District Rule 4306 – Boilers, Steam Generators, and Process Heaters – Phase 3

This rule applies to any boiler, steam generator or process heater, with a rated heat input greater than 5 million Btu per hour that is fired with gaseous and/or liquid fuels.

Section 5.1 requires that NO_x and CO emissions shall not exceed the limits specified in Table 1. For units with a rated heat input equal to or less than 20.0 MMBtu/hr (Table 1 Category A), NO_x and CO emissions shall not exceed 15 ppmv and 400 ppmv, respectively. Units emissions, limited to an annual heat input of 9 billion Btu/year to 30 billion Btu/year (Table 1, Category H), shall not exceed 30 ppmv NO_x per year and 400 ppmv CO per year.

Section 5.3 states that emission limits shall not apply during start-up or shutdown provided an operator complies with the requirements that the duration of each start-up or each shutdown shall not exceed two hours, the emission control system shall be in operation and emissions shall be minimized insofar as technologically feasible during start-up or shutdown, and an operator may submit an application for a permit condition to allow more than two hours for each start-up or each shutdown provided the operator meets all of the conditions specified in Sections 5.3.3.1 through 5.3.3.

Section 5.4 requires that operators of any unit subject to the applicable emission limits of the rule shall install and maintain an operational APCO approved Continuous Emissions Monitoring System (CEMS) for NO_X, CO, and oxygen, or implement an APCO-approved Alternate Monitoring System. The operator of any Category H units shall install and maintain an operational non-resettable, totalizing mass or volumetric flow meter in each fuel line to each unit.

Section 6.1 requires that records required by Sections 6.1.1 through 6.1.4 shall be maintained for five calendar years and shall be made available to the APCO upon request.

Section 6.2 identifies the applicable test methods.

Section 6.3 requires that units subject to the requirements in Sections 5.1 or 5.2.3 shall be source tested to determine compliance with the applicable emission limits at least once every 12 months.

The following permit requirements ensure compliance with this rule:

- a. <u>N-3386-1-8 10.463 MMBtu/hr Kewanee #L2S-250-G02 Natural Gas-Fired</u> Boiler (#1)
 - Conditions 4 through 9, 11, 12, 13, 15 through 19, and 21 assure compliance with the requirements of this rule.

- b. N-3386-2-7 10.463 MMBtu/hr Kewanee #L2S-250-G02 Natural Gas-Fired Boiler (#2)
 - Conditions 1, 4 through 13, 15, 16, 17, 21, and 22 assure compliance with the requirements of this rule.
- c. <u>N-3386-3-6 10.2058 MMBtu/hr Cleaver-Brooks Model CB200-250 Natural</u> <u>Gas-Fired Boiler</u>
 - Conditions 12 through 24 assure compliance with the requirements of this rule.
- d. <u>N-3386-11-6 6.28 MMBtu/hr Cleaver-Brooks Model CB-LE Natural Gas-</u> <u>Fired Boiler</u>
 - Conditions 3 through 11, 13, 14, 15, and 19 assure compliance with the requirements of this rule.

E. District Rule 4601 - Architectural Coatings

This rule limits the emissions of VOCs from architectural coatings. It requires limiting the application of any architectural coating to no more than what is listed in the Table of Standards (Section 5.0). The rule was amended in December 17, 2009. Since the following changes included in the latest rule amendment did not result in adding new requirements and/or revising current requirements in the facility-wide permit, no further evaluation is needed.

Section 2.0 – Applicability

The phrase "blends or repackages" was added to rule language to extend the applicability of rule language to facilities involved in those activities.

Section 3.0 – Definitions

Numerous definitions was added, deleted or modified in order to make the amended rule harmonize with definitions and rule requirements presented in the California Air Resources Board (ARB) Suggested Control Measures (SCM).

Section 4.0 – Exemptions

A reporting requirement was added for any architectural coating that is sold in a container with a volume of one liter or less. The exemption for architectural coatings was further defined by adding "coatings that are supplied and offered for sale" to current language, in order to make the rule consistent with the ARB SCM.

Section 5.0 – Requirements

The amended rule implements the recommended VOC limits per the ARB SCM. The following changes were as follows: 15 coating categories were eliminated, ten were added, nineteen coatings categories remained unchanged, and the VOC content limits for 19 categories were lowered.

Section 6.0 – Administrative Requirements

Section 6.1 – Labeling Requirements

Labeling requirements were updated to add new labeling standards consistent with new coatings categories per the SCM.

Section 6.2 - Reporting Requirements

A new section was added to include reporting requirements per the SCM. The SCM contains a new requirement to submit sales data. Collection of this data is authorized in the California Health and Safety Code which requires submission of data to estimate emissions.

Section 6.3 – Test Methods New sections were added to coincide with new coating categories pursuant to the ARB SCM.

Section 7.0 – Compliance Schedule This section was updated to account for the new amendments to rule language by adding the phrase "the dates specified within the text of the rule."

Section 8.0 – Averaging Compliance Option This section was deleted in its entirety.

- a. N-3386-0-3 Facility-Wide Requirements
 - Conditions 23, 24, and 25 on the proposed permit assure compliance with this rule.

F. District Rule 4603 - Surface Coating of Metal Parts and Products, Plastic Parts and Products, and Pleasure Crafts

The purpose of this rule is to limit the emissions of volatile organic compounds (VOCs) from the coating of metal parts and products, large appliances parts or products, metal furniture, plastic parts and products, and pleasure crafts, and from the organic solvent cleaning and storage and disposal of solvents and waste solvent materials associated with such coating. This rule was amended in September 17, 2009.

- a. N-3386-469-2 Metal Parts and Products Coating Operations
 - Conditions 4 through 9, 11, 12, and 13 of the permit assure compliance with this rule.

G. District Rule 4621 - Gasoline Transfer into Stationary Storage Containers, Delivery Vessels and Bulk Plants

This rule limits VOC emissions from stationary storage containers, delivery vessels, and bulk plants and to provide the administrative requirements for determining compliance. The rule was amended in December 20, 2007.

- a. <u>N-3386-10-3 Gasoline Dispensing Operation with One 1,000 Gallon Trusco</u> <u>Supervault Aboveground Storage Tank Served by an OPW Phase 1 Vapor</u> <u>Recovery</u>
 - Conditions 2, 3, 5, 6, 7, 11, 12, 15, 17 through 21, 25, and 26 of the permit assure compliance with this rule.
- b. <u>N-3386-24-4</u> Gasoline Dispensing Operation with Two 15,000 Gallon Underground Storage Tanks Served by an EBW Phase I Vapor Recovery System (VR-103-A) and Healy Phase II Vapor Recovery System (VR-201-I)
 - Conditions 1, 3, 4, 5, 9, 10, 14 through 17, 22, 23, 24, 29, and 30 of the permit assure compliance with this rule.

H. District Rule 4622 - Transfer of Gasoline Into Vehicle Fuel Tanks

This rule limits emissions of gasoline vapors from the transfer of gasoline into motor vehicle fuel tanks. The rule was amended in December 20, 2007.

- a. <u>N-3386-10-3 Gasoline Dispensing Operation with One 1,000 Gallon Trusco</u> <u>Supervault Aboveground Storage Tank Served by an OPW Phase 1 Vapor</u> <u>Recovery</u>
 - Conditions 1, 2, 3, 5, 6, 8 through 11, 13 through 20, and 22 through 26 of the permit assure compliance with this rule.

- b. <u>N-3386-24-4</u> Gasoline Dispensing Operation with Two 15,000 Gallon Underground Storage Tanks Served by an EBW Phase I Vapor Recovery System (VR-103-A) and Healy Phase II Vapor Recovery System (VR-201-I)
 - Conditions 1 through 4, 6 through 9, 11 through 14, 17 through 24, and 26 through 30 of the permit assure compliance with this rule.

I. District Rule 4702–Internal Combustion Engines–Phase 2

The purpose of this rule is to limit the emissions of nitrogen oxides (NO_x) . carbon monoxide (CO), and volatile organic compounds (VOC) from internal combustion engines. The rule was amended in January 18, 2007 to address the following. The definition of Certified Compression-Ignited Engine was modified to include a Code of Federal Regulation citation. Exemption was added for engines used in retracting arresting gear cables used to stop military naval aircraft after landing. A compliance deadline for engines used exclusively in agricultural operation was extended for one year. Engines operated with an APCO certified exhaust control system were exempted from submitting an emission control plan. Certified compression ignition engines were exempted from compliance testing. A portable NO_x analyzer was allowed for Agriculture Operation (AO) spark-ignited engines to initially show compliance with the emission standards until a source test can be arranged. Representative testing for spark-ignited engines were allowed. A District certification program was established to verify the control efficiency of exhaust control systems.

The following permit requirements assure compliance with this rule:

- a. <u>N-3386-23-6 240 bhp Ford-Generac Model 7.5DTA Diesel-Fired</u> Emergency Standby IC Engine Powering an Electrical Generator
 - Conditions 4 and 8 through 13 from the PTO were included as conditions 4 and 8 through 13 on the proposed permit.
 - Condition 14 from the PTO was updated to current rule requirement and included as condition 14 on the proposed permit.
 - Condition 15 from the PTO was included as condition 15 on the proposed permit.
- b. <u>N-3386-26-3 192 bhp Generac Model 64DTAH Diesel-Fired Emergency</u> Standby IC Engine Powering an Electrical Generator
 - Conditions 2, 8, 9, and 10 from the PTO were included as conditions 2, 8, 9, and 10 on the proposed permit.

- Conditions 11 and 12 on the proposed permit were added to comply with current rule conditions.
- Condition 11 from the PTO was updated to current rule requirement and included as condition 13 on the proposed permit.
- Conditions 12 and 13 from the PTO were included as conditions 14 and 15 on the proposed permit.
- c. <u>N-3386-27-2 1,120 bhp Detroit Diesel Model 12V2000 Diesel-Fired</u> Emergency Standby IC Engine Powering an Electrical Generator
 - Conditions 7, 8, and 9 from the PTO were included as conditions 7, 8, and 9 on the proposed permit.
 - Condition 10 from the PTO was updated to current rule requirement and included as condition 10 on the proposed permit.
 - Conditions 11 and 12 on the proposed permit were added to comply with current rule requirements.
 - Conditions 11 and 12 from the PTO were updated to current rule requirements and included as conditions 13 and 14 on the proposed permit.
 - Condition 15 was added to comply with recordkeeping requirement.
- d. <u>N-3386-28-4 270 bhp Cummins Model 6CTA8.3-F2 Diesel-Fired</u> Emergency IC Engine Powering a Firewater Pump
 - Conditions 2 and 7 from the PTO were included as conditions 2 and 7 on the proposed permit.
 - Condition 8 from the PTO was updated to current rule requirement and included as condition 8 on the proposed permit.
 - Condition 9 from the PTO was included as condition 9 on the proposed permit.
 - Condition 10 on the proposed permit was added to comply with current rule requirements.
 - Condition 10 from the PTO was included as condition 11 on the proposed permit.
- e. <u>N-3386-29-3 Trans portable 460 bhp Caterpillar Model 3406DITA Tier 2</u> <u>Diesel-Fired IC Engine Served by a Mine-X Model DC16-6 Oxidation Purifier</u> <u>Powering an Air Compressor</u>
 - Conditions 7, 8, and 9 from the PTO were replaced with updated rule requirements and included as conditions 7 through 12 on the proposed permit.

J. District Rule 8011 - General Requirements

The provisions of this rule are applicable to specified outdoor fugitive dust sources. The definitions, exemptions, requirements, administrative requirements, recordkeeping requirements, and test methods set forth in this rule are applicable to all Rules under Regulation VIII (Fugitive PM10 Prohibitions) of the Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. The rule was amended in August 19, 2004.

- a. N-3386-0-3 Facility-Wide Requirements
 - Conditions 29 through 34 on the proposed permit assure compliance with this rule.

K. District Rule 8021 - <u>Construction, Demolition, Excavation, Extraction, and</u> <u>Other Earthmoving Activities</u>

The purpose of this rule is to limit fugitive dust emissions from construction, demolition, excavation, extraction, and other earthmoving activities. The rule was amended in August 19, 2004.

This rule applies to any construction, demolition, excavation, extraction, and other earthmoving activities, including, but not limited to, land clearing, grubbing, scraping, travel on site, and travel on access roads to and from the site. This rule also applies to the construction of new landfill disposal sites or modification to existing landfill disposal sites prior to commencement of landfilling activities.

Section 5.0 requires that no person shall perform any construction, demolition, excavation, extraction, or other earthmoving activities unless the appropriate requirements in sections 5.1 and 5.2 are sufficiently implemented to limit VDE to 20% opacity. In addition to the requirements of this rule, a person shall comply with all other applicable requirements of Regulation VIII.

a. N-3386-0-3 - Facility-Wide Requirements

• Condition 29 on the proposed permit assures compliance with this rule.

L. District Rule 8031 - Bulk Materials

The purpose of this rule is to limit fugitive dust emissions from the outdoor handling, storage, and transport of bulk materials. The rule was amended in August 19, 2004.

This rule applies to the outdoor handling, storage, and transport of any bulk material.

Section 5.0 requires that no person shall perform any outdoor handling, storage, and transport of bulk materials unless the appropriate requirements in Table 8031-1 of this rule are sufficiently implemented to limit VDE to 20% opacity or to comply with the conditions for a stabilized surface as defined in Rule 8011. In addition to the requirements of this rule, a person shall comply with all other applicable requirements of Regulation VIII.

a. <u>N-3386-0-3 – Facility-Wide Requirements</u>

• Condition 30 on the proposed permit assures compliance with this rule.

M. District Rule 8041 - Carryout and Trackout

The purpose of this rule is to limit fugitive dust emissions from carryout and trackout. The rule was amended in August 19, 2004.

This rule applies to all sites that are subject to Rules 8021 (Construction, Demolition, Excavation, Extraction, and other Earthmoving Activities), 8031 (Bulk Materials), and 8071 (Unpaved Vehicle and Equipment Traffic Areas) where carryout or trackout has occurred or may occur.

Section 5.0 requires that an owner/operator shall sufficiently prevent or cleanup carryout and trackout as specified in sections 5.1 through 5.8. In addition to the requirements of this rule, a person shall comply with all other applicable requirements of Regulation VIII. The use of blower devices, or dry rotary brushes or brooms, for removal of carryout and trackout on public roads is expressly prohibited. The removal of carryout and trackout from paved public roads does not exempt an owner/operator from obtaining state or local agency permits which may be required for the cleanup of mud and dirt on paved public roads.

a. N-3386-0-3 - Facility-Wide Requirements

• Condition 31 on the proposed permit assures compliance with this rule.

N. District Rule 8051 - Open Areas

The purpose of this rule is to limit fugitive dust emissions from open areas. The rule was amended in August 19, 2004.

This rule applies to any open area having 3.0 acres or more of disturbed surface area that has remained undeveloped, unoccupied, unused, or vacant for more than seven days.

Section 5.0 requires that whenever open areas are disturbed or vehicles are used in open areas, the owner/operator shall implement one or a combination of control measures indicated in Table 8051-1 to comply with the conditions of a stabilized surface at all times and to limit VDE to 20% opacity. In addition to the requirements of this rule, a person shall comply with all other applicable requirements of Regulation VIII.

a. <u>N-3386-0-3 – Facility-Wide Requirements</u>

• Condition 32 on the proposed permit assures compliance with this rule.

O. District Rule 8061 - Paved and Unpaved Roads

The purpose of this rule is to limit fugitive dust emissions from paved and unpaved roads by implementing control measures and design criteria. The rule was amended in August 19, 2004.

This rule applies to any new or existing public or private paved or unpaved road, road construction project, or road modification project.

a. N-3386-0-3 - Facility-Wide Requirements

• Condition 33 on the proposed permit assures compliance with this rule.

P. District Rule 8071 - Unpaved Vehicle/Equipment Traffic Area

The purpose of this rule is to limit fugitive dust emissions from unpaved vehicle and equipment traffic areas by implementing control measures and design criteria. The rule was amended in September 16, 2004.

This rule applies to any unpaved vehicle/equipment traffic area of 1.0 acre or larger.

- a. N-3386-0-3 Facility-Wide Requirements
 - Condition 34 on the proposed permit assures compliance with this rule.

P. 40 CFR Part 60, Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units

Subpart Dc applies to steam generating units for which construction, modification, or reconstruction is commenced after June 9, 1989 and that has a maximum design heat input capacity of 100 million Btu per hour or less, but greater than or equal to 10 million Btu per hour. This rule was amended in January 28, 2009.

Subpart Dc has no emission requirements for gas-fired units. Since all the steam generating units in this facility are natural-gas fired units, there are no requirements imposed by this rule except for the notification requirements of §60.48c whenever applicable. No further evaluation is needed.

Q. 40 CFR Part 60, Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines

This subpart applies to owners and operators of stationary compression ignition (CI) internal combustion engines (ICE) that commences construction, modify, or reconstruct their stationary CI ICE after July 11, 2005.

The facility does not have any CI ICE that is subject to this subpart.

R. 40 CFR Part 63, Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines

This subpart establishes national emission limitations and operating limitations for hazardous air pollutants (HAP) emitted from stationary reciprocating internal combustion engines (RICE) located at major and area sources of HAP emissions.

The facility is not a major or area source of HAP emissions and is not subject to this subpart.

S. 40 CFR Part 82, Subpart B and F, Stratospheric Ozone

These regulations apply to servicing motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC). Sections of this regulation were amended in 2004 and 2008, and conditions 27 and 28 of N-3386-0-3 assure compliance with the requirements.

T. 40 CFR Part 64-CAM

40 CFR Part 64 requires Compliance Assurance Monitoring (CAM) for units that meet the following three criteria:

1) the unit must have an emission limit for the pollutant;

 the unit must have add-on controls for the pollutant; these are devices such as flue gas recirculation (FGR), baghouses, and catalytic oxidizers; and
 the unit must have a pre-control potential to emit of greater than the major source thresholds.

a. <u>N-3386-1-8 – 10.463 MMBtu/hr Kewanee #L2S-250-G02 Natural Gas-Fired</u> Boiler (#1) with Flue Gas Recirculation

This permit unit has emissions limits for SO_X , PM_{10} , CO, and VOC but it does not have add-on controls for these criteria pollutants. Therefore, this permit unit is not subject to CAM for SO_X , PM_{10} , CO, and VOC.

This permit may be subject to CAM for NO_X since there is a NO_X limit, and it has add-on controls in the form of FGR. However, the pre-control NO_X potential to emit is less than the major source threshold of 50,000 pounds NO_X/year as shown below. Therefore, this unit is not subject to CAM.

The natural gas controlled-low NOx emission factor is 50 lb/MMscf or 0.049 lb/MMBtu (AP-42, 1.4-5, July 1998). The maximum rating for this unit is 10.463 MMBtu/hr.

10.463 MMBtu/hr x 0.049 lb NO_x/MMBtu x 8760 hrs/year = 4,491 lbs NO_x/year

b. <u>N-3386-2-7 – 10.463 MMBtu/hr Kewanee #L2S-250-G02 Natural Gas-Fired</u> Boiler (#2) with Flue Gas Recirculation

This permit unit has emissions limits for SO_X , PM_{10} , CO, and VOC but it does not have add-on controls for these criteria pollutants. Therefore, this permit unit is not subject to CAM for SO_X , PM_{10} , CO, and VOC.

This permit may be subject to CAM for NO_X since there is a NO_X limit, and it has add-on controls in the form of FGR. However, the pre-control NO_X potential to emit is less than the major source threshold of 50,000 pounds NO_X /year as shown below. Therefore, this unit is not subject to CAM.

The natural gas controlled-low NOx emission factor is 50 lb/MMscf or 0.049 lb/MMBtu (AP-42, 1.4-5, July 1998). The maximum rating for this unit is 10.463 MMBtu/hr.

10.463 MMBtu/hr x 0.049 lb NO_x/MMBtu x 8760 hrs/year = 4,491 lbs NO_x/year

c. <u>N-3386-3-6 – 10.2058 MMBtu/hr Cleaver-Brooks Model CB200-250 Natural</u> <u>Gas-Fired Boiler</u>

This permit unit is not subject to CAM since it has no add-on controls.

d. <u>N-3386-5-3 – Diatomaceous Earth (DE) Pneumatic Receiving and Storage</u> <u>Operation with Two 11,818 Cubic Feet Silos Served by a Sly Pactecon</u> <u>Baghouse</u>

This permit unit is a grandfathered equipment and not subjected to an emissions limit. Therefore, CAM is not applicable.

e. <u>N-3386-6-3 – Activated Carbon Receiving and Storage Operation with a 4182</u> <u>Cubic Foot Storage Silo Served by an AGL Precision Baghouse</u>

This permit unit is limited to 96 tons of material received in any one day and has a PM_{10} emissions factor of 0.003 lbs per ton of material received.

Generally accepted control efficiency for the baghouse is 99%. Therefore, pre-control potential to emit can be calculated as follows.

PE = (0.003 lb/ton x 96 ton/day x 365 days/year)/(1-0.99) = 10,512 lb/year

Major source threshold for PM_{10} is 140,000 lb/year. Therefore, this permit unit is not subject to CAM.

f. <u>N-3386-10-3 – Gasoline Dispensing Operation</u>

This gasoline dispensing operation is not subject to CAM since the unit does not have an emissions limit for VOC.

g. <u>N-3386-11-6 – 6.28 MMBtu/hr Cleaver-Brooks Model CB-LE Natural Gas-</u> <u>Fired Boiler with Flue Gas Recirculation</u>

This permit unit has emissions limits for SO_X , PM_{10} , CO, and VOC but it does not have add-on controls for these criteria pollutants. Therefore, this permit unit is not subject to CAM for SO_X , PM_{10} , CO, and VOC. This permit may be subject to CAM for NO_X since there is a NO_X limit, and it has add-on controls in the form of FGR. However, the pre-control NO_X potential to emit is less than the major source threshold of 50,000 pounds NO_X /year as shown below. Therefore, this unit is not subject to CAM.

The natural gas controlled-low NOx emission factor is 50 lb/MMscf or 0.049 lb/MMBtu (AP-42, 1.4-5, July 1998). The maximum rating for this unit is 10.463 MMBtu/hr.

6.28 MMBtu/hr x 0.049 lb NO_x/MMBtu x 8760 hrs/year = 2,696 lbs NO_x/year

h. <u>N-3386-23-6 – 240 bhp Ford-Generac Diesel-Fired Emergency Standby IC</u> Engine Powering an Electrical Generator

This permit unit is not subject to CAM since it has no add-on controls.

i. <u>N-3386-24-4 – Gasoline Dispensing Operation</u>

This gasoline dispensing operation is not subject to CAM since the unit does not have an emissions limit for VOC.

j. <u>N-3386-26-3 – 192 bhp Generac Diesel-Fired Emergency Standby IC Engine</u> <u>Powering an Electrical Generator</u>

This permit unit is not subject to CAM since it has no add-on controls.

k. <u>N-3386-27-2 – 1,120 bhp Detroit Diesel-Fired Emergency Standby IC Engine</u> <u>Powering an Electrical Generator</u>

This permit unit is not subject to CAM since it has no add-on controls.

I. <u>N-3386-28-4 – 270 bhp Cummins Diesel-Fired Emergency IC Engine</u> Powering a Firewater Pump

This permit unit is not subject to CAM since it has no add-on controls.

m. <u>N-3386-29-2 – 460 bhp Caterpillar Diesel-Fired IC Engine Served by a Mine-</u> <u>X Oxidation Purifier Powering an Air Compressor</u>

The diesel-fired internal combustion (IC) engine with external controls is not subject to CAM, since the following calculations show that the unit's precontrol potential to emit for NO_X , PM_{10} , CO, and VOC are less than the major thresholds.

Using the AP-42, Table 3.3-1, uncontrolled emission factors for diesel-fired IC Engines, the pre-control potential to emit for NO_X , PM_{10} , CO, and VOC are calculated as follows.

AP-42, Table 3.3-1: NO_X = 14.1 g/hp-hr PM₁₀ = 0.99 g/hp-hr CO = 3.04 g/hp-hr VOC = 1.134 g/hp-hr

NO_X = 460 bhp x 14.1 g/hp-hr x 200 hr/yr x lb/453.6 g = **2,860 lb/yr** < 50,000 lb/yr PM₁₀ = 460 bhp x 0.99 g/hp-hr x 200 hr/yr x lb/453.6 g

= 200 lb/yr < 140,000 lb/yr

CO = 460 bhp x 3.04 g/hp-hr x 200 hr/yr x lb/453.6 g = 616 lb/yr < 200,000 lb/yr

VOC=460 bhp x 1.134 g/hp-hr x 200 hr/yr x lb/453.6 g = **230 lb/yr** < 50,000 lb/yr

n. N-3386-33-1 through -467-1- Wine Storage Tanks

These permit units are not subject to CAM since the units have no emissions limits.

o. <u>N-3386-469-2 – Metal Parts and Products Coating Operation</u>

This permit unit has an emissions limit for VOC but no add on controls. Therefore, the permit unit is not subject to CAM for VOC.

The permit unit has an emissions lmit for PM_{10} and is controlled with the use of a paint booth with dry filters with 66% control efficiency. The following calculation shows that the pre-control potential for PM_{10} are less than major source threshold. Therefore, the permit unit is not subject to CAM for PM_{10} .

 $PM_{10} = (2.7 \text{ lb/day x } 365 \text{ day/y})r \div (1-0.66) = 2,899 \text{ lb/yr} < 140,000 \text{ lb/yr}$

IX. PERMIT SHIELD

A permit shield legally protects a facility from enforcement of the shielded regulations when a source is in compliance with the terms and conditions of the Title V permit. Compliance with the terms and conditions of the Operating Permit is considered compliance with all applicable requirements upon which those conditions are based, including those that have been subsumed.

E & J Gallo Winery N-3386 N-1092180

The applicant did not request new permit shields.

Χ. **PERMIT CONDITIONS**

See Attachment A - Draft Renewed Title V Operating Permit.

XI. **ATTACHMENTS**

- Draft Renewed Title V Operating Permit Previous Title V Operating Permit Detailed Facility List Α.
- Β.
- С.

ATTACHMENT A

Draft Renewed Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: N-3386-0-3



FACILITY-WIDE REQUIREMENTS

- The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; Stanislaus County Rule 110] Federally Enforceable Through Title V Permit
- 2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; Stanislaus County Rule 110] Federally Enforceable Through Title V Permit
- 3. {4364} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
- 4. {4365} Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
- 5. {4366} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.9.1 and 9.13.1] Federally Enforceable Through Title V Permit
- 6. {4367} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
- 7. {4368} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
- 8. {4369} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
- 9. {4370} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520]9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REDUREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Overate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility-wide Requirements for N-3386-0-3 (continued)

- 10. {4371} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
- 11. {4372} Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
- 12. {4373} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
- 13. {4374} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
- 14. {4375} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
- 15. {4376} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
- 16. {4377} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
- 17. {4378} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
- 18. {4379} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
- 19. {4380} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
- 20. {4381} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
- 21. {4382} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
- 22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and Stanislaus County Rule 401] Federally Enforceable Through Title V Permit FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility-wide Requirements for N-3386-0-3 (continued)

ł

- 23. {4384} No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
- 24. {4385} All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
- 25. {4386} The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
- 26. {4387} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
- 27. {4388} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
- 28. {4389} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
- 29. {4390} Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
- {4391} Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
- 31. {4392} An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
- 32. {4393} Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
- 33. {4394} Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
- 34. {4395} Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
- 35. {4396} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation), [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE These terms and conditions are part of the Facility-wide Permit to Operate.

Facility-wide Requirements for N-3386-0-3 (continued)

- 36. {4397} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
- 37. {4398} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
- 38. {4399} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
- 39. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 40. Facility shall comply with all applicable requirements regarding preparation and implementation of a risk management plan (RMP) by August 31, 1999, and shall abide by all applicable sections of 40 CFR Part 68. [40 CFR 68] Federally Enforceable Through Title V Permit
- 41. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin July 6 of each year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days of the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
- 42. Operator shall maintain annual records of the total gallons of red wine and total gallons of white wine fermented at the winery, and total gallons of wine in storage tanks to claim exemption pursuant to section 4.0 of District Rule 4694 (12/15/05). [District Rule 4694]
- 43. Facilities N-3386 and N7478 are part of the same stationary source for Rule 2201 purposes. [District NSR Rule] Federally Enforceable Through Title V Permit

These terms and conditions Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO, CA 95353 of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-1-8

EQUIPMENT DESCRIPTION:

EXPIRATION

10.463 MMBTU/HR KEWANEE MODEL #L2S-250-G02 NATURAL GAS-FIRED BOILER (#1) WITH A 它EAVER-BROOKS MODEL NTH105NGX-F9R BURNER WITH FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

- 1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
- 2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 3. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NOx @ 3% O2 or 0.018 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.014 lb-PM10/MMBtu, 315 ppmvd CO @ 3% O2 or 0.2293 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 5. The final emission limit for CO shall be established with the initial source test. The final emission limit for CO shall be the average of the 30-minute arithmetic averages observed during the source test plus 40%, but in no case to exceed 315 ppmvd @ 3% O2. If the average of the 30-minute arithmetic averages plus 40% is less than 47 ppmvd (0.035 lb-CO/MMBtu), then 47 ppmvd (0.035 lb-CO/MMBtu) shall be established as the final emission limit for CO. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted within 60 days of initial start-up. [District NSR Rule and District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
- 7. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
- 8. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
- 9. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
- 10. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit

PERMIT UNIT REPUIREMENTS CONTINUE ON NEXT PAGE These terms and conditions pic part of the Facility-wide Permit to Operate. Permit Unit Requirements for N-3386-1-8 (continued)

- NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 12. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 13. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 14. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
- 15. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
- 16. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 17. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 18. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
- 19. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 20. {2810} The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit

Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3366-1-8: Jaf 21 2010 4:29PM - SIONGCOJ

These terms and conditions

of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-3386-2-7

EQUIPMENT DESCRIPTION:

EXPIRATION 2009

10.463 MMBTU/HR KEWANEE MODEL #L2S-250-G02 NATURAL GAS-FIRED BOILER (#2) WITHA 它LEAVER-BROOKS MODEL NTH105NGX-F9R BURNER AND FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

- 1. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the unit shall be installed, utilized and maintained. [District NSR Rule and District Rules 4305 and 4306, 5.4.4] Federally Enforceable Through Title V Permit
- 2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 3. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. Maximum annual heat input of the unit shall not exceed 30 billion Btu per calendar year. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 5. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NOx @ 3% O2 or 0.018 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.014 lb-PM10/MMBtu, 47 ppmvd CO @ 3% O2 or 0.296 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 6. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
- 7. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 8. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable [hrough Title V Permit

PERMIT UNIT REPUIREMENTS CONTINUE ON NEXT PAGE These terms and conditions are part-of the Facility-wide Permit to Operate.

Permit Unit Requirements for N-3386-2-7 (continued)

- 9. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
- 10. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 11. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
- 12. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
- 13. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
- 14. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
- 15. NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 16. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 17. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
- 19. {2810} The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 20. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 21. Records of monthly and annual heat input of the unit shall be maintained. [District NSR Rule and District Rules 4305 and 4306, 6.1.2] Federally Enforceable Through Title V Permit
- 22. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit



PERMIT UNIT: N-3386-3-6

EQUIPMENT DESCRIPTION:

EXPIRATION

10.2058 MMBTU/HR CLEAVER-BROOKS MODEL CB200-250 NATURAL GAS-FIRED BOILER WITH CLEAVER-BROOKS/NATCOM MODEL NTI250 LOW NOX BURNER

PERMIT UNIT REQUIREMENTS

- {450} Particulate matter emissions shall not exceed 0.1 grain/dscf at operating conditions, nor 0.1 grain/dscf calculated to 12% CO2, nor 10 lb/hr. [District Rule 4201 and District Rule 4301, 5.1 and 5.2.3] Federally Enforceable Through Title V Permit
- 2. Operator shall ensure that all required source testing conforms to the compliance testing procedures described in District Rule 1081 (12/16/93). [District Rule 1081] Federally Enforceable Through Title V Permit
- 3. Operator shall provide that fuel hhv be certified by third party fuel supplier or determined annually by: ASTM D1826 or D1945 in conjunction with ASTM D3588 for gaseous fuels. [District Rule 2520, 9.3.2; 4305, 6.2.1; and 4351, 6.2.1] Federally Enforceable Through Title V Permit
- 4. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule 4301. A
 permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V
 Permit
- 6. Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule 4801 and Stanislaus County Rule 407. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- Compliance with permit conditions in the Title V permit shall be deemed compliance with the following requirements: SJVUAPCD Rule 4201, 4305, and 4351. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- Compliance with permit conditions in the Title V permit shall be deemed compliance with District Rule Rule 1081. A
 permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V
 Permit
- 9. {2810} The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 10. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
- 11. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit



Permit Unit Requirements for N-3386-3-6 (continued)

- Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15.0 ppmvd NOx @ 3% O2 or 0.0182 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, 30 ppmvd CO @ 3% O2 or 0.0.022 lb-CO/MMBtu, or 6.8 ppmvd VOC @ 3% O2 or 0.00287 lb-VOC/MMBtu. [District NSR Rule and Rules 4305, and 4306] Federally Enforceable Through Title V Permit
- 13. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306 (10/16/08). [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 14. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 15. The source plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 17. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 19. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 20. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit
- 21. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit
- 22. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the permit-to-operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 2520 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE These terms and conditions are part of the Facility-wide Permit to Operate. Permit Unit Requirements for N-3386-3-6 (continued)

- 23. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit
- 24. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit

the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-5-3

EQUIPMENT DESCRIPTION:

EXPIRATION

DIATOMACEOUS EARTH (DE) PNEUMATIC RECEIVING AND STORAGE OPERATION WITH (WO+2) 11,818 CUBIC FEET SILOS EACH SERVED BY A SLY PACTECON BAGHOUSE (MODEL # PC-3(1)-584).

PERMIT UNIT REQUIREMENTS

- 1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 2. Visible emissions shall be inspected annually during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 3. Dust collection system shall be completely inspected annually for evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 4. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation $E = 3.59xP^{0.62}$ if P is less than or equal to 30 tons per hour, or $E = 17.37xP^{0.16}$ if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

adility-wide Permit to Operate.

These terms and conditions are part of the F Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO, CA 95353

PERMIT UNIT: N-3386-6-3

EQUIPMENT DESCRIPTION:

EXPIRATION

ACTIVATED CARBON RECEIVING AND STORAGE OPERATION WITH A 4182 CUBIC FOOT STORAGE SILO SERVED BY A G. L. PRECISION (MODEL # 72GLP25-B) BAGHOUSE.

PERMIT UNIT REQUIREMENTS

- 1. There shall be no visible emissions from the baghouse. [District NSR Rule] Federally Enforceable Through Title V Permit
- The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule] Federally Enforceable Through Title V Permit
- 3. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
- 5. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
- 6. Ducting to the baghouse shall be properly maintained to prevent fugitive dust emissions. [District NSR Rule] Federally Enforceable Through Title V Permit
- 7. The PM10 emission concentration shall not exceed 0.003 lbs per ton of material received. [District NSR Rule] Federally Enforceable Through Title V Permit
- 8. The amount of material received shall not exceed 96 tons in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
- 9. Daily records of the amount of material received shall be maintained, retained on the premises for a minimum of five years, and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit
- Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 11. Visible emissions shall be inspected annually during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 12. Dust collection system shall be completely inspected annually for evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 13. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS ON TINUE ON NEXT PAGE

part of the Facility-wide Permit to Operate.

These terms and condi-

Permit Unit Requirements for N-3386-6-3 (continued)

- 14. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 15. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation $E = 3.59xP^{0.62}$ if P is less than or equal to 30 tons per hour, or $E = 17.37xP^{0.16}$ if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

These terms and condition Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 he Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-10-3

EQUIPMENT DESCRIPTION:

EXPIRATION 2009

GASOLINE DISPENSING OPERATION WITH ONE 1,000 GALLON TRUSCO SUPERVAULT ABOVE OROUND STORAGE TANK SERVED BY AN OPW PHASE I VAPOR RECOVERY SYSTEM (G-70-132-A), AND 1 FUELING POINT WITH 1 GASOLINE DISPENSING NOZZLE SERVED BY OPW PHASE II VAPOR RECOVERY SYSTEMS (G-70-132-A)

PERMIT UNIT REQUIREMENTS

- 1. No owner or operator shall tamper with, or permit tampering with, the ARB certified vapor recovery system in a manner that would impair the operation or effectiveness of the system. [District Rule 4622] Federally Enforceable Through Title V Permit
- 2. The Phase I and Phase II vapor recovery systems shall be installed and maintained in accordance with the manufacturer specifications and the ARB Executive Orders specified in this permit, including applicable rules and regulations of the Division of Measurement Standards of the Department of Food and Agriculture, the Office of the State Fire Marshal of the Department of Forestry and Fire Protection, the Division of Occupational Safety and Health of the Department of Industrial Relations, and the Division of Water Quality of the State Water Resources Control Board that have been made conditions of the certification. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- This gasoline storage and dispensing equipment shall not be used in retail sales, where gasoline dispensed by the unit is subject to payment of California sales tax on gasoline sales. [District Rule 4622] Federally Enforceable Through Title V Permit
- 4. The storage container(s) shall be installed, maintained, and operated such that they are leak-free. [District Rule 4621] Federally Enforceable Through Title V Permit
- 5. The Phase I and Phase II vapor recovery systems and gasoline dispensing equipment shall be maintained without leaks as determined in accordance with the test method specified in this permit. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 6. A leak is defined as the dripping of VOC-containing liquid at a rate of more than three (3) drops per minute, or the detection of any gaseous or vapor emissions with a concentration of total organic compound greater than 10,000 ppmv, as methane, above background when measured in accordance with EPA Test Method 21. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- No gasoline delivery vessel shall be operated or be allowed to operate unless valid State of California decals are displayed on the cargo container, which attest to the vapor integrity of the container. [District Rule 4621] Federally Enforceable Through Title V Permit
- 8. No person shall operate any ARB certified Phase II vapor recovery system or any portion thereof that has a major defect or an equipment defect that is identified in any applicable ARB Executive Order until the following conditions have been met: 1) the defect has been repaired, replaced, or adjusted as necessary to correct the defect; 2) the District has been notified, and the District has reinspected the system or authorized the system for use (such authorization shall not include the authority to operate the equipment prior to the correction of the defective components); and 3) all major defects, after repair, are duly entered into the Operations and Maintenance (O&M) manual. [District Rule 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS ON NEXT PAGE

part of the Facility-wide Permit to Operate.

Permit Unit Requirements for N-3386-10-3 (continued)

- 9. Upon identification of any major defects, the permittee shall tag "Out-of-Order" all dispensing equipment for which vapor recovery has been impaired. Tagged equipment shall be rendered inoperable and the tag(s) shall not be removed . until the defective equipment has been repaired, replaced, or adjusted, as necessary. In the case of defects identified by the District, tagged equipment shall be rendered inoperable, and the tag shall not be removed until the District has been notified of the repairs, and the District has either reinspected the system or authorized the tagged equipment for use. [District Rule 4622] Federally Enforceable Through Title V Permit
- 10. The permittee shall implement a periodic maintenance inspection program for the certified Phase II vapor recovery system consistent with the requirements of this permit. The program shall be documented in an operation and maintenance (O&M) manual and shall at a minimum contain the following information: 1) copies of all vapor recovery performance tests; 2) all applicable ARB Executive Orders, Approval Letters, and District Permits; 3) the manufacturer's specifications and instructions for installation, operation, repair, and maintenance required pursuant to ARB Certification Procedure CP-201, and any additional instruction provided by the manufacturer; 4) system and/or component testing requirements, including test schedules and passing criteria for each of the standard tests required by this permit (the owner/operator may include any non-ARB required diagnostic and other tests as part of the testing requirements), and 5) additional O&M instructions, if any, that are designed to ensure compliance with the applicable rules, regulations, ARB Executive Orders, and District permit conditions, including replacement schedules for failure or wear prone components. [District Rule 4622] Federally Enforceable Through Title V Permit
- 11. The permittee shall conduct periodic maintenance inspections based on the greatest monthly throughput of gasoline dispensed by the facility in the previous year as follows: A) less than 2,500 gallons one day per month; B) 2,500 to less than 25,000 gallons one day per week; or C) 25,000 gallons or greater five days per week. All inspections shall be documented within the O & M Manual. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 12. Periodic maintenance inspections of the Phase I vapor recovery system shall include, at a minimum, verification that 1) the fill caps and vapor caps are not missing, damaged, or loose; 2) the fill cap gasket and vapor cap gaskets are not missing or damaged; 3) the fill adapter and vapor adapter are securely attached to the risers; 4) where applicable, the spring-loaded submerged fill tube seals properly against the coaxial tubing; 5) the dry break (poppet-valve) is not missing or damaged; and 6) the submerged fill tube is not missing or damaged. [District Rule 4621] Federally Enforceable Through Title V Permit
- 13. Periodic maintenance inspections of the Phase II vapor recovery system shall include, at a minimum, verification that 1) the fueling instructions required by this permit are clearly displayed with the appropriate toll-free complaint phone number and toxic warning signs; 2) the following nozzle components are in place and in good condition as specified in ARB Executive Order as applicable: faceplate/facecone, bellows, latching device spring, vapor check valve, spout (proper diameter/vapor collection holes), insertion interlock mechanism, automatic shut-off mechanism, and hold open latch (unless prohibited by law or the local fire control authority); 3) the hoses are not torn, flattened or crimped; 4) the vapor path of the coaxial hoses associated with bellows equipped nozzles does not contain more than 100 ml of liquid if applicable; and 5) the vapor processing unit is functioning properly, for operations that are required to have or possess such a unit. [District Rule 4622] Federally Enforceable Through Title V Permit
- 14. In the event of a separation due to a drive off, the permittee shall, unless otherwise specified in the applicable ARB Executive Order, conduct a visual inspection of the affected equipment and either 1) perform qualified repairs on any damaged components and conduct applicable re-verification tests pursuant to the requirements of this permit, or 2) replace the affected nozzles, coaxial hoses, breakaway couplings, and any other damaged components with new or certified rebuilt components that are ARB certified. The activities shall be documented in accordance with the requirements of this permit before placing the affected equipment back in service. [District Rule 4622] Federally Enforceable Through Title V Permit
- 15. The permittee shall conduct all periodic vapor recovery system performance tests specified in this permit, no more than 30 days before or after the required compliance testing date, unless otherwise required under the applicable ARB Executive Order. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit



Permit Unit Requirements for N-3386-10-3 (continued)

- 16. For certified Phase II vapor recovery systems with liquid removal devices, the permittee shall perform and pass an ARB TP-201.6 Liquid Removal Test whenever the liquid in the vapor path exceeds 100 ml of liquid. The amount of liquid in the vapor path shall be measured by lowering the gasoline dispensing nozzle into a container until such time that no more liquid drains from the nozzle. The amount of liquid drained into the container shall be measured using a graduated cylinder or graduated beaker. The vapor path shall be inspected once per month if monthly throughput is below 2,500 gallons or once per week otherwise. [District Rule 4622] Federally Enforceable Through Title V Permit
- 17. The permittee shall perform and pass a Static Leak Test for Aboveground Tanks using ARB TP-201.3B or TP-206.3 at least once every 12 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- A person conducting testing of, or repairs to, a certified vapor recovery system shall be in compliance with District Rule 1177 (Gasoline Dispensing Facility Tester Certification). [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 19. A person performing installation of, or maintenance on, a certified Phase I or Phase II vapor recovery system shall be certified by the ICC for Vapor Recovery System Installation and Repair, or work under the direct and personal supervision of an individual physically present at the work site who is certified. The ICC certification shall be renewed every 24 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 20. Proof of the ICC certification and all other certifications required by the Executive Order and installation and operation manual shall be made available onsite. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 21. The permittee shall notify the District at least 7 days prior to each performance test. The test results shall be submitted to the District no later than 30 days after the completion of each test. [District Rule 4621] Federally Enforceable Through Title V Permit
- 22. The permittee shall maintain a copy of all test results. The test results shall be dated and shall contain the name, address, and telephone number of the company responsible for system installation and testing. [District Rule 4622] Federally Enforceable Through Title V Permit
- 23. The permittee shall maintain on the premises a log of any repairs made to the certified Phase I or Phase II vapor recovery system. The repair log shall include the following: 1) date and time of each repair; 2) the name and applicable certification numbers of the person(s) who performed the repair, and if applicable, the name, address and phone number of the person's employer; 3) description of service performed; 4) each component that was repaired, serviced, or removed; 5) each component that was installed as replacement, if applicable; and 6) receipts or other documents for parts used in the repair and, if applicable, work orders which shall include the name and signature of the person responsible for performing the repairs. [District Rule 4622] Federally Enforceable Through Title V Permit
- 24. The O&M manual shall be kept at the dispensing operation and made available to any person who operates, inspects, maintains, repairs, or tests the equipment at the operation as well as to District personnel upon request. [District Rule 4622] Federally Enforceable Through Title V Permit
- 25. The permittee shall maintain monthly and annual gasoline throughput records. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 26. All records required by this permit shall be retained on-site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

These terms and condition

Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-11-6

EQUIPMENT DESCRIPTION:

EXPIRATION 2009

6.28 MMBTU/HR CLEAVER-BROOKS MODEL CB-LE NATURAL GAS-FIRED BOILER WITH A CLEAVER-BROOKS MODEL NTI150 BURNER AND FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

- 1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 2. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
- 3. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NOx @ 3% O2 or 0.018 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.012 lb-PM10/MMBtu, 366 ppmvd CO @ 3% O2 or 0.296 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 4. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
- 5. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 6. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REPUIREMENTS CONTINUE ON NEXT PAGE These terms and conditions are part of the Facility-wide Permit to Operate.

Permit Unit Requirements for N-3386-11-6 (continued)

- 7. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
- 8. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 9. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
- 10. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
- 11. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
- 12. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
- NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 14. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 15. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 16. {2810} The requirements of 40 CFR 72.6(b) are not applicable because this is not an affected unit under the acid rain provisions. The requirements of 40 CFR 60.40c do not apply to this source because it is not used to produce electricity for sale. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 17. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 18. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
- All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit

of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-13-3

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 700 POUND CAPACITY BLASTING POT

EXPIRA

PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and condition

e Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-16-3

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT



PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions

he Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-17-3

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

EXPIRAT

PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions

adility-wide Permit to Operate.

PERMIT UNIT: N-3386-18-3

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

EXPIR

PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions

adility-wide Permit to Operate.

PERMIT UNIT: N-3386-19-3

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

EXPIRAT

PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

These terms and conditions are part of the Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-23-6

EQUIPMENT DESCRIPTION:

EXPIRATION DATE 70/31/2009

240 BHP FORD-GENERAC MODEL 7.5DTA DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

- 1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 2. This engine shall be equipped with either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
- 3. {1898} The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
- 4. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District NSR Rule, 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- Emissions from this IC engine shall not exceed any of the following limits: 6.71 g-NOx/bhp-hr, 8.5 g-CO/bhp-hr, or 1.0 g-VOC/bhp-hr. [District NSR Rule, 13 CCR 2423 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 7. Emissions from this IC engine shall not exceed 0.4 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District NSR Rule, 4102, 13 CCR 2423 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 8. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
- 9. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
- 10. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 30 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 11. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REOLIREMENTS CONTINUE ON NEXT PAGE These terms and conditions are part of the Facility-wide Permit to Operate.

Permit Unit Requirements for N-3386-23-6 (continued)

- 12. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
- 13. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 14. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 15. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- Facilities N-3386 and N-7478 are the same stationary source. [District NSR Rule] Federally Enforceable Through Title V Permit

These terms and b

PERMIT UNIT: N-3386-24-4

EQUIPMENT DESCRIPTION:

EXPIRATIONDA 2009

GASOLINE DISPENSING OPERATION WITH TWO 15,000 GALLON UNDERGROUND STORAGE TANKS SERVED BY AN EBW PHASE I VAPOR RECOVERY SYSTEM (VR-103-A), AND 4 FUELING POINTS WITH 4 GASOLINE DISPENSING NOZZLES SERVED BY A HEALY PHASE II VAPOR RECOVERY SYSTEM (VR-201-I)

PERMIT UNIT REQUIREMENTS

- The Phase I and Phase II vapor recovery systems shall be installed and maintained in accordance with the
 manufacturer specifications and the ARB Executive Orders specified in this permit, including applicable rules and
 regulations of the Division of Measurement Standards of the Department of Food and Agriculture, the Office of the
 State Fire Marshal of the Department of Forestry and Fire Protection, the Division of Occupational Safety and Health
 of the Department of Industrial Relations, and the Division of Water Quality of the State Water Resources Control
 Board that have been made conditions of the certification. [District Rules 4621 and 4622] Federally Enforceable
 Through Title V Permit
- This gasoline storage and dispensing equipment shall not be used in retail sales, where gasoline dispensed by the unit is subject to payment of California sales tax on gasoline sales. [District Rule 4622] Federally Enforceable Through Title V Permit
- 3. The Phase I and Phase II vapor recovery systems and gasoline dispensing equipment shall be maintained without leaks as determined in accordance with the test method specified in this permit. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 4. A leak is defined as the dripping of VOC-containing liquid at a rate of more than three (3) drops per minute, or the detection of any gaseous or vapor emissions with a concentration of total organic compound greater than 10,000 ppmv, as methane, above background when measured in accordance with EPA Test Method 21. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 5. No gasoline delivery vessel shall be operated or be allowed to operate unless valid State of California decals are displayed on the cargo container, which attest to the vapor integrity of the container. [District Rule 4621] Federally Enforceable Through Title V Permit
- 6. No person shall operate any ARB certified Phase II vapor recovery system or any portion thereof that has a major defect or an equipment defect that is identified in any applicable ARB Executive Order until the following conditions have been met: 1) the defect has been repaired, replaced, or adjusted as necessary to correct the defect; 2) the District has been notified, and the District has reinspected the system or authorized the system for use (such authorization shall not include the authority to operate the equipment prior to the correction of the defective components); and 3) all major defects, after repair, are duly entered into the Operations and Maintenance (O&M) manual. [District Rule 4622] Federally Enforceable Through Title V Permit
- 7. Upon identification of any major defects, the permittee shall tag "Out-of-Order" all dispensing equipment for which vapor recovery has been impaired. Tagged equipment shall be rendered inoperable and the tag(s) shall not be removed until the defective equipment has been repaired, replaced, or adjusted, as necessary. In the case of defects identified by the District, tagged equipment shall be rendered inoperable, and the tag shall not be removed until the District has been notified of the repairs, and the District has either reinspected the system or authorized the tagged equipment for use. [District Rule 4622] Federally Enforceable Through Time V Termit

PERMIT UNIT REPUTENTS CONTINUE ON NEXT PAGE These terms and conditions are part of the Facility-wide Permit to Operate.

Permit Unit Requirements for N-3386-24-4 (continued)

- 8. The permittee shall implement a periodic maintenance inspection program for the certified Phase II vapor recovery system consistent with the requirements of this permit. The program shall be documented in an operation and maintenance (O&M) manual and shall at a minimum contain the following information: 1) copies of all vapor recovery performance tests; 2) all applicable ARB Executive Orders, Approval Letters, and District Permits; 3) the manufacturer's specifications and instructions for installation, operation, repair, and maintenance required pursuant to ARB Certification Procedure CP-201, and any additional instruction provided by the manufacturer; 4) system and/or component testing requirements, including test schedules and passing criteria for each of the standard tests required by this permit (the owner/operator may include any non-ARB required diagnostic and other tests as part of the testing requirements), and 5) additional O&M instructions, if any, that are designed to ensure compliance with the applicable rules, regulations, ARB Executive Orders, and District permit conditions, including replacement schedules for failure or wear prone components. [District Rule 4622] Federally Enforceable Through Title V Permit
- 9. The permittee shall conduct periodic maintenance inspections based on the greatest monthly throughput of gasoline dispensed by the facility in the previous year as follows: A) less than 2,500 gallons one day per month; B) 2,500 to less than 25,000 gallons one day per week; or C) 25,000 gallons or greater five days per week. All inspections shall be documented within the O & M Manual. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 10. Periodic maintenance inspections of the Phase I vapor recovery system shall include, at a minimum, verification that 1) the fill caps and vapor caps are not missing, damaged, or loose; 2) the fill cap gasket and vapor cap gaskets are not missing or damaged; 3) the fill adapter and vapor adapter are securely attached to the risers; 4) where applicable, the spring-loaded submerged fill tube seals properly against the coaxial tubing; 5) the dry break (poppet-valve) is not
 missing or damaged; and 6) the submerged fill tube is not missing or damaged. [District Rule 4621] Federally

Enforceable Through Title V Permit

- 11. Periodic maintenance inspections of the Phase II vapor recovery system shall include, at a minimum, verification that 1) the fueling instructions required by this permit are clearly displayed with the appropriate toll-free complaint phone number and toxic warning signs; 2) the following nozzle components are in place and in good condition as specified in ARB Executive Order as applicable: faceplate/facecone, bellows, latching device spring, vapor check valve, spout (proper diameter/vapor collection holes), insertion interlock mechanism, automatic shut-off mechanism, and hold open latch (unless prohibited by law or the local fire control authority); 3) the hoses are not torn, flattened or crimped; 4) the vapor path of the coaxial hoses associated with bellows equipped nozzles does not contain more than 100 ml of liquid if applicable; and 5) the vapor processing unit is functioning properly, for operations that are required to have or possess such a unit. [District Rule 4622] Federally Enforceable Through Title V Permit
- 12. In the event of a separation due to a drive off, the permittee shall, unless otherwise specified in the applicable ARB Executive Order, conduct a visual inspection of the affected equipment and either 1) perform qualified repairs on any damaged components and conduct applicable re-verification tests pursuant to the requirements of this permit, or 2) replace the affected nozzles, coaxial hoses, breakaway couplings, and any other damaged components with new or certified rebuilt components that are ARB certified. The activities shall be documented in accordance with the requirements of this permit before placing the affected equipment back in service. [District Rule 4622] Federally Enforceable Through Title V Permit
- Unless an In-Station Diagnostic (ISD) system is installed pursuant to a District Authority to Construct permit, the gasoline throughput at this facility shall not exceed the following: 1.8 million gallons per year (effective September 1, 2009) and 600,000 gallons per year (effective September 1, 2010). [District Rule 4622] Federally Enforceable Through Title V Permit
- 14. The permittee shall conduct all periodic vapor recovery system performance tests specified in this permit, no more than 30 days before or after the required compliance testing date, unless otherwise required under the applicable ARB Executive Order. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 15. The permittee shall perform and pass a Static Torque of Rotatable Phase I Adaptors test using ARB procedure TP-201.1B at least once every 36 months. [District Rule 4621] Federally Enforceable Through Title V Permit

PERMIT UNTREDUREMENTS CONTINUE ON NEXT PAGE

are part of the Facility-wide Permit to Operate.

These terms and b Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N3396-24-4' Jul 21 2010 4 30PM - SIONGCOJ Permit Unit Requirements for N-3386-24-4 (continued)

- 16. The permittee shall perform and pass a Pressure Integrity of Drop Tube Drain Valve Assembly Test using ARB TP-201.1C or a Pressure Integrity of Drop Tube Overfill Protection Devices Test using ARB TP-201.1D if an overfill protection device is installed, at least once every 36 months. [District Rule 4621] Federally Enforceable Through Title V Permit
- 17. The permittee shall perform and pass a Static Leak Test for Underground Tanks using ARB TP-201.3 in accordance with the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 18. The permittee shall perform and pass a Dynamic Back Pressure Test using ARB TP-201.4 at least once every 12 months. [District Rule 4622] Federally Enforceable Through Title V Permit
- 19. The permittee shall perform and pass a Vapor-to-Liquid Volume Ratio Test using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every six (6) months. [District Rule 4622] Federally Enforceable Through Title V Permit
- 20. The permittee shall perform and pass a Static Pressure Test for the Healy Clean Air Separator using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rule 4622] Federally Enforceable Through Title V Permit
- 21. The permittee shall perform and pass a Dispenser vapor Line Tightness test for each dispenser using the test procedure defined in the Installation, Operation and Maintenance manual of the Executive Order specified in this permit for the Phase II Vapor Recovery System at least once every 12 months. [District Rule 4622] Federally Enforceable Through Title V Permit
- 22. A person conducting testing of, or repairs to, a certified vapor recovery system shall be in compliance with District Rule 1177 (Gasoline Dispensing Facility Tester Certification). [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 23. A person performing installation of, or maintenance on, a certified Phase I or Phase II vapor recovery system shall be certified by the ICC for Vapor Recovery System Installation and Repair, or work under the direct and personal supervision of an individual physically present at the work site who is certified. The ICC certification shall be renewed every 24 months. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 24. Proof of the ICC certification and all other certifications required by the Executive Order and installation and operation manual shall be made available onsite. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit
- 25. The permittee shall notify the District at least 7 days prior to each performance test. The test results shall be submitted to the District no later than 30 days after the completion of each test. [District Rule 4621] Federally Enforceable Through Title V Permit
- 26. The permittee shall maintain a copy of all test results. The test results shall be dated and shall contain the name, address, and telephone number of the company responsible for system installation and testing. [District Rule 4622] Federally Enforceable Through Title V Permit
- 27. The permittee shall maintain on the premises a log of any repairs made to the certified Phase I or Phase II vapor recovery system. The repair log shall include the following: 1) date and time of each repair; 2) the name and applicable certification numbers of the person(s) who performed the repair, and if applicable, the name, address and phone number of the person's employer; 3) description of service performed; 4) each component that was repaired, serviced, or removed; 5) each component that was installed as replacement, if applicable; and 6) receipts or other documents for parts used in the repair and, if applicable, work orders which shall include the name and signature of the person responsible for performing the repairs. [District Rule 4622] Federally Enforceable Through Title V Permit
- 28. The O&M manual shall be kept at the dispensing operation and made available to any person who operates, inspects, maintains, repairs, or tests the equipment at the operation as well as to District personnel upon request. [District Rule 4622] Federally Enforceable Through Title V Permit
- 29. The permittee shall maintain monthly and annual gasoline throughput records. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO, CA 95353 N-3386-24-4 (Jul 21 2010 4:30PM – SIONGCOJ Permit Unit Requirements for N-3386-24-4 (continued)

30. All records required by this permit shall be retained on-site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 4621 and 4622] Federally Enforceable Through Title V Permit

he Facility-wide Permit to Operate.

of

PERMIT UNIT: N-3386-26-3

EQUIPMENT DESCRIPTION:

192 BHP GENERAC MODEL 64DTAH DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING A 125 KW ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

EXPIRATION

2009

- 1. The engine shall be equipped with a positive crankcase ventilation (PCV) system or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule and 4102] Federally Enforceable Through Title V Permit
- 2. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 3. {1898} The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
- 4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
- 5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District NSR Rule, 4102, and 4801, and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 6. The NOx emissions shall not exceed 4.20 g/hp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
- 7. The PM10 emissions shall not exceed 0.135 g/hp-hr. [District NSR Rule and 4102] Federally Enforceable Through Title V Permit
- 8. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
- 9. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 10. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
- 11. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
- 12. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program; or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
- 13. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

PERMIT UNIT REPUIREMENTS CONTINUE ON NEXT PAGE These terms and conditions are part of the Facility-wide Permit to Operate.

Permit Unit Requirements for N-3386-26-3 (continued)

- 14. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 15. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-27-2

EQUIPMENT DESCRIPTION:

EXPIRATION DATE 70/31/2009

1,120 BHP DETROIT DIESEL MODEL 12V2000 DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

- 1. The engine shall be equipped with a positive crankcase ventilation (PCV) system or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
- 2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
- 3. Emissions from this IC engine shall not exceed any of the following limits: 5.75 g-NOx/bhp-hr, 0.6 g-CO/bhp-hr, or 0.26 g-VOC/bhp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. Emissions from this IC engine shall not exceed 0.09 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District NSR Rule and 4102, 17 CCR 93115] Federally Enforceable Through Title V Permit
- 5. Only CARB certified diesel fuel containing not more than 0.05% sulfur by weight is to be used. [District NSR Rule] Federally Enforceable Through Title V Permit
- 6. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
- 7. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 8. This engine shall be equipped with an operational nonresettable elapsed operating time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
- 9. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
- 10. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
- 11. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
 - 12. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS ON NUE ON NEXT PAGE

part of the Facility-wide Permit to Operate.

These terms and conditions are Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO, CA 95353 Permit Unit Requirements for N-3386-27-2 (continued)

- 13. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702] Federally Enforceable Through Title V Permit
- 14. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 15. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-28-4

EQUIPMENT DESCRIPTION:

EXPIRATION

270 BHP CUMMINS MODEL 6CTA8.3-F2 DIESEL-FIRED EMERGENCY IC ENGINE POWERING & FIREWATER PUMP

PERMIT UNIT REQUIREMENTS

- 1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
- 2. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District NSR Rule, 4102, and 4801, and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 4. Emissions shall not exceed any of the following: 5.45 g-NOx/bhp-hr, 3.11 g-CO/bhp-hr, or 0.82 g-VOC/bhp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
- 5. PM10 emissions shall not exceed 0.25 g/bhp-hr based on U.S EPA certification using test procedure ISO 8178. [District NSR Rule and District Rule 4102] Federally Enforceable Through Title V Permit
- 6. The exhaust stack shall not be fitted with a rain cap or any similar device that would impede vertical exhaust flow. [District Rule 4102]
- 7. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District NSR Rule and 4702, and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 8. The permittee shall maintain monthly records of the type of fuel purchased. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 9. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
- All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

adility-wide Permit to Operate.

These terms and conditions Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-29-3

EQUIPMENT DESCRIPTION:

EXPIRATION 2009

TRANSPORTABLE 460 BHP CATERPILLAR MODEL 3406 DITA TIER 2 DIESEL-FIRED IC ENGINE SERVED BY A MINE-X MODEL DC16-6 OXIDATION PURIFIER POWERING AN AIR COMPRESSOR

PERMIT UNIT REQUIREMENTS

- 1. This engine shall be equipped with a turbocharger, intercooler/aftercooler and either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
- 2. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap, roof overhang, or any other obstruction. [District Rule 4102]
- 3. Emissions from this engine shall not exceed any of the following limits: 3.45 g-NOx/hp-hr; 0.23 g-CO/hp-hr; or 0.01 g-VOC/hp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. The PM10 emissions rate shall not exceed 0.08 g/hp-hr. [District NSR Rule and 40 CFR 89.112-96(a)(4)] Federally Enforceable Through Title V Permit
- 5. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
- 6. The sulfur content of the diesel fuel used shall not exceed 0.0015% by weight. The operator shall maintain copies of all fuel invoices and supplier certifications. [District NSR Rule and 4801] Federally Enforceable Through Title V Permit
- 7. The operating hours of this engine shall not exceed 200 hours during any one calendar year. [District Rule 4701 and 4702] Federally Enforceable Through Title V Permit
- 8. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702] Federally Enforceable Through Title V Permit
- 9. Operator shall maintain annual operating records. The records shall include the date, total hours of operation, records of operational characteristic monitoring, and purpose for operating the engine. The records shall be kept on the premises at all times and shall be readily made available for inspection upon request. [District Rule 4701 and 4702] Federally Enforceable Through Title V Permit
- 10. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
- 11. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
- 12. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702] Federally Enforceable Through Title V Permit

These terms and conditions

dithe Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-30-1

Location:

EQUIPMENT DESCRIPTION:

EXPIRATION

CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 900 LB KELCO 280 TING POT

PERMIT UNIT REQUIREMENTS

- All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize 1. emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
- 2. [52] The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
- 3. {1475} All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
- {1483} A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original 4. cut-point fineness. [92530 CCR]
- {1474} Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into 5. the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- {1482} Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period 6. or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 7. {3259} Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
- {1991} Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, 8. or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]

PERMIT UNIT: N-3386-31-1

EQUIPMENT DESCRIPTION:

EXPIRATION

CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 300 LB KELCO K 16 BLASTING POT

PERMIT UNIT REQUIREMENTS

- 1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
- 2. {52} The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
- 3. {1475} All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
- 4. {1483} A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cut-point fineness. [92530 CCR]
- 5. {1474} Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 6. {1482} Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 7. {3259} Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
- 8. {1991} Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]

These terms and conditions

Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-33-1

EQUIPMENT DESCRIPTION:

5,806 GALLON STEEL WINE STORAGE TANK 61 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: £ & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-34-1

EQUIPMENT DESCRIPTION:

5,815 GALLON STEEL WINE STORAGE TANK 62 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-35-1

EQUIPMENT DESCRIPTION:

5,813 GALLON STEEL WINE STORAGE TANK 63 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-36-1

EQUIPMENT DESCRIPTION:

5,815 GALLON STEEL WINE STORAGE TANK 64 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE: 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-37-1

EQUIPMENT DESCRIPTION:

5,807 GALLON STEEL WINE STORAGE TANK 65 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-38-1

EQUIPMENT DESCRIPTION:

5,809 GALLON STEEL WINE STORAGE TANK 66 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-39-1

EQUIPMENT DESCRIPTION:

5,812 GALLON STEEL WINE STORAGE TANK 67 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-40-1

EQUIPMENT DESCRIPTION:

5,807 GALLON STEEL WINE STORAGE TANK 68 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N336646-1: JULI 2010 4:31PM- SIONGCOJ

PERMIT UNIT: N-3386-41-1

EQUIPMENT DESCRIPTION:

10,521 GALLON STEEL WINE STORAGE TANK 102 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-42-1

EQUIPMENT DESCRIPTION:

10,506 GALLON STEEL WINE STORAGE TANK 103 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-43-1

EQUIPMENT DESCRIPTION:

10,499 GALLON STEEL WINE STORAGE TANK 106 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-44-1

EQUIPMENT DESCRIPTION:

10,540 GALLON STEEL WINE STORAGE TANK 107 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-45-1

EQUIPMENT DESCRIPTION:

10,522 GALLON STEEL WINE STORAGE TANK 108 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-46-1

EQUIPMENT DESCRIPTION:

10,507 GALLON STEEL WINE STORAGE TANK 109 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-47-1

EQUIPMENT DESCRIPTION:

10,519 GALLON STEEL WINE STORAGE TANK 110 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-48-1

EQUIPMENT DESCRIPTION:

10,563 GALLON STEEL WINE STORAGE TANK 111 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-49-1

EQUIPMENT DESCRIPTION:

10,568 GALLON STEEL WINE STORAGE TANK 112 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-50-1

EQUIPMENT DESCRIPTION:

10,549 GALLON STEEL WINE STORAGE TANK 113 WITH PRESSURE/VACUUM VALVE

EXPIRAT 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-51-1

EQUIPMENT DESCRIPTION:

10,554 GALLON STEEL WINE STORAGE TANK 114 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-52-1

EQUIPMENT DESCRIPTION:

10,558 GALLON STEEL WINE STORAGE TANK 115 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-53-1

EQUIPMENT DESCRIPTION:

10,471 GALLON STEEL WINE STORAGE TANK 116 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-54-1

EQUIPMENT DESCRIPTION:

10,486 GALLON STEEL WINE STORAGE TANK 117 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-55-1

EQUIPMENT DESCRIPTION:

10,572 GALLON STEEL WINE STORAGE TANK 118 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-56-1

EQUIPMENT DESCRIPTION:

10,557 GALLON STEEL WINE STORAGE TANK 119 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-57-1

EQUIPMENT DESCRIPTION:

10,542 GALLON STEEL WINE STORAGE TANK 120 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare on the Fagility-wide Permit to Operate.

PERMIT UNIT: N-3386-58-1

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 121 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-59-1

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 122 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-60-1

EQUIPMENT DESCRIPTION:

9,855 GALLON STEEL WINE STORAGE TANK 123 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-61-1

EQUIPMENT DESCRIPTION:

9,854 GALLON STEEL WINE STORAGE TANK 124 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-62-1

EQUIPMENT DESCRIPTION:

9,846 GALLON STEEL WINE STORAGE TANK 125 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-63-1

EQUIPMENT DESCRIPTION:

9,854 GALLON STEEL WINE STORAGE TANK 126 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fagility-wide Permit to Operate.

PERMIT UNIT: N-3386-64-1

EQUIPMENT DESCRIPTION:

9,855 GALLON STEEL WINE STORAGE TANK 127 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-65-1

EQUIPMENT DESCRIPTION:

9,861 GALLON STEEL WINE STORAGE TANK 128 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-66-1

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 129 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-67-1

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 130 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-68-1

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 131 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-69-1

EQUIPMENT DESCRIPTION:

9,846 GALLON STEEL WINE STORAGE TANK 132 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-70-1

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 133 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-71-1

EQUIPMENT DESCRIPTION:

9,850 GALLON STEEL WINE STORAGE TANK 134 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-72-1

EQUIPMENT DESCRIPTION:

9,853 GALLON STEEL WINE STORAGE TANK 135 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-73-1

EQUIPMENT DESCRIPTION:

9,850 GALLON STEEL WINE STORAGE TANK 136 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-74-1

EQUIPMENT DESCRIPTION:

9,859 GALLON STEEL WINE STORAGE TANK 137 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

Fadility-wide Permit to Operate.

EXPIRATION

PERMIT UNIT: N-3386-75-1

EQUIPMENT DESCRIPTION:

9,857 GALLON STEEL WINE STORAGE TANK 138 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate. NERY SLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-76-1

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 139 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-77-1

EQUIPMENT DESCRIPTION:

10,206 GALLON STEEL WINE STORAGE TANK 198 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-78-1

EQUIPMENT DESCRIPTION:

.

19,395 GALLON STEEL WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-79-1

EQUIPMENT DESCRIPTION:

19,386 GALLON STEEL WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-80-1

EQUIPMENT DESCRIPTION:

19,399 GALLON STEEL WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE: 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-81-1

EQUIPMENT DESCRIPTION:

19,384 GALLON STEEL WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-82-1

EQUIPMENT DESCRIPTION:

19,367 GALLON STEEL WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-83-1

EQUIPMENT DESCRIPTION:

19,412 GALLON STEEL WINE STORAGE TANK 206 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-84-1

EQUIPMENT DESCRIPTION:

19,423 GALLON STEEL WINE STORAGE TANK 207 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-85-1

EQUIPMENT DESCRIPTION:

19,444 GALLON STEEL WINE STORAGE TANK 208 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-86-1

EQUIPMENT DESCRIPTION:

19,392 GALLON STEEL WINE STORAGE TANK 209 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE: 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-87-1

EQUIPMENT DESCRIPTION:

19,376 GALLON STEEL WINE STORAGE TANK 210 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-88-1

EQUIPMENT DESCRIPTION:

19,427 GALLON STEEL WINE STORAGE TANK 211 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-89-1

EQUIPMENT DESCRIPTION:

19,358 GALLON STEEL WINE STORAGE TANK 212 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-90-1

EQUIPMENT DESCRIPTION:

19,311 GALLON STEEL WINE STORAGE TANK 213 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-91-1

EQUIPMENT DESCRIPTION:

19,435 GALLON STEEL WINE STORAGE TANK 214 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

EXPIRATIO

009

These terms and conditions are

adility-wide Permit to Operate.

PERMIT UNIT: N-3386-92-1

EQUIPMENT DESCRIPTION:

19,354 GALLON STEEL WINE STORAGE TANK 215 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-93-1

EQUIPMENT DESCRIPTION:

19,359 GALLON STEEL ENCLOSED TOP WINE FERMENTATION AND STORAGE TANK 216 WITH T PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

EXPIRATIC

2009

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-94-1

EQUIPMENT DESCRIPTION:

19,366 GALLON STEEL WINE STORAGE TANK 217 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-95-1

EQUIPMENT DESCRIPTION:

19,389 GALLON STEEL WINE STORAGE TANK 218 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-96-1

EQUIPMENT DESCRIPTION:

19,609 GALLON STEEL WINE STORAGE TANK 219 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-97-1

EQUIPMENT DESCRIPTION:

19,491 GALLON STEEL WINE STORAGE TANK 220 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-98-1

EQUIPMENT DESCRIPTION:

52,295 GALLON STEEL WINE STORAGE TANK 501 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-99-1

EQUIPMENT DESCRIPTION:

52,266 GALLON STEEL WINE STORAGE TANK 502 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-100-1

EQUIPMENT DESCRIPTION:

52,302 GALLON STEEL WINE STORAGE TANK 503 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-101-1

EQUIPMENT DESCRIPTION:

52,278 GALLON STEEL WINE STORAGE TANK 504 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-102-1

EQUIPMENT DESCRIPTION:

52,264 GALLON STEEL WINE STORAGE TANK 505 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-103-1

EQUIPMENT DESCRIPTION:

52,311 GALLON STEEL WINE STORAGE TANK 506 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-104-1

EQUIPMENT DESCRIPTION:

52,289 GALLON STEEL WINE STORAGE TANK 507 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3386-194-1 ; Jul 21 2010 4 36PM - SIONGCOJ

PERMIT UNIT: N-3386-105-1

EQUIPMENT DESCRIPTION:

52,279 GALLON STEEL WINE STORAGE TANK 508 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-106-1

EQUIPMENT DESCRIPTION:

52,359 GALLON STEEL WINE STORAGE TANK 509 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-107-1

EQUIPMENT DESCRIPTION:

52,250 GALLON STEEL WINE STORAGE TANK 510 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO, CA 95353

PERMIT UNIT: N-3386-108-1

EQUIPMENT DESCRIPTION:

52,186 GALLON STEEL WINE STORAGE TANK 511 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-109-1

EQUIPMENT DESCRIPTION:

52,228 GALLON STEEL WINE STORAGE TANK 512 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-110-1

EQUIPMENT DESCRIPTION:

52,252 GALLON STEEL WINE STORAGE TANK 513 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

EXPIRATION 2009

Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3386-110-1: Jul 22 2010 7:48AM – SIONGCOJ

These terms and conditions are pare of

the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-111-1

EQUIPMENT DESCRIPTION:

52,260 GALLON STEEL WINE STORAGE TANK 514 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-112-1

EQUIPMENT DESCRIPTION:

52,237 GALLON STEEL WINE STORAGE TANK 515 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-113-1

EQUIPMENT DESCRIPTION:

52,227 GALLON STEEL WINE STORAGE TANK 516 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-114-1

EQUIPMENT DESCRIPTION:

52,283 GALLON STEEL WINE STORAGE TANK 517 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE: 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-115-1

EQUIPMENT DESCRIPTION:

52,257 GALLON STEEL WINE STORAGE TANK 518 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-116-1

EQUIPMENT DESCRIPTION:

52,123 GALLON STEEL WINE STORAGE TANK 519 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-117-1

EQUIPMENT DESCRIPTION:

53,030 GALLON STEEL WINE STORAGE TANK 520 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-118-1

EQUIPMENT DESCRIPTION:

54,450 GALLON STEEL WINE STORAGE TANK 528 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit



Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3386-118-1: Jul 21 2010 4:37PM - SIONGCOJ

These terms and conditions lare

the Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-119-1

EQUIPMENT DESCRIPTION:

54,302 GALLON STEEL WINE STORAGE TANK 529 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-120-1

EQUIPMENT DESCRIPTION:

54,316 GALLON STEEL WINE STORAGE TANK 530 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-121-1

EQUIPMENT DESCRIPTION:

54,280 GALLON STEEL WINE STORAGE TANK 531 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-122-1

EQUIPMENT DESCRIPTION:

54,277 GALLON STEEL WINE STORAGE TANK 532 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-123-1

EQUIPMENT DESCRIPTION:

54,290 GALLON STEEL WINE STORAGE TANK 533 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-124-1

EQUIPMENT DESCRIPTION:

54,365 GALLON STEEL WINE STORAGE TANK 534 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-125-1

EQUIPMENT DESCRIPTION:

54,236 GALLON STEEL WINE STORAGE TANK 535 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-126-1

EQUIPMENT DESCRIPTION:

54,223 GALLON STEEL WINE STORAGE TANK 536 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-127-1

EQUIPMENT DESCRIPTION:

54,287 GALLON STEEL WINE STORAGE TANK 537 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3386-127-1: JM 21 2010 4:38PM - SIGNIGCOJ

PERMIT UNIT: N-3386-128-1

EQUIPMENT DESCRIPTION:

54,228 GALLON STEEL WINE STORAGE TANK 538 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-129-1

EQUIPMENT DESCRIPTION:

54,435 GALLON STEEL WINE STORAGE TANK 539 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-130-1

EQUIPMENT DESCRIPTION:

54,267 GALLON STEEL WINE STORAGE TANK 540 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-131-1

EQUIPMENT DESCRIPTION:

54,283 GALLON STEEL WINE STORAGE TANK 541 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO. CA 95353 N-3386-131-1: Jul 21 2010 4:38PM - SIGNGCOJ

PERMIT UNIT: N-3386-132-1

EQUIPMENT DESCRIPTION:

54,375 GALLON STEEL WINE STORAGE TANK 542 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-133-1

EQUIPMENT DESCRIPTION:

54,274 GALLON STEEL WINE STORAGE TANK 543 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-134-1

EQUIPMENT DESCRIPTION:

54,255 GALLON STEEL WINE STORAGE TANK 544 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-135-1

EQUIPMENT DESCRIPTION:

54,251 GALLON STEEL WINE STORAGE TANK 545 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-136-1

EQUIPMENT DESCRIPTION:

54,320 GALLON STEEL WINE STORAGE TANK 547 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-137-1

EQUIPMENT DESCRIPTION:

54,355 GALLON STEEL WINE STORAGE TANK 548 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

J

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-138-1

EQUIPMENT DESCRIPTION:

54,359 GALLON STEEL WINE STORAGE TANK 549 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-139-1

EQUIPMENT DESCRIPTION:

55,255 GALLON STEEL WINE STORAGE TANK 551 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-140-1

EQUIPMENT DESCRIPTION:

53,906 GALLON STEEL WINE STORAGE TANK 552 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-141-1

EQUIPMENT DESCRIPTION: 54,416 GALLON STEEL WINE STORAGE TANK 553 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-142-1

EQUIPMENT DESCRIPTION:

54,321 GALLON STEEL WINE STORAGE TANK 554 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-143-1

EQUIPMENT DESCRIPTION:

54,440 GALLON STEEL WINE STORAGE TANK 555 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-144-1

EQUIPMENT DESCRIPTION:

54,434 GALLON STEEL WINE STORAGE TANK 556 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable 1. Through Title V Permit



Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO. CA 95353 N-336-14-1: Jul 21 2010 4 35PM - SIONGCOJ

PERMIT UNIT: N-3386-145-1

EQUIPMENT DESCRIPTION:

57,581 GALLON STEEL WINE STORAGE TANK 557 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-146-1

EQUIPMENT DESCRIPTION:

54,533 GALLON STEEL WINE STORAGE TANK 558 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-147-1

EQUIPMENT DESCRIPTION:

54,494 GALLON STEEL WINE STORAGE TANK 559 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-148-1

EQUIPMENT DESCRIPTION:

54,338 GALLON STEEL WINE STORAGE TANK 560 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-149-1

EQUIPMENT DESCRIPTION:

54,333 GALLON STEEL WINE STORAGE TANK 561 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-150-1

EQUIPMENT DESCRIPTION:

54,514 GALLON STEEL WINE STORAGE TANK 562 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-151-1

EQUIPMENT DESCRIPTION:

54,418 GALLON STEEL WINE STORAGE TANK 563 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-152-1

EQUIPMENT DESCRIPTION:

54,179 GALLON STEEL WINE STORAGE TANK 564 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-153-1

EQUIPMENT DESCRIPTION:

54,258 GALLON STEEL WINE STORAGE TANK 565 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-154-1

EQUIPMENT DESCRIPTION:

47,987 GALLON STEEL WINE STORAGE TANK 566 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-155-1

EQUIPMENT DESCRIPTION:

57,606 GALLON STEEL WINE STORAGE TANK 567 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-156-1

EQUIPMENT DESCRIPTION:

58,694 GALLON STEEL WINE STORAGE TANK 568 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-157-1

EQUIPMENT DESCRIPTION:

54,470 GALLON STEEL WINE STORAGE TANK 589 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-158-1

EQUIPMENT DESCRIPTION:

54,358 GALLON STEEL WINE STORAGE TANK 590 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

-

PERMIT UNIT: N-3386-159-1

EQUIPMENT DESCRIPTION:

54,501 GALLON STEEL WINE STORAGE TANK 591 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-160-1

EQUIPMENT DESCRIPTION:

54,015 GALLON STEEL WINE STORAGE TANK 592 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-161-1

EQUIPMENT DESCRIPTION:

54,384 GALLON STEEL WINE STORAGE TANK 593 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-162-1

EQUIPMENT DESCRIPTION:

54,296 GALLON STEEL WINE STORAGE TANK 594 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-163-1

EQUIPMENT DESCRIPTION:

54,201 GALLON STEEL WINE STORAGE TANK 595 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-164-1

EQUIPMENT DESCRIPTION:

54,303 GALLON STEEL WINE STORAGE TANK 596 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-165-1

EQUIPMENT DESCRIPTION:

54,440 GALLON STEEL WINE STORAGE TANK 597 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-166-1

EQUIPMENT DESCRIPTION:

54,435 GALLON STEEL WINE STORAGE TANK 598 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-167-1

EQUIPMENT DESCRIPTION:

54,414 GALLON STEEL WINE STORAGE TANK 599 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-168-1

EQUIPMENT DESCRIPTION:

106,714 GALLON STEEL WINE STORAGE TANK 1007 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable 1. Through Title V Permit

adility-wide Permit to Operate. These terms and conditions Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353 N-3366-166-1: Jul 21 2010 4:41PM – SIONGCOJ

PERMIT UNIT: N-3386-169-1

EQUIPMENT DESCRIPTION:

106,623 GALLON STEEL WINE STORAGE TANK 1008 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-170-1

EQUIPMENT DESCRIPTION:

106,777 GALLON STEEL WINE STORAGE TANK 1009 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-171-1

EQUIPMENT DESCRIPTION:

106,698 GALLON STEEL WINE STORAGE TANK 1010 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-172-1

EQUIPMENT DESCRIPTION:

106,706 GALLON STEEL WINE STORAGE TANK 1011 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-173-1

EQUIPMENT DESCRIPTION:

106,761 GALLON STEEL WINE STORAGE TANK 1012 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-174-1

EQUIPMENT DESCRIPTION:

106,697 GALLON STEEL WINE STORAGE TANK 1013 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-175-1

EQUIPMENT DESCRIPTION:

106,667 GALLON STEEL WINE STORAGE TANK 1014 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-176-1

EQUIPMENT DESCRIPTION:

104,638 GALLON STEEL WINE STORAGE TANK 1015 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-177-1

EQUIPMENT DESCRIPTION:

104,535 GALLON STEEL WINE STORAGE TANK 1016 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-178-1

EQUIPMENT DESCRIPTION:

105,276 GALLON STEEL WINE STORAGE TANK 1017 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-179-1

EQUIPMENT DESCRIPTION:

105,111 GALLON STEEL WINE STORAGE TANK 1018 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-180-1

EQUIPMENT DESCRIPTION:

104,613 GALLON STEEL WINE STORAGE TANK 1019 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-181-1

EQUIPMENT DESCRIPTION:

104,513 GALLON STEEL WINE STORAGE TANK 1020 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions

adility-wide Permit to Operate.

PERMIT UNIT: N-3386-182-1

EQUIPMENT DESCRIPTION:

104,531 GALLON STEEL WINE STORAGE TANK 1021 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable 1. Through Title V Permit

adility-wide Permit to Operate. These terms and conditions Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353 N-3386-182-1: Jul 21 2010 4:42Pt.4 - SIONGCOJ

PERMIT UNIT: N-3386-183-1

EQUIPMENT DESCRIPTION:

101,505 GALLON STEEL WINE STORAGE TANK 1022 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-184-1

EQUIPMENT DESCRIPTION:

101,952 GALLON STEEL WINE STORAGE TANK 1023 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-185-1

EQUIPMENT DESCRIPTION:

101,557 GALLON STEEL WINE STORAGE TANK 1024 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-186-1

EQUIPMENT DESCRIPTION:

100,227 GALLON STEEL WINE STORAGE TANK 1025 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-187-1

EQUIPMENT DESCRIPTION:

101,953 GALLON STEEL WINE STORAGE TANK 1026 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-188-1

EQUIPMENT DESCRIPTION:

100,811 GALLON STEEL WINE STORAGE TANK 1027 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-189-1

EQUIPMENT DESCRIPTION:

103,029 GALLON STEEL WINE STORAGE TANK 1031 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-190-1

EQUIPMENT DESCRIPTION:

102,945 GALLON STEEL WINE STORAGE TANK 1032 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-191-1

EQUIPMENT DESCRIPTION:

103,027 GALLON STEEL WINE STORAGE TANK 1033 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-192-1

EQUIPMENT DESCRIPTION:

103,236 GALLON STEEL WINE STORAGE TANK 1034 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-193-1

EQUIPMENT DESCRIPTION:

103,080 GALLON STEEL WINE STORAGE TANK 1035 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE TO

009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-194-1

EQUIPMENT DESCRIPTION:

103,110 GALLON STEEL WINE STORAGE TANK 1036 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-195-1

EQUIPMENT DESCRIPTION:

103,078 GALLON STEEL WINE STORAGE TANK 1037 WITH PRESSURE/VACUUM VALVE

EXPIRATION)09

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-196-1

EQUIPMENT DESCRIPTION:

103,129 GALLON STEEL WINE STORAGE TANK 1038 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-197-1

EQUIPMENT DESCRIPTION:

102,993 GALLON STEEL WINE STORAGE TANK 1039 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-198-1

EQUIPMENT DESCRIPTION:

103,073 GALLON STEEL WINE STORAGE TANK 1040 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-199-1

EQUIPMENT DESCRIPTION:

103,078 GALLON STEEL WINE STORAGE TANK 1041 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-200-1

EQUIPMENT DESCRIPTION:

103,100 GALLON STEEL WINE STORAGE TANK 1042 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-201-1

EQUIPMENT DESCRIPTION:

103,236 GALLON STEEL WINE STORAGE TANK 1043 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-202-1

EQUIPMENT DESCRIPTION:

103,020 GALLON STEEL WINE STORAGE TANK 1044 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-203-1

EQUIPMENT DESCRIPTION:

103,078 GALLON STEEL WINE STORAGE TANK 1045 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353 N-3386-203-1: JULZI 2010 4 44PM - SIONGCOJ

PERMIT UNIT: N-3386-204-1

EQUIPMENT DESCRIPTION:

102,972 GALLON STEEL WINE STORAGE TANK 1046 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-205-1

EQUIPMENT DESCRIPTION:

103,059 GALLON STEEL WINE STORAGE TANK 1047 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3356-205-11 JU 21 2010 4 44PM - SIONGCOJ

PERMIT UNIT: N-3386-206-1

EQUIPMENT DESCRIPTION:

103,019 GALLON STEEL WINE STORAGE TANK 1048 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-207-1

EQUIPMENT DESCRIPTION:

103,005 GALLON STEEL WINE STORAGE TANK 1049 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-208-1

EQUIPMENT DESCRIPTION:

103,004 GALLON STEEL WINE STORAGE TANK 1050 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable 1. Through Title V Permit

> adility-wide Permit to Operate. These terms and conditions

PERMIT UNIT: N-3386-209-1

EQUIPMENT DESCRIPTION:

102,753 GALLON STEEL WINE STORAGE TANK 1051 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-210-1

EQUIPMENT DESCRIPTION:

102,558 GALLON STEEL WINE STORAGE TANK 1052 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-211-1

EQUIPMENT DESCRIPTION:

102,722 GALLON STEEL WINE STORAGE TANK 1053 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-212-1

EQUIPMENT DESCRIPTION:

102,663 GALLON STEEL WINE STORAGE TANK 1054 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-213-1

EQUIPMENT DESCRIPTION:

102,748 GALLON STEEL WINE STORAGE TANK 1055 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-214-1

EQUIPMENT DESCRIPTION:

102,704 GALLON STEEL WINE STORAGE TANK 1056 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-215-1

EQUIPMENT DESCRIPTION:

102,827 GALLON STEEL WINE STORAGE TANK 1075 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-216-1

EQUIPMENT DESCRIPTION:

103,109 GALLON STEEL WINE STORAGE TANK 1076 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-217-1

EQUIPMENT DESCRIPTION:

102,937 GALLON STEEL WINE STORAGE TANK 1077 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-218-1

EQUIPMENT DESCRIPTION:

102,929 GALLON STEEL WINE STORAGE TANK 1078 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-219-1

EQUIPMENT DESCRIPTION:

103,086 GALLON STEEL WINE STORAGE TANK 1081 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD MODESTO, CA 95353

PERMIT UNIT: N-3386-220-1

EQUIPMENT DESCRIPTION:

102,871 GALLON STEEL WINE STORAGE TANK 1082 WITH PRESSURE/VACUUM VALVE

.

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-221-1

EQUIPMENT DESCRIPTION:

102,981 GALLON STEEL WINE STORAGE TANK 1083 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-222-1

EQUIPMENT DESCRIPTION:

102,831 GALLON STEEL WINE STORAGE TANK 1084 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-223-1

EQUIPMENT DESCRIPTION:

102,549 GALLON STEEL WINE STORAGE TANK 1085 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-224-1

EQUIPMENT DESCRIPTION:

103,252 GALLON STEEL WINE STORAGE TANK 1086 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-225-1

EQUIPMENT DESCRIPTION:

102,708 GALLON STEEL WINE STORAGE TANK 1087 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-226-1

EQUIPMENT DESCRIPTION:

102,859 GALLON STEEL WINE STORAGE TANK 1088 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-227-1

EQUIPMENT DESCRIPTION:

102,725 GALLON STEEL WINE STORAGE TANK 1089 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE: 10/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-228-1

EQUIPMENT DESCRIPTION:

102,856 GALLON STEEL WINE STORAGE TANK 1090 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-229-1

EQUIPMENT DESCRIPTION:

103,001 GALLON STEEL WINE STORAGE TANK 1091 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-230-1

EQUIPMENT DESCRIPTION:

101,988 GALLON STEEL WINE STORAGE TANK 1092 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-231-1

EQUIPMENT DESCRIPTION:

102,904 GALLON STEEL WINE STORAGE TANK 1093 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-232-1

EQUIPMENT DESCRIPTION:

209,524 GALLON STEEL WINE STORAGE TANK 2006 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-233-1

EQUIPMENT DESCRIPTION:

208,075 GALLON STEEL WINE STORAGE TANK 2007 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-234-1

EQUIPMENT DESCRIPTION:

209,055 GALLON STEEL WINE STORAGE TANK 2008 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-235-1

EQUIPMENT DESCRIPTION:

209,297 GALLON STEEL WINE STORAGE TANK 2009 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-236-1

EQUIPMENT DESCRIPTION:

209,424 GALLON STEEL WINE STORAGE TANK 2010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

EXPIRATIO

009

adility-wide Permit to Operate. These terms and conditions Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N3386-284-1: Jul 21 2010 4 47PM - SIONECOJ

PERMIT UNIT: N-3386-237-1

EQUIPMENT DESCRIPTION:

195,597 GALLON STEEL WINE STORAGE TANK 2011 WITH PRESSURE/VACUUM VALVE

EXPIRATION 09

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-238-1

EQUIPMENT DESCRIPTION:

196,197 GALLON STEEL WINE STORAGE TANK 2012 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-239-1

EQUIPMENT DESCRIPTION:

195,287 GALLON STEEL WINE STORAGE TANK 2013 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-240-1

EQUIPMENT DESCRIPTION:

196,616 GALLON STEEL WINE STORAGE TANK 2014 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-241-1

EQUIPMENT DESCRIPTION:

195,626 GALLON STEEL WINE STORAGE TANK 2015 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO, CA 95353 N338-2411: JM 21 2010 447PM - SIGNEGOJ

PERMIT UNIT: N-3386-242-1

EQUIPMENT DESCRIPTION:

195,184 GALLON STEEL WINE STORAGE TANK 2016 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-243-1

EQUIPMENT DESCRIPTION:

217,357 GALLON STEEL WINE STORAGE TANK 2021 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

EXPIRATION

009

These terms and conditions adility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO, CA 95353 N-3386-245-1: Jul 21 2010 4:47PM – SIONGCOJ

PERMIT UNIT: N-3386-244-1

EQUIPMENT DESCRIPTION:

217,288 GALLON STEEL WINE STORAGE TANK 2023 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-245-1

EQUIPMENT DESCRIPTION:

217,527 GALLON STEEL WINE STORAGE TANK 2024 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-246-1

EQUIPMENT DESCRIPTION:

217,195 GALLON STEEL WINE STORAGE TANK 2025 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-247-1

EQUIPMENT DESCRIPTION:

217,318 GALLON STEEL WINE STORAGE TANK 2026 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-248-1

EQUIPMENT DESCRIPTION:

217,233 GALLON STEEL WINE STORAGE TANK 2027 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-249-1

EQUIPMENT DESCRIPTION:

217,150 GALLON STEEL WINE STORAGE TANK 2028 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

EXPIRATION

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions

adility-wide Permit to Operate.

PERMIT UNIT: N-3386-250-1

EQUIPMENT DESCRIPTION:

211,246 GALLON STEEL WINE STORAGE TANK 2029 WITH PRESSURE/VACUUM VALVE

IRE/VACUUM VALVE

009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-251-1

EQUIPMENT DESCRIPTION:

210,669 GALLON STEEL WINE STORAGE TANK 2030 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-252-1

EQUIPMENT DESCRIPTION:

206,577 GALLON STEEL WINE STORAGE TANK 2031 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-253-1

EQUIPMENT DESCRIPTION:

206,223 GALLON STEEL WINE STORAGE TANK 2032 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-254-1

EQUIPMENT DESCRIPTION:

203,717 GALLON STEEL WINE STORAGE TANK 2033 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE: 70/31/2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

e Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-255-1

EQUIPMENT DESCRIPTION:

203,012 GALLON STEEL WINE STORAGE TANK 2034 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-256-1

EQUIPMENT DESCRIPTION:

213,038 GALLON STEEL WINE STORAGE TANK 2035 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-257-1

EQUIPMENT DESCRIPTION:

211,045 GALLON STEEL WINE STORAGE TANK 2036 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-258-1

EQUIPMENT DESCRIPTION:

211,938 GALLON STEEL WINE STORAGE TANK 2037 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-259-1

EQUIPMENT DESCRIPTION:

212,405 GALLON STEEL WINE STORAGE TANK 2038 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-260-1

EQUIPMENT DESCRIPTION:

212,689 GALLON STEEL WINE STORAGE TANK 2050 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-261-1

EQUIPMENT DESCRIPTION:

212,224 GALLON STEEL WINE STORAGE TANK 2051 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-262-1

EQUIPMENT DESCRIPTION:

212,274 GALLON STEEL WINE STORAGE TANK 2075 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-263-1

EQUIPMENT DESCRIPTION:

211,289 GALLON STEEL WINE STORAGE TANK 2076 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-264-1

EQUIPMENT DESCRIPTION:

331,531 GALLON STEEL WINE STORAGE TANK 3000 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-265-1

EQUIPMENT DESCRIPTION:

330,882 GALLON STEEL WINE STORAGE TANK 3001 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-266-1

EQUIPMENT DESCRIPTION:

333,256 GALLON STEEL WINE STORAGE TANK 3002 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-267-1

EQUIPMENT DESCRIPTION:

332,732 GALLON STEEL WINE STORAGE TANK 3003 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-268-1

EQUIPMENT DESCRIPTION:

334,614 GALLON STEEL WINE STORAGE TANK 3004 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE: 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-269-1

EQUIPMENT DESCRIPTION:

332,570 GALLON STEEL WINE STORAGE TANK 3005 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-270-1

EQUIPMENT DESCRIPTION:

331,846 GALLON STEEL WINE STORAGE TANK 3006 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-271-1

EQUIPMENT DESCRIPTION:

332,780 GALLON STEEL WINE STORAGE TANK 3007 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate.

PERMIT UNIT: N-3386-272-1

EQUIPMENT DESCRIPTION:

326,505 GALLON STEEL WINE STORAGE TANK 3008 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-273-1

EQUIPMENT DESCRIPTION:

324,766 GALLON STEEL WINE STORAGE TANK 3009 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-274-1

EQUIPMENT DESCRIPTION:

330,499 GALLON STEEL WINE STORAGE TANK 3010 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-275-1

EQUIPMENT DESCRIPTION:

329,834 GALLON STEEL WINE STORAGE TANK 3011 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-276-1

EQUIPMENT DESCRIPTION:

331,575 GALLON STEEL WINE STORAGE TANK 3012 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-277-1

EQUIPMENT DESCRIPTION:

326,509 GALLON STEEL WINE STORAGE TANK 3013 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-278-1

EQUIPMENT DESCRIPTION:

327,892 GALLON STEEL WINE STORAGE TANK 3014 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-279-1

EQUIPMENT DESCRIPTION:

327,851 GALLON STEEL WINE STORAGE TANK 3015 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-280-1

EQUIPMENT DESCRIPTION:

327,442 GALLON STEEL WINE STORAGE TANK 3016 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-281-1

EQUIPMENT DESCRIPTION:

327,094 GALLON STEEL WINE STORAGE TANK 3017 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-282-1

EQUIPMENT DESCRIPTION:

329,572 GALLON STEEL WINE STORAGE TANK 3018 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-283-1

EQUIPMENT DESCRIPTION:

327,636 GALLON STEEL WINE STORAGE TANK 3019 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-284-1

EQUIPMENT DESCRIPTION:

327,944 GALLON STEEL WINE STORAGE TANK 3020 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-285-1

EQUIPMENT DESCRIPTION:

327,260 GALLON STEEL WINE STORAGE TANK 3025 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-286-1

EQUIPMENT DESCRIPTION:

327,301 GALLON STEEL WINE STORAGE TANK 3026 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-287-1

EQUIPMENT DESCRIPTION:

327,052 GALLON STEEL WINE STORAGE TANK 3027 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-288-1

EQUIPMENT DESCRIPTION:

327,755 GALLON STEEL WINE STORAGE TANK 3028 WITH PRESSURE/VACUUM VALVE

. . .

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-289-1

EQUIPMENT DESCRIPTION:

330,554 GALLON STEEL WINE STORAGE TANK 3029 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-290-1

EQUIPMENT DESCRIPTION:

327,579 GALLON STEEL WINE STORAGE TANK 3051 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-291-1

EQUIPMENT DESCRIPTION:

328,382 GALLON STEEL WINE STORAGE TANK 3052 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-292-1

EQUIPMENT DESCRIPTION:

331,410 GALLON STEEL WINE STORAGE TANK 3053 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-293-1

EQUIPMENT DESCRIPTION:

326,814 GALLON STEEL WINE STORAGE TANK 3057 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-294-1

EQUIPMENT DESCRIPTION:

328,639 GALLON STEEL WINE STORAGE TANK 3058 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-295-1

EQUIPMENT DESCRIPTION:

328,424 GALLON STEEL WINE STORAGE TANK 3059 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-296-1

EQUIPMENT DESCRIPTION:

327,428 GALLON STEEL WINE STORAGE TANK 3062 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-297-1

EQUIPMENT DESCRIPTION:

327,785 GALLON STEEL WINE STORAGE TANK 3063 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

These terms and conditions adility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3386-297-1 Juli 21 2010 4:52PM – SIONGCOJ

EXPIRATIO 009

PERMIT UNIT: N-3386-298-1

EQUIPMENT DESCRIPTION:

326,855 GALLON STEEL WINE STORAGE TANK 3064 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-299-1

EQUIPMENT DESCRIPTION:

326,459 GALLON STEEL WINE STORAGE TANK 3066 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-300-1

EQUIPMENT DESCRIPTION:

Location:

328,662 GALLON STEEL WINE STORAGE TANK 3067 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-301-1

EQUIPMENT DESCRIPTION:

329,465 GALLON STEEL WINE STORAGE TANK 3068 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-302-1

EQUIPMENT DESCRIPTION:

331,156 GALLON STEEL WINE STORAGE TANK 3069 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO. CA 95353

PERMIT UNIT: N-3386-303-1

EQUIPMENT DESCRIPTION:

327,222 GALLON STEEL WINE STORAGE TANK 3070 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-304-1

EQUIPMENT DESCRIPTION:

327,869 GALLON STEEL WINE STORAGE TANK 3071 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-305-1

EQUIPMENT DESCRIPTION:

331,460 GALLON STEEL WINE STORAGE TANK 3072 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-306-1

EQUIPMENT DESCRIPTION:

328,335 GALLON STEEL WINE STORAGE TANK 3073 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable 1. Through Title V Permit

adility-wide Permit to Operate.

EXPIRATION

PERMIT UNIT: N-3386-307-1

EQUIPMENT DESCRIPTION:

327,126 GALLON STEEL WINE STORAGE TANK 3074 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-308-1

EQUIPMENT DESCRIPTION:

330,974 GALLON STEEL WINE STORAGE TANK 3075 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-309-1

EQUIPMENT DESCRIPTION:

331,276 GALLON STEEL WINE STORAGE TANK 3076 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-310-1

EQUIPMENT DESCRIPTION:

331,138 GALLON STEEL WINE STORAGE TANK 3077 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-311-1

EQUIPMENT DESCRIPTION:

327,756 GALLON STEEL WINE STORAGE TANK 3078 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate.

PERMIT UNIT: N-3386-312-1

EQUIPMENT DESCRIPTION:

327,356 GALLON STEEL WINE STORAGE TANK 3081 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-313-1

EQUIPMENT DESCRIPTION:

328,081 GALLON STEEL WINE STORAGE TANK 3082 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-314-1

EQUIPMENT DESCRIPTION:

349,601 GALLON STEEL WINE STORAGE TANK 3501 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-315-1

EQUIPMENT DESCRIPTION:

350,302 GALLON STEEL WINE STORAGE TANK 3502 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-316-1

EQUIPMENT DESCRIPTION:

350,439 GALLON STEEL WINE STORAGE TANK 3503 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-317-1

EQUIPMENT DESCRIPTION:

350,185 GALLON STEEL WINE STORAGE TANK 3504 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO. CA 95353

PERMIT UNIT: N-3386-318-1

EQUIPMENT DESCRIPTION:

350,204 GALLON STEEL WINE STORAGE TANK 3505 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-319-1

EQUIPMENT DESCRIPTION:

350,078 GALLON STEEL WINE STORAGE TANK 3506 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-320-1

EQUIPMENT DESCRIPTION:

350,379 GALLON STEEL WINE STORAGE TANK 3507 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-321-1

EQUIPMENT DESCRIPTION:

350,385 GALLON STEEL WINE STORAGE TANK 3508 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-322-1

EQUIPMENT DESCRIPTION:

349,959 GALLON STEEL WINE STORAGE TANK 3509 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-323-1

EQUIPMENT DESCRIPTION:

349,710 GALLON STEEL WINE STORAGE TANK 3510 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-324-1

EQUIPMENT DESCRIPTION:

350,089 GALLON STEEL WINE STORAGE TANK 3511 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-325-1

EQUIPMENT DESCRIPTION:

349,613 GALLON STEEL WINE STORAGE TANK 3512 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-326-1

EQUIPMENT DESCRIPTION:

349,648 GALLON STEEL WINE STORAGE TANK 3513 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-327-1

EQUIPMENT DESCRIPTION:

350,338 GALLON STEEL WINE STORAGE TANK 3514 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-328-1

EQUIPMENT DESCRIPTION:

350,338 GALLON STEEL WINE STORAGE TANK 3515 WITH PRESSURE/VACUUM VALVE



PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-329-1

EQUIPMENT DESCRIPTION:

349,116 GALLON STEEL WINE STORAGE TANK 3516 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-330-1

EQUIPMENT DESCRIPTION:

351,269 GALLON STEEL WINE STORAGE TANK 3517 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-331-1

EQUIPMENT DESCRIPTION:

350,211 GALLON STEEL WINE STORAGE TANK 3518 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-332-1

EQUIPMENT DESCRIPTION:

350,057 GALLON STEEL WINE STORAGE TANK 3519 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-333-1

EQUIPMENT DESCRIPTION:

349,881 GALLON STEEL WINE STORAGE TANK 3520 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-334-1

EQUIPMENT DESCRIPTION:

349,809 GALLON STEEL WINE STORAGE TANK 3521 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-335-1

EQUIPMENT DESCRIPTION:

349,974 GALLON STEEL WINE STORAGE TANK 3522 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-336-1

EQUIPMENT DESCRIPTION:

349,648 GALLON STEEL WINE STORAGE TANK 3523 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-337-1

EQUIPMENT DESCRIPTION:

350,307 GALLON STEEL WINE STORAGE TANK 3524 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate.

PERMIT UNIT: N-3386-338-1

EQUIPMENT DESCRIPTION:

350,324 GALLON STEEL WINE STORAGE TANK 3525 WITH PRESSURE/VACUUM VALVE

EXPIRAT 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-339-1

EQUIPMENT DESCRIPTION:

350,854 GALLON STEEL WINE STORAGE TANK 3526 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

e Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-340-1

EQUIPMENT DESCRIPTION:

350,252 GALLON STEEL WINE STORAGE TANK 3527 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-341-1

EQUIPMENT DESCRIPTION:

349,223 GALLON STEEL WINE STORAGE TANK 3528 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-342-1

EQUIPMENT DESCRIPTION:

349,692 GALLON STEEL WINE STORAGE TANK 3529 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-343-1

EQUIPMENT DESCRIPTION:

349,224 GALLON STEEL WINE STORAGE TANK 3530 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-344-1

EQUIPMENT DESCRIPTION:

348,985 GALLON STEEL WINE STORAGE TANK 3531 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-345-1

EQUIPMENT DESCRIPTION:

350,057 GALLON STEEL WINE STORAGE TANK 3532 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-346-1

EQUIPMENT DESCRIPTION:

349,790 GALLON STEEL WINE STORAGE TANK 3533 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-347-1

EQUIPMENT DESCRIPTION:

347,726 GALLON STEEL WINE STORAGE TANK 3534 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-348-1

EQUIPMENT DESCRIPTION:

349,789 GALLON STEEL WINE STORAGE TANK 3535 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-349-1

EQUIPMENT DESCRIPTION:

349,320 GALLON STEEL WINE STORAGE TANK 3536 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-350-1

EQUIPMENT DESCRIPTION:

349,880 GALLON STEEL WINE STORAGE TANK 3537 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-351-1

EQUIPMENT DESCRIPTION:

349,167 GALLON STEEL WINE STORAGE TANK 3538 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-352-1

EQUIPMENT DESCRIPTION:

349,082 GALLON STEEL WINE STORAGE TANK 3539 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-353-1

EQUIPMENT DESCRIPTION:

350,054 GALLON STEEL WINE STORAGE TANK 3543 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-354-1

EQUIPMENT DESCRIPTION:

350,281 GALLON STEEL WINE STORAGE TANK 3544 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-355-1

EQUIPMENT DESCRIPTION:

350,531 GALLON STEEL WINE STORAGE TANK 3545 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-356-1

EQUIPMENT DESCRIPTION:

303,600 GALLON STEEL WINE STORAGE TANK 3546 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-357-1

EQUIPMENT DESCRIPTION:

348,063 GALLON STEEL WINE STORAGE TANK 3547 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-358-1

EQUIPMENT DESCRIPTION:

348,449 GALLON STEEL WINE STORAGE TANK 3548 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-359-1

EQUIPMENT DESCRIPTION:

349,971 GALLON STEEL WINE STORAGE TANK 3549 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-360-1

EQUIPMENT DESCRIPTION:

349,594 GALLON STEEL WINE STORAGE TANK 3553 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-361-1

EQUIPMENT DESCRIPTION:

349,828 GALLON STEEL WINE STORAGE TANK 3554 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3366-361-1: Jul 21 2010 4:57PM - SIONGCOJ

PERMIT UNIT: N-3386-362-1

EQUIPMENT DESCRIPTION:

349,001 GALLON STEEL WINE STORAGE TANK 3555 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-363-1

EQUIPMENT DESCRIPTION:

349,708 GALLON STEEL WINE STORAGE TANK 3556 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

EXPIRATION

2009

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3386-365-1: Jul 21 2010 4-58PM – SIONGCOJ

adility-wide Permit to Operate.

PERMIT UNIT: N-3386-364-1

EQUIPMENT DESCRIPTION:

350,022 GALLON STEEL WINE STORAGE TANK 3557 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-365-1

EQUIPMENT DESCRIPTION:

350,090 GALLON STEEL WINE STORAGE TANK 3558 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable 1. Through Title V Permit

> adility-wide Permit to Operate. These terms and condition he F

PERMIT UNIT: N-3386-366-1

EQUIPMENT DESCRIPTION:

350,205 GALLON STEEL WINE STORAGE TANK 3559 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-367-1

EQUIPMENT DESCRIPTION:

349,848 GALLON STEEL WINE STORAGE TANK 3560 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-368-1

EQUIPMENT DESCRIPTION:

349,564 GALLON STEEL WINE STORAGE TANK 3561 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-369-1

EQUIPMENT DESCRIPTION:

351,018 GALLON STEEL WINE STORAGE TANK 3562 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-370-1

EQUIPMENT DESCRIPTION:

349,843 GALLON STEEL WINE STORAGE TANK 3563 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-371-1

EQUIPMENT DESCRIPTION:

349,438 GALLON STEEL WINE STORAGE TANK 3564 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-372-1

EQUIPMENT DESCRIPTION:

350,226 GALLON STEEL WINE STORAGE TANK 3565 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-373-1

EQUIPMENT DESCRIPTION:

349,861 GALLON STEEL WINE STORAGE TANK 3566 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are pare of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353

PERMIT UNIT: N-3386-374-1

EQUIPMENT DESCRIPTION:

349,369 GALLON STEEL WINE STORAGE TANK 3567 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

adility-wide Permit to Operate. These terms and conditions

EXPIRATIO 009

PERMIT UNIT: N-3386-375-1

EQUIPMENT DESCRIPTION:

349,661 GALLON STEEL WINE STORAGE TANK 3568 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO. CA 95353

PERMIT UNIT: N-3386-376-1

EQUIPMENT DESCRIPTION:

350,165 GALLON STEEL WINE STORAGE TANK 3569 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N3386-3761. Jul 21 2010 4:55PM - SIONGCOJ

PERMIT UNIT: N-3386-377-1

EQUIPMENT DESCRIPTION:

350,615 GALLON STEEL WINE STORAGE TANK 3570 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-378-1

EQUIPMENT DESCRIPTION:

349,771 GALLON STEEL WINE STORAGE TANK 3571 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable 1. Through Title V Permit

> adility-wide Permit to Operate. These terms and condition

PERMIT UNIT: N-3386-379-1

EQUIPMENT DESCRIPTION:

350,105 GALLON STEEL WINE STORAGE TANK 3572 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-380-1

EQUIPMENT DESCRIPTION:

349,835 GALLON STEEL WINE STORAGE TANK 3573 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-381-1

EQUIPMENT DESCRIPTION:

350,276 GALLON STEEL WINE STORAGE TANK 3574 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-382-1

EQUIPMENT DESCRIPTION:

349,965 GALLON STEEL WINE STORAGE TANK 3575 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-383-1

EQUIPMENT DESCRIPTION:

351,385 GALLON STEEL WINE STORAGE TANK 3576 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-384-1

EQUIPMENT DESCRIPTION:

349,126 GALLON STEEL WINE STORAGE TANK 3577 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-385-1

EQUIPMENT DESCRIPTION:

350,181 GALLON STEEL WINE STORAGE TANK 3578 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-386-1

EQUIPMENT DESCRIPTION:

349,683 GALLON STEEL WINE STORAGE TANK 3579 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

EXPIRATION

009

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fagility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO. CA 95353

PERMIT UNIT: N-3386-387-1

EQUIPMENT DESCRIPTION:

350,293 GALLON STEEL WINE STORAGE TANK 3580 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-388-1

EQUIPMENT DESCRIPTION:

350,206 GALLON STEEL WINE STORAGE TANK 3581 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-389-1

EQUIPMENT DESCRIPTION:

349,501 GALLON STEEL WINE STORAGE TANK 3582 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-390-1

EQUIPMENT DESCRIPTION:

583,760 GALLON STEEL WINE STORAGE TANK 6000 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353 N3386-350-1: Jul 21 2010 5 00PM - SIONCCU

PERMIT UNIT: N-3386-391-1

EQUIPMENT DESCRIPTION:

640,153 GALLON STEEL WINE STORAGE TANK 6001 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-392-1

EQUIPMENT DESCRIPTION:

644,899 GALLON STEEL WINE STORAGE TANK 6002 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-393-1

EQUIPMENT DESCRIPTION:

646,891 GALLON STEEL WINE STORAGE TANK 6003 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-394-1

EQUIPMENT DESCRIPTION:

650,818 GALLON STEEL WINE STORAGE TANK 6004 WITH PRESSURE/VACUUM VALVE

EXPIRATION DATE: 70/31/2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-395-1

EQUIPMENT DESCRIPTION:

Location:

644,070 GALLON STEEL WINE STORAGE TANK 6005 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-396-1

EQUIPMENT DESCRIPTION:

635,284 GALLON STEEL WINE STORAGE TANK 6006 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-397-1

EQUIPMENT DESCRIPTION:

641,475 GALLON STEEL WINE STORAGE TANK 6007 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-398-1

EQUIPMENT DESCRIPTION:

645,661 GALLON STEEL WINE STORAGE TANK 6008 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-399-1

EQUIPMENT DESCRIPTION:

637,719 GALLON STEEL WINE STORAGE TANK 6009 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

> e Fadility-wide Permit to Operate. These terms and conditions

PERMIT UNIT: N-3386-400-1

EQUIPMENT DESCRIPTION:

636,151 GALLON STEEL WINE STORAGE TANK 6010 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-401-1

EQUIPMENT DESCRIPTION:

637,048 GALLON STEEL WINE STORAGE TANK 6011 WITH PRESSURE/VACUUM VALVE

EXPIRATION

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

he Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-402-1

EQUIPMENT DESCRIPTION:

647,528 GALLON STEEL WINE STORAGE TANK 6012 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-403-1

EQUIPMENT DESCRIPTION:

646,915 GALLON STEEL WINE STORAGE TANK 6013 WITH PRESSURE/VACUUM VALVE

EXPIRATIC 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-404-1

EQUIPMENT DESCRIPTION:

646,878 GALLON STEEL WINE STORAGE TANK 6014 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-405-1

EQUIPMENT DESCRIPTION:

646,397 GALLON STEEL WINE STORAGE TANK 6015 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD,MODESTO, CA 95353

PERMIT UNIT: N-3386-406-1

EQUIPMENT DESCRIPTION:

647,449 GALLON STEEL WINE STORAGE TANK 6016 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-407-1

EQUIPMENT DESCRIPTION:

635,052 GALLON STEEL WINE STORAGE TANK 6020 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-408-1

EQUIPMENT DESCRIPTION:

636,212 GALLON STEEL WINE STORAGE TANK 6021 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-409-1

EQUIPMENT DESCRIPTION:

638,621 GALLON STEEL WINE STORAGE TANK 6022 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-410-1

EQUIPMENT DESCRIPTION:

642,060 GALLON STEEL WINE STORAGE TANK 6023 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-411-1

EQUIPMENT DESCRIPTION:

638,664 GALLON STEEL WINE STORAGE TANK 6024 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fadility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353

PERMIT UNIT: N-3386-412-1

EQUIPMENT DESCRIPTION:

638,995 GALLON STEEL WINE STORAGE TANK 6025 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-413-1

EQUIPMENT DESCRIPTION:

642,199 GALLON STEEL WINE STORAGE TANK 6026 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-414-1

EQUIPMENT DESCRIPTION:

638,593 GALLON STEEL WINE STORAGE TANK 6027 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-415-1

EQUIPMENT DESCRIPTION:

638,320 GALLON STEEL WINE STORAGE TANK 6028 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Fagility-wide Permit to Operate. INERY BLVD,MODESTO, CA 95353

PERMIT UNIT: N-3386-416-1

EQUIPMENT DESCRIPTION:

638,922 GALLON STEEL WINE STORAGE TANK 6029 WITH PRESSURE/VACUUM VALVE

EXPIRATIO 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-417-1

EQUIPMENT DESCRIPTION:

644,914 GALLON STEEL WINE STORAGE TANK 6030 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-418-1

EQUIPMENT DESCRIPTION:

648,848 GALLON STEEL WINE STORAGE TANK 6031 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-419-1

EQUIPMENT DESCRIPTION:

646,628 GALLON STEEL WINE STORAGE TANK 6032 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-420-1

EQUIPMENT DESCRIPTION:

637,563 GALLON STEEL WINE STORAGE TANK 6050 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS



PERMIT UNIT: N-3386-421-1

EQUIPMENT DESCRIPTION:

638,193 GALLON STEEL WINE STORAGE TANK 6051 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-422-1

EQUIPMENT DESCRIPTION:

640,325 GALLON STEEL WINE STORAGE TANK 6052 WITH PRESSURE/VACUUM VALVE

EXPIRATION 2009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-423-1

EQUIPMENT DESCRIPTION:

636,046 GALLON STEEL WINE STORAGE TANK 6053 WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-424-1

EQUIPMENT DESCRIPTION:

1,029,137 GALLON STEEL WINE STORAGE TANK 1M WITH PRESSURE/VACUUM VALVE

EXPIRATION 009

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-425-1

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK CI

PERMIT UNIT REQUIREMENTS

EXPIRATION

2009

1. See Facility-wide requirements for conditions applicable to this permit unit. [District Rule 2080] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate. Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO. CA 95353

PERMIT UNIT: N-3386-426-1

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C2

PERMIT UNIT REQUIREMENTS

EXPIRATION

2009

PERMIT UNIT: N-3386-427-1

EQUIPMENT DESCRIPTION:

3

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE JANK C3

PERMIT UNIT REQUIREMENTS

EXPIRATION

2009

PERMIT UNIT: N-3386-428-1

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE

PERMIT UNIT REQUIREMENTS

EXPIRATIO 2009

e Fadility-wide Permit to Operate.

PERMIT UNIT: N-3386-429-1

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C5

PERMIT UNIT REQUIREMENTS

EXPIRATION

2009

adility-wide Permit to Operate. These terms and conditions are Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3386-425-1: Jul 21 2010 5:03PM - SIONGCOJ

PERMIT UNIT: N-3386-430-1

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C6

PERMIT UNIT REQUIREMENTS

EXPIRATIO

2009

PERMIT UNIT: N-3386-467-1

EQUIPMENT DESCRIPTION:

EXPIRATION 2009

2,566,123 GALLON UNDERGROUND WINE CELLAR WITH 624 WOOD STORAGE TANKS SERVED BY 2 INTAKE AND 2 EXHAUST VENTILATION PORTS

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-469-2

EQUIPMENT DESCRIPTION:

EXPIRATION 2009

METAL PARTS AND PRODUCTS COATING OPERATION SERVED BY A CLOSED AFC FINISHING SYSTEMS, MODEL ECONOMY CROSSFLO PAINT BOOTH, WITH DRY FILTERS, HVLP SPRAY GUNS AND ENCLOSED SPRAY GUN CLEANING SYSTEM

PERMIT UNIT REQUIREMENTS

- 1. VOC emissions from this metal parts and products coating operation shall not exceed 7.6 pounds in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
- 2. VOC emissions from this metal parts and products coating operation shall not exceed 633 pounds in any one calendar year. [District NSR Rule] Federally Enforceable Through Title V Permit
- 3. Particulate matter (PM10) emission from this metal parts and products coating operation shall not exceed 2.7 pounds in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. Only HVLP, electrostatic, electrodeposition, flow, roll, dip, brush or continuous coating application equipment shall be used, and the application equipment shall be operated in accordance with the manufacturer's recommendations. [District NSR Rule and 4603] Federally Enforceable Through Title V Permit
- 5. For air-dried general coating, VOC content in the coatings as applied (excluding water and exempt compounds) shall not exceed 300 g/l (2.5 lb/gal). [District NSR Rule and 4603] Federally Enforceable Through Title V Permit
- 6. Permittee shall not use materials with a VOC content greater than 25 g/l (0.21 lb/gallon) for spray equipment clean-up unless an enclosed system, or equipment proven to be equally effective at controlling emissions, is used for cleaning. [District Rule 4603] Federally Enforceable Through Title V Permit
- 7. VOC content of solvents used shall not exceed any of the following limits: product cleaning during manufacturing process or surface preparation for coating application: 25 g/l (0.21 lb/gal), repair and maintenance cleaning:25 g/l (0.21 lb/dal), and cleaning of coating application equipment: 25 g/l (0.21 lb/gal) unless any of these cleaning operations are performed with an APCO-approved VOC emissions control system that meets the requirements of Section 5.5 [District Rule 4603] Federally Enforceable Through Title V Permit
- 8. The permittee shall not use VOC-containing materials to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose spray guns, cups, nozzles, bowls, and other parts during washing, rinsing and draining procedures, and it must be used according to the manufacture's recommendations and must be closed when not in use. [District Rule 4603] Federally Enforceable Through Title V Permit
- 9. The permittee shall dispose the fresh or spent solvents, waste solvent cleaning material such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4603] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS ON NEXT PAGE

10. Permittee shall maintain daily and annual records of VOC emissions. The annual record shall be updated at least monthly. [District NSR Rule] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-469-2 (continued)

- 11. Permittee shall maintain daily records of the following: quantity and type of coatings and solvents used, mix ratios (by volume) of components added to each coating, volume of coatings applied, VOC content of each coating as applied, and VOC content of each solvent. [District Rule 4603] Federally Enforceable Through Title V Permit
- 12. Permittee shall keep the following records for solvent cleaning activities: manufacturer's product data sheet or MSDS of solvents used, VOC content of solvents in g/l or lb/gal, and the type of cleaning activity for which each solvent is used. [District Rule 4603] Federally Enforceable Through Title V Permit
- 13. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4603] Federally Enforceable Through Title V Permit

ATTACHMENT B

Previous Title V Operating Permit





EXPIRATION DATE: 10/31/2009

Permit to Operate

FACILITY: N-3386 LEGAL OWNER OR OPERATOR: MAILING ADDRESS:

E & J GALLO WINERY 600 YOSEMITE BLVD MODESTO, CA 95354 600 YOSEMITE BLVD MODESTO, CA 95353

FACILITY LOCATION:

FACILITY DESCRIPTION:

WINERY

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

Seyed Sadredin

Executive Director / APCO

David Warner Director of Permit Services

Jul 21 2010 5:07PM - SIONGCOJ

FACILITY: N-3386-0-2

EXPIRATION DATE: 10/31/2009

FACILITY-WIDE REQUIREMENTS

- The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1 and Stanislaus County Rule 110] Federally Enforceable Through Title V Permit
- 2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0 and Stanislaus County Rule 110] Federally Enforceable Through Title V Permit
- 3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
- 4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (3/21/02). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
- 5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.12.1] Federally Enforceable Through Title V Permit
- 6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
- 7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
- 8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
- 9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility-wide Requirements for N-3386-0-2 (continued)

- 10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
- 11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
- 12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
- 13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
- 14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
- 15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
- 16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
- 17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
- 18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
- 19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
- 20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
- 21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
- 22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (11/15/01). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101 and Stanislaus County Rule 401] Federally Enforceable Through Title V Permit

Facility-wide Requirements for N-3386-0-2 (continued)

- 23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in the Table of Standards of District Rule 4601 (10/31/01) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
- 24. All VOC-containing materials for architectural coatings subject to Rule 4601 (10/31/01) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
- 25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (10/31/01). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
- 26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
- 27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
- 28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR 82, Subpart B. [40 CFR 82, Subpart B] Federally Enforceable Through Title V Permit
- 29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
- 30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
- 31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
- 32. Whenever open areas are disturbed or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
- 33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
- 34. Any unpaved vehicle/equipment area that anticipates more than 75 vehicle trips per day shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 100 vehicle trips per day shall comply with the requirements of Section 5.1.2 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (11/15/01) or Rule 8011 (11/15/01). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
- 35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

Facility-wide Requirements for N-3386-0-2 (continued)

- 36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
- 37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
- 38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
- 39. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 40. Facility shall comply with all applicable requirements regarding preparation and implementation of a risk management plan (RMP) by August 31, 1999, and shall abide by all applicable sections of 40 CFR Part 68. [40 CFR 68] Federally Enforceable Through Title V Permit
- 41. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin July 6 of each year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days of the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-1-7

EQUIPMENT DESCRIPTION:

EXPIRATION DATE: 10/31/2009

10.463 MMBTU/HR NATURAL GAS-FIRED KEWANEE MODEL #L2S-250-G02 BOILER (#1) WITH A CLEAVER-BROOKS MODEL NTH105NGX-F9R BURNER WITH FLUE GAS RECIRCULATION

- 1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
- 2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 3. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NOx @ 3% O2 or 0.018 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.014 lb-PM10/MMBtu, 315 ppmvd CO @ 3% O2 or 0.2293 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 5. The final emission limit for CO shall be established with the initial source test. The final emission limit for CO shall be the average of the 30-minute arithmetic averages observed during the source test plus 40%, but in no case to exceed 315 ppmvd @ 3% O2. If the average of the 30-minute arithmetic averages plus 40% is less than 47 ppmvd (0.035 lb-CO/MMBtu), then 47 ppmvd (0.035 lb-CO/MMBtu) shall be established as the final emission limit for CO. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 6. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted within 60 days of initial start-up. [District NSR Rule and District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
- 7. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
- 8. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
- 9. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
- 10. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-1-7 (continued)

- NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 12. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 13. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 14. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
- 15. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
- 16. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 17. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 18. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
- 19. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 20. The requirements of 40 CFR 72.6(b) and 40 CFR 60.40c do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 21. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-2-6

EQUIPMENT DESCRIPTION:

EXPIRATION DATE: 10/31/2009

10.463 MMBTU/HR NATURAL GAS-FIRED KEWANEE MODEL #L2S-250-G02 BOILER (#2) WITH A CLEAVER-BROOKS MODEL NTH105NGX-F9R BURNER AND FLUE GAS RECIRCULATION

- 1. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the unit shall be installed, utilized and maintained. [District NSR Rule and District Rules 4305 and 4306, 5.4.4] Federally Enforceable Through Title V Permit
- 2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 4. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
- 5. Maximum annual heat input of the unit shall not exceed 30 billion Btu per calendar year. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 6. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NOx @ 3% O2 or 0.018 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.014 lb-PM10/MMBtu, 47 ppmvd CO @ 3% O2 or 0.296 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 7. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
- 8. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-2-6 (continued)

- 9. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 10. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
- 11. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 12. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
- 13. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
- 14. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
- 15. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
- 16. NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 17. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 18. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 19. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
- 20. The requirements of 40 CFR 72.6(b) and 40 CFR 60.40c do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 21. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

Permit Unit Requirements for N-3386-2-6 (continued)

.

- 22. Records of monthly and annual heat input of the unit shall be maintained. [District NSR Rule and District Rules 4305 and 4306, 6.1.2] Federally Enforceable Through Title V Permit
- 23. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-3-5

EQUIPMENT DESCRIPTION:

10.2058 MMBTU/HR CLEAVER-BROOKS MODEL CB200-250 NATURAL GAS-FIRED BOILER WITH A CLEAVER-BROOKS/NATCOM MODEL NTI250 LOW NOX BURNER

PERMIT UNIT REQUIREMENTS

- Particulate matter emissions shall not exceed 0.1 grain/dscf at operating conditions, nor 0.1 grain/dscf calculated to 12% CO2, nor 10 lb/hr. [District Rule 4201 and District Rule 4301, 5.1 and 5.2.3] Federally Enforceable Through Title V Permit
- 2. Operator shall ensure that all required source testing conforms to the compliance testing procedures described in District Rule 1081. [District Rule 1081, and County Rules 108 (Kings), 108.1 (Fresno, Merced, San Joaquin, Tulare, Kern, and Stanislaus), and 110 (Madera)] Federally Enforceable Through Title V Permit
- 3. Operator shall provide that fuel hhv be certified by third party fuel supplier or determined annually by: ASTM D 1826-88 or D 1945-81 in conjunction with ASTM D 3588-89 for gaseous fuels. [District Rule 2520, 9.4.2; 4305, 6.2.1; and 4351, 6.2.1] Federally Enforceable Through Title V Permit
- 4. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
- 5. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following subsumed requirements: Rule 405 (Madera), Rule 408 (Fresno), Rule 408.2 (Merced) and 407.2 (Kern, Tulare, Kings, Stanislaus, and San Joaquin); Rule 402 (Madera) and 404 (all seven remaining counties in the San Joaquin Valley); SJVUAPCD Rule 4301. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 6. Compliance with permit conditions in the Title V permit shall be deemed compliance with the following subsumed requirements: Rule 405 (Madera), 408 and 409 (Kern), and 408 (all six remaining counties in the San Joaquin Valley); Rule 404 (Madera) 406 (Fresno), and 407 (all six remaining counties in the San Joaquin Valley); SJVUAPCD Rule 4801. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- Compliance with permit conditions in the Title V permit shall be deemed compliance with the following requirements: SJVUAPCD Rule 4201, 4301, 4305, and 4351. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- Compliance with permit conditions in the Title V permit shall be deemed compliance with the following requirements: SJVUAPCD Rule 1081, and County Rules 108 (Kings), 108.1 (Fresno, Merced, San Joaquin, Tulare, Kern, and Stanislaus), and 110 (Madera). [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 9. The requirements of 40 CFR 72.6(b) and 40 CFR 60.40c do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 10. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-3-5 (continued)

- 11. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
- Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15.0 ppmvd NOx @ 3% O2 or 0.0182 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, 30 ppmvd CO @ 3% O2 or 0.0.022 lb-CO/MMBtu, or 6.8 ppmvd VOC @ 3% O2 or 0.00287 lb-VOC/MMBtu. [District NSR Rule and Rules 4305, and 4306] Federally Enforceable Through Title V Permit
- 13. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 14. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 15. The source plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 17. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 19. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 20. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit
- 21. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-3-5 (continued)

- 22. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the permit-to-operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 2520 9.4.2] Federally Enforceable Through Title V Permit
- 23. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305, 4306, and 2520 9.5.2] Federally Enforceable Through Title V Permit
- 24. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 2520 9.5.2] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-5-2

EQUIPMENT DESCRIPTION:

EXPIRATION DATE: 10/31/2009

DIATOMACEOUS EARTH (DE) PNEUMATIC RECEIVING AND STORAGE OPERATION WITH TWO (2) 11,818 CUBIC FEET SILOS EACH SERVED BY A SLY PACTECON BAGHOUSE (MODEL # PC-3(1)-584).

- 1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 2. Visible emissions shall be inspected annually during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 3. Dust collection system shall be completely inspected annually for evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 4. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation $E = 3.59xP^{0.62}$ if P is less than or equal to 30 tons per hour, or $E = 17.37xP^{0.16}$ if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-6-2

EQUIPMENT DESCRIPTION:

EXPIRATION DATE: 10/31/2009

ACTIVATED CARBON RECEIVING AND STORAGE OPERATION WITH A 4182 CUBIC FOOT STORAGE SILO SERVED BY A G. L. PRECISION (MODEL # 72GLP25-B) BAGHOUSE.

PERMIT UNIT REQUIREMENTS

- 1. There shall be no visible emissions from the baghouse. [District NSR Rule] Federally Enforceable Through Title V Permit
- The baghouse shall be equipped with a pressure differential gauge to indicate the pressure drop across the bags. The gauge shall be maintained in good working condition at all times and shall be located in an easily accessible location. [District NSR Rule] Federally Enforceable Through Title V Permit
- 3. Replacement bags numbering at least 10% of the total number of bags in the largest baghouse using each type of bag shall be maintained on the premises. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
- 5. The baghouse cleaning frequency and duration shall be adjusted to optimize the control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
- 6. Ducting to the baghouse shall be properly maintained to prevent fugitive dust emissions. [District NSR Rule] Federally Enforceable Through Title V Permit
- 7. The PM10 emission concentration shall not exceed 0.003 lbs per ton of material received. [District NSR Rule] Federally Enforceable Through Title V Permit
- 8. The amount of material received shall not exceed 96 tons in any one day. [District NSR Rule] Federally Enforceable Through Title V Permit
- Daily records of the amount of material received shall be maintained, retained on the premises for a minimum of five years, and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit
- 10. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 11. Visible emissions shall be inspected annually during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 12. Dust collection system shall be completely inspected annually for evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 13. Dust collector filters shall be thoroughly inspected annually for tears, scuffs, abrasions, holes, or any evidence of particulate matter breakthrough and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

Permit Unit Requirements for N-3386-6-2 (continued)

- 14. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 15. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation $E = 3.59xP^{0.62}$ if P is less than or equal to 30 tons per hour, or $E = 17.37xP^{0.16}$ if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-10-2

EQUIPMENT DESCRIPTION:

EXPIRATION DATE: 10/31/2009

ONE 1,000 GALLON TRUSCO SUPERVAULT SERVED BY AN OPW PHASE I VAPOR RECOVERY SYSTEM (G-70-132-A) AND ONE NOZZLE SERVED BY OPW PHASE II VAPOR RECOVERY SYSTEMS (G-70-132-A).

- 1. This gasoline storage and dispensing equipment shall not be used in retail sales, where gasoline dispensed by the unit is subject to payment of California sales tax on gasoline sales. [District Rule 2520, 9.1] Federally Enforceable Through Title V Permit
- 2. The vapor recovery systems and their components shall be operated and maintained in accordance with the State certification requirements. [District Rules 4621, 5.1.1 and 4622, 5.3] Federally Enforceable Through Title V Permit
- 3. No gasoline delivery vessel shall be operated or be allowed to operate unless valid State of California decals are displayed on the cargo tank which attest to the vapor integrity of the tank. [District Rule 4621, 5.2.1] Federally Enforceable Through Title V Permit
- 4. Vapor recovery systems and gasoline dispensing equipment shall be maintained leak-free as verified using EPA Test Method 21 and visual inspection. A "leak" is defined as the dripping of liquid volatile organic compounds at a rate of three or more drops per minute, or vapor volatile organic compounds in excess of 10,000 ppm as equivalent methane as determined by EPA Test Method 21. [District Rule 4622, 5.7 & 3.8] Federally Enforceable Through Title V Permit
- 5. Any person conducting tests shall have completed a District-approved training program or the District's orientation class for testing and any subsequent required refresher class. [District Rule 4622, 6.2.3] Federally Enforceable Through Title V Permit
- 6. The permittee shall perform and pass a Static Leak Test for Aboveground Tanks using ARB TP-201.3B at least once every 12 months. [District Rule 4622, 6.2.1.1 & 6.3.1.1] Federally Enforceable Through Title V Permit
- 7. For certified Phase II vapor recovery systems with liquid removal devices, the permittee shall perform and pass an ARB TP-201.6 Liquid Removal Test within 60 days after initial start-up and whenever the liquid in the vapor path exceeds 100 ml of liquid. The amount of liquid in the vapor path shall be measured by lowering the gasoline dispensing nozzle into a container until such time that no more liquid drains from the nozzle. The amount of liquid drained into the container shall be measured using a graduated cylinder or graduated beaker. The vapor path shall be inspected once per month if monthly throughput is below 2,500 gallons, or once per week otherwise. [District Rule 4622, 6.2.1.4 & 6.3.1.4] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-10-2 (continued)

- 8. The operator shall implement a periodic maintenance inspection program for the vapor recovery system in accordance with the ARB certification requirements. The program shall be documented in an operation and maintenance (O&M) manual and shall at a minimum contain the following information: 1) All applicable ARB Executive Orders, Approval Letters, and District Permits; 2) The manufacturer's specifications and instructions for installation, operation, repair, and maintenance required pursuant to ARB Certification Procedure CP-201, and any additional instruction provided by the manufacturer; 3) System and/or component testing requirements, including test schedules and passing criteria for each of the standard tests. The owner/operator may include any non-ARB required diagnostic and other tests as part of the testing requirements; 4) Protocol for performing periodic maintenance inspections including the components to be inspected and the defects requiring repair; and 5) Additional O&M instructions, if any, that are designed to ensure compliance with the applicable rules, regulations, ARB Executive Orders, and District permit conditions, including replacement schedules for failure or wear prone components. [District Rules 4622, 5.4.1 and 4621, 5.1.1] Federally Enforceable Through Title V Permit
- 9. The operator shall conduct periodic maintenance inspections based on the amount of gasoline dispensed by the facility in a calendar month as follows: A) less than 25,000 gallons one day per week; B) 25,000 gallons or greater five days per week. All inspections shall be documented within the O&M manual. [District Rule 4622, 5.4.2] Federally Enforceable Through Title V Permit
- 10. The operator shall maintain monthly gasoline throughput records. [District Rule 4622, 6.1.5] Federally Enforceable Through Title V Permit
- 11. The operator shall maintain on the premises a log of any repairs made to the ARB certified vapor recovery system. The repair log shall include the following: 1) date and time of each repair; 2) the name of the person(s) who performed the repair, and if applicable, the name, address and phone number of the person's employer; 3) description of service performed; 4) each component that was repaired, serviced, or removed; 5) each component that was installed as replacement, if applicable; and 6) receipts or other documents for parts used in the repair and, if applicable, work orders which shall include the name and signature of the person responsible for performing the repairs. [District Rule 4622, 6.1.4] Federally Enforceable Through Title V Permit
- 12. No person shall operate any certified Phase II system or any portion thereof that has a defect listed in Section 94006 of Title 17 of the California Code of Regulations or in an equipment defect that is identified in any applicable ARB Executive Order, until the defect has been repaired, replaced, or adjusted as necessary to correct the defect, and the District has reinspected the system or has authorized its use pending reinspection. [District Rule 4622, 5.5] Federally Enforceable Through Title V Permit
- 13. Any defects identified shall be tagged "Out of Order"; the tagged equipment shall be rendered inoperable and the tag(s) shall not be removed until the defect has been repaired, replaced or adjusted. In the case of defects identified by the District, tagged equipment shall be rendered inoperable and the tag shall not be removed until the District has been notified of the repairs, and/or the District has inspected and authorized the tagged equipment for use. A log containing at least the following shall be maintained: date and type of defect identified and date repaired, replaced or corrected. [District Rule 4622, 5.6] Federally Enforceable Through Title V Permit
- 14. No person shall top off a motor vehicle fuel tank. [District Rule 4622, 5.9] Federally Enforceable Through Title V Permit
- 15. No owner or operator shall tamper with, or permit tampering with, the ARB certified vapor recovery system in a manner that would impair the operation or effectiveness of the system. [District Rule 4622, 5.11] Federally Enforceable Through Title V Permit
- 16. The District shall be notified by the permittee 15 days prior to each test. The test results shall be submitted to the District no later than 30 days after each test. [District Rules 1081 and 4622, 6.2.4] Federally Enforceable Through Title V Permit
- 17. The District shall be notified within 24 hours of the facility's pass/fail status after the performance of each test. [District Rule 1081] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-11-5

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

6.28 MMBTU/HR NATURAL GAS-FIRED CLEAVER-BROOKS MODEL CB-LE BOILER WITH A CLEAVER-BROOKS MODEL NTI150 BURNER AND FLUE GAS RECIRCULATION

- 1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
- 3. The unit shall only be fired on PUC-regulated natural gas. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. Emissions from the natural gas-fired unit shall not exceed any of the following limits: 15 ppmvd NOx @ 3% O2 or 0.018 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.012 lb-PM10/MMBtu, 366 ppmvd CO @ 3% O2 or 0.296 lb-CO/MMBtu, or 0.0027 lb-VOC/MMBtu. [District NSR Rule and District Rules 4305 and 4306] Federally Enforceable Through Title V Permit
- 5. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305 and 4306, 5.5.2] Federally Enforceable Through Title V Permit
- 6. The permittee shall monitor and record the stack concentration of NOx, CO, and O2 at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 7. If either the NOx or CO concentrations corrected to 3% O2, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-11-5 (continued)

- 8. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five (5) readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305 and 4306, 5.5.4] Federally Enforceable Through Title V Permit
- 9. The permittee shall maintain records of: (1) the date and time of NOx, CO, and O2 measurements, (2) the O2 concentration in percent and the measured NOx and CO concentrations corrected to 3% O2, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305 and 4306, 5.4.2] Federally Enforceable Through Title V Permit
- 10. Source testing to measure natural gas-combustion NOx and CO emissions from this unit shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305 and 4306, 6.3.1] Federally Enforceable Through Title V Permit
- 11. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305 and 4306, 5.5.1] Federally Enforceable Through Title V Permit
- 12. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305 and 4306, 5.5.5] Federally Enforceable Through Title V Permit
- 13. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
- 14. NOx emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 15. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 16. Stack gas oxygen (O2) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305 and 4306, 6.2] Federally Enforceable Through Title V Permit
- 17. The requirements of 40 CFR 72.6(b) and 40 CFR 60.40c do not apply to this source. A permit shield is granted from this requirement. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
- 18. Operator shall maintain copies of fuel invoices and supplier certifications. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
- 19. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
- 20. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, and 4306, 6.1] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-13-2

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 700 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

PERMIT UNIT: N-3386-16-2

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

PERMIT UNIT: N-3386-17-2

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

PERMIT UNIT: N-3386-18-2

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

EXPIRATION DATE: 10/31/2009

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3366-18-2 JULI 2010 3 45PM – SIONGCOJ

PERMIT UNIT: N-3386-19-2

EQUIPMENT DESCRIPTION:

ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT

PERMIT UNIT REQUIREMENTS

- 1. All abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used exclusively, the item to be blasted exceeds 8 feet in any dimension, or the surface being blasted is situated at its permanent location or no further away from its permanent location than is necessary to allow the surface to be blasted. [92500 CCR]
- 2. Abrasive blasting operations conducted outside a permanent building which do not use steel or iron shot/grit exclusively shall use: wet abrasive blasting, hydroblasting, vacuum blasting, or abrasives certified by CARB as permissible for dry outdoor blasting. [92500 CCR]
- 3. Abrasive blasting operations conducted outside a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 4. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 5. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 6. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [CCR]

PERMIT UNIT: N-3386-23-5

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

240 BHP FORD-GENERAC MODEL 7.5DTA DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

- 1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
- 2. This engine shall be equipped with either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
- 3. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
- 4. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201 and 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- Emissions from this IC engine shall not exceed any of the following limits: 6.71 g-NOx/bhp-hr, 8.5 g-CO/bhp-hr, or 1.0 g-VOC/bhp-hr. [District Rule 2201 and 13 CCR 2423 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- Emissions from this IC engine shall not exceed 0.4 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102 and 13 CCR 2423 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 8. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
- 9. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
- 10. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 30 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 11. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-23-5 (continued)

- 12. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
- 13. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 14. The permittee shall maintain monthly records of the type of fuel purchased, the amount of fuel purchased, date when the fuel was purchased, signature of the permittee who received the fuel, and signature of the fuel supplier indicating that the fuel was delivered. [17 CCR 93115] Federally Enforceable Through Title V Permit
- 15. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 16. Facilities N-3386 and N-7478 are the same stationary source. [District Rule 2201]





ISSUANCE DATE: 02/24/2009

AUTHORITY TO CONSTRUCT

PERMIT NO: N-3386-24-3

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY MAILING ADDRESS: 600 YOSEMITE BLVD MODESTO, CA 95354

LOCATION:

600 YOSEMITE BLVD MODESTO, CA 95353

EQUIPMENT DESCRIPTION:

MODIFICATION OF A GASOLINE DISPENSING OPERATION TO REPLACE THE BALANCE PHASE II VAPOR RECOVERY SYSTEM WITH A HEALY PHASE II VAPOR RECOVERY SYSTEM SUCH THAT THE EQUIPMENT DESCRIPTION BECOMES: GASOLINE DISPENSING OPERATION WITH TWO 15,000 GALLON UNDERGROUND STORAGE TANKS SERVED BY AN EBW PHASE I VAPOR RECOVERY SYSTEM (VR-103-A), AND 4 FUELING POINTS WITH 4 GASOLINE DISPENSING NOZZLES SERVED BY A HEALY PHASE II VAPOR RECOVERY SYSTEM (VR-201).

CONDITIONS

- 1. The Phase I and Phase II vapor recovery systems shall be installed and maintained in accordance with the manufacturer specifications and the ARB Executive Orders specified in this permit, including applicable rules and regulations of the Division of Measurement Standards of the Department of Food and Agriculture, the Office of the State Fire Marshal of the Department of Forestry and Fire Protection, the Division of Occupational Safety and Health of the Department of Industrial Relations, and the Division of Water Quality of the State Water Resources Control Board that have been made conditions of the certification. [District Rules 4621 and 4622]
- 2. The permittee shall install vapor recovery equipment that is certified in accordance with the most recent revision of the Executive Order which is in affect at the time of installation. After installation has been completed, the District shall revise the equipment description of this permit to include the Executive Order revision designator. [District Rule 2201]
- 3. This gasoline storage and dispensing equipment shall not be used in retail sales, where gasoline dispensed by the unit is subject to payment of California sales tax on gasoline sales. [District Rule 4622]
- 4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

CONDITIONS CONTINUE ON NEXT PAGE

YOU <u>MUST</u> NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin Executive Director / APCO

DAVID WARNER, Director of Permit Services

Northern Regional Office • 4800 Enterprise Way • Modesto, CA 95356-8718 • (209) 557-6400 • Fax (209) 557-6475

Printed on recycled paper 🖒

Conditions for N-3386-24-3 (continued)

Page 2 of 4

- 5. The permittee shall have all underground storage container installations and all underground piping configurations inspected by the APCO prior to backfilling. The permittee shall notify the District by telephone or other District-approved method and obtain a confirmation number at least three business days prior to the backfilling. [District Rules 4621 and 4622]
- 6. The Phase I and Phase II vapor recovery systems and gasoline dispensing equipment shall be maintained without leaks as determined in accordance with the test method specified in this permit. [District Rules 4621 and 4622]
- 7. A leak is defined as the dripping of VOC-containing liquid at a rate of more than three (3) drops per minute, or the detection of any gaseous or vapor emissions with a concentration or total organic compound greater than 10,000 ppmv, as methane, above background when measured in accordance with EPA Test Method 21. [District Rules 4621 and 4622]
- 8. No gasoline delivery vessel shall be operated or be allowed to operate unless valid State of California decals are displayed on the cargo container, which attest to the vapor integrity of the container. [District Rule 4621]
- 9. The permittee shall store or dispose of gasoline in closed, non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4621]
- 10. No person shall operate any ARB certified Phase II vapor recovery system or any portion thereof that has a major defect or an equipment defect that is identified in any applicable ARB Executive Order until the following conditions have been met: 1) the defect has been repaired, replaced, or adjusted as necessary to correct the defect; 2) the District has been notified, and the District has reinspected the system or authorized the system for use (such authorization shall not include the authority to operate the equipment prior to the correction of the defective components); and 3) all major defects, after repair, are duly entered into the Operations and Maintenance (O&M) manual. [District Rule 4622]
- 11. Upon identification of any major defects, the permittee shall tag "Out-of-Order" all dispensing equipment for which vapor recovery has been impaired. Tagged equipment shall be rendered inoperable and the tag(s) shall not be removed until the defective equipment has been repaired, replaced, or adjusted, as necessary. In the case of defects identified by the District, tagged equipment shall be rendered inoperable, and the tag shall not be removed until the District has been notified of the repairs, and the District has either reinspected the system or authorized the tagged equipment for use. [District Rule 4622]
- 12. The permittee shall implement a periodic maintenance inspection program for the certified Phase II vapor recovery system consistent with the requirements of this permit. The program shall be documented in an operation and maintenance (O&M) manual and shall at a minimum contain the following information: 1) copies of all vapor recovery performance tests; 2) all applicable ARB Executive Orders, Approval Letters, and District Permits; 3) the manufacturer's specifications and instructions for installation, operation, repair, and maintenance required pursuant to ARB Certification Procedure CP-201, and any additional instruction provided by the manufacturer; 4) system and/or component testing requirements, including test schedules and passing criteria for each of the standard tests required by this permit (the owner/operator may include any non-ARB required diagnostic and other tests as part of the testing requirements), and 5) additional O&M instructions, if any, that are designed to ensure compliance with the applicable rules, regulations, ARB Executive Orders, and District permit conditions, including replacement schedules for failure or wear prone components. [District Rule 4622]
- 13. The permittee shall conduct periodic maintenance inspections based on the greatest monthly throughput of gasoline dispensed by the facility in the previous year as follows: A) less than 2,500 gallons one day per month; B) 2,500 to less than 25,000 gallons one day per week; or C) 25,000 gallons or greater five days per week. All inspections shall be documented within the O & M Manual. [District Rules 4621 and 4622]
- 14. Periodic maintenance inspections of the Phase I vapor recovery system shall include, at a minimum, verification that 1) the fill caps and vapor caps are not missing, damaged, or loose; 2) the fill cap gasket and vapor cap gaskets are not missing or damaged; 3) the fill adapter and vapor adapter are securely attached to the risers; 4) where applicable, the spring-loaded submerged fill tube seals properly against the coaxial tubing; 5) the dry break (poppet-valve) is not missing or damaged; and 6) the submerged fill tube is not missing or damaged. [District Rule 4621]

Conditions for N-3386-24-3 (continued)

- 15. Periodic maintenance inspections of the Phase II vapor recovery system shall include, at a minimum, verification that 1) the fueling instructions required by this permit are clearly displayed with the appropriate toll-free complaint phone number and toxic warning signs; 2) the following nozzle components are in place and in good condition as specified in ARB Executive Order as applicable: faceplate/facecone, bellows, latching device spring, vapor check valve, spout (proper diameter/vapor collection holes), insertion interlock mechanism, automatic shut-off mechanism, and hold open latch (unless prohibited by law or the local fire control authority); 3) the hoses are not torn, flattened or crimped; 4) the vapor path of the coaxial hoses associated with bellows equipped nozzles does not contain more than 100 ml of liquid if applicable; and 5) the vapor processing unit is functioning properly, for operations that are required to have or possess such a unit. [District Rule 4622]
- 16. In the event of a separation due to a drive off, the permittee shall, unless otherwise specified in the applicable ARB Executive Order, conduct a visual inspection of the affected equipment and either 1) perform qualified repairs on any damaged components and conduct applicable re-verification tests pursuant to the requirements of this permit, or 2) replace the affected nozzles, coaxial hoses, breakaway couplings, and any other damaged components with new or certified rebuilt components that are ARB certified. The activities shall be documented in accordance with the requirements of this permit before placing the affected equipment back in service. [District Rule 4622]
- 17. The gasoline throughput for this permit unit shall not exceed 600,000 gallons in any one calendar year. [District Rule 2201]
- 18. The permittee shall conduct all periodic vapor recovery system performance tests specified in this permit, no more than 30 days before or after the required compliance testing date, unless otherwise required under the applicable ARB Executive Order. [District Rules 4621 and 4622]
- 19. The permittee shall perform and pass a Static Torque of Rotatable Phase I Adaptors test using ARB procedure TP-201.1B within 60 days after initial start-up and at least once every 36 months thereafter. [District Rule 4621]
- 20. The permittee shall perform and pass a Pressure Integrity of Drop Tube Drain Valve Assembly Test using ARB TP-201.1C or a Pressure Integrity of Drop Tube Overfill Protection Devices Test using ARB TP-201.1D if an overfill protection device is installed, within 60 days after initial start-up and at least once every 36 months thereafter. [District Rule 4621]
- 21. The permittee shall perform and pass a Static Leak Test for Underground Tanks using ARB TP-201.3 in accordance with the Executive Order specified in this permit for the Phase II Vapor Recovery System within 60 days after initial start-up and at least once every 12 months thereafter. [District Rules 4621 and 4622]
- 22. The permittee shall perform and pass a Dynamic Back Pressure Test using ARB TP-201.4 within 60 days after initial start-up and at least once every 12 months thereafter. [District Rule 4622]
- 23. The permittee shall perform and pass a Vapor-to-Liquid Volume Ratio Test using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System within 60 days after initial startup and at least once every six (6) months thereafter. [District Rule 4622]
- 24. The permittee shall perform and pass a Static Pressure Test for the Healy Clean Air Separator using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System within 60 days after initial startup and at least once every 12 months thereafter. [District Rule 4622]
- 25. The permittee shall perform and pass a Nozzle Bag Test using the test procedure defined in the Executive Order specified in this permit for the Phase II Vapor Recovery System within 60 days after initial startup. [District Rule 4622]
- 26. The permittee shall perform and pass a Dispenser vapor Line Tightness test for each dispenser using the test procedure defined in the Installation, Operation and Maintenance manual of the Executive Order specified in this permit for the Phase II Vapor Recovery System within 60 days after initial startup and at least once every 12 months thereafter. [District Rule 4622]
- 27. A person conducting testing of, or repairs to, a certified vapor recovery system shall be in compliance with District Rule 1177 (Gasoline Dispensing Facility Tester Certification). [District Rules 4621 and 4622]

Conditions for N-3386-24-3 (continued)

- 28. A person performing installation of, or maintenance on, a certified Phase I or Phase II vapor recovery system shall be certified by the ICC for Vapor Recovery System Installation and Repair, or work under the direct and personal supervision of an individual physically present at the work site who is certified. The ICC certification shall be renewed every 24 months. [District Rules 4621 and 4622]
- 29. Proof of the ICC certification and all other certifications required by the Executive Order and installation and operation manual shall be made available onsite. [District Rules 4621 and 4622]
- 30. The permittee shall notify the District at least 7 days prior to each performance test. The test results shall be submitted to the District no later than 30 days after the completion of each test. [District Rule 4621]
- 31. The permittee shall maintain a copy of all test results. The test results shall be dated and shall contain the name, address, and telephone number of the company responsible for system installation and testing. [District Rule 4622]
- 32. The permittee shall maintain on the premises a log of any repairs made to the certified Phase I or Phase II vapor recovery system. The repair log shall include the following: 1) date and time of each repair; 2) the name and applicable certification numbers of the person(s) who performed the repair, and if applicable, the name, address and phone number of the person's employer; 3) description of service performed; 4) each component that was repaired, serviced, or removed; 5) each component that was installed as replacement, if applicable; and 6) receipts or other documents for parts used in the repair and, if applicable, work orders which shall include the name and signature of the person responsible for performing the repairs. [District Rule 4622]
- 33. The O&M manual shall be kept at the dispensing operation and made available to any person who operates, inspects, maintains, repairs, or tests the equipment at the operation as well as to District personnel upon request. [District Rule 4622]
- 34. The permittee shall maintain monthly and annual gasoline throughput records. [District Rules 4621 and 4622]
- 35. All records required by this permit shall be retained on-site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 4621 and 4622]
- 36. The facility shall submit an application to modify the Title V permit in accordance with the timeframes and procedures of District Rule 2520. [District Rule 2520]
- 37. Authority to Construct N-3386-24-2 shall be implemented prior to implementing this Authority to Construct. [District Rule 2201]

N-3386-24-3 . Feb 24 2009 8:52AM - FOWLERJ

PERMIT UNIT: N-3386-26-2

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

192 BHP GENERAC MODEL 64DTAH DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING A 125 KW ELECTRICAL GENERATOR

- The engine shall be equipped with a positive crankcase ventilation (PCV) system or a crankcase emissions control device of at least 90% control efficiency. [District Rules 2201 and 4102] Federally Enforceable Through Title V Permit
- 2. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 3. The exhaust stack shall not be fitted with a rain cap, or any other similar device, that impedes vertical exhaust flow. [District Rule 4102]
- 4. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
- 5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201, 4102, and 4801, and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 6. The NOx emissions shall not exceed 4.20 g/hp-hr. [District Rule 2201] Federally Enforceable Through Title V Permit
- 7. The PM10 emissions shall not exceed 0.135 g/hp-hr. [District Rules 2201 and 4102] Federally Enforceable Through Title V Permit
- 8. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
- 9. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 10. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
- 11. The permittee shall maintain monthly records of the type of fuel purchased, the amount of fuel purchased, date when the fuel was purchased, signature of the permittee who received the fuel, and signature of the fuel supplier indicating that the fuel was delivered. [17 CCR 93115] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-26-2 (continued)

,

- 12. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.) and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-27-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,120 BHP DETROIT DIESEL MODEL 12V2000 DIESEL-FIRED EMERGENCY IC ENGINE POWERING AN ELECTRICAL GENERATOR

- 1. The engine shall be equipped with a positive crankcase ventilation (PCV) system or a crankcase emissions control device of at least 90% control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
- 3. Emissions from this engine shall not exceed any of the following limits: 5.75 g-NOx/bhp-hr, 0.6 g-CO/bhp-hr, or 0.26 g-VOC/bhp-hr. [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. PM10 emissions shall not exceed 0.09 g/bhp-hr based on U.S EPA certification using test procedure ISO 8178. [District Rule 2201] Federally Enforceable Through Title V Permit
- 5. Only CARB certified diesel fuel containing not more than 0.05% sulfur by weight is to be used. [District Rules 2201] Federally Enforceable Through Title V Permit
- 6. The exhaust stack shall not be fitted with a rain cap or any similar device that would impede vertical exhaust flow. [District Rule 4102]
- 7. The engine shall be operated only for maintenance, testing, and required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 100 hours per year. [District Rules 2201 and 4702, 4.3] Federally Enforceable Through Title V Permit
- 8. This engine shall be equipped with an operational nonresettable elapsed operating time meter or other APCO approved alternative. [District Rule 4702, 5.7.4] Federally Enforceable Through Title V Permit
- This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702, 5.7.2] Federally Enforceable Through Title V Permit
- 10. During periods of maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emissions control system supplier (e.g. oil pressure, exhaust gas temperature, etc.). [District Rule 4702, 5.7.3] Federally Enforceable Through Title V Permit
- 11. The permittee shall maintain records of hours of emergency and non-emergency operation. Records shall include the date, the number of hours of operation, the purpose of the operation (e.g., load testing, weekly testing, rolling blackout, general area power outage, etc.), the type of fuel used, and records of operational characteristics monitoring. Such records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2520, 9.4.2, and 4702, 6.2.3] Federally Enforceable Through Title V Permit
- 12. The operator shall maintain copies of all fuel invoices and supplier certifications for CARB certified diesel fuel with a sulfur content less than 0.05% by weight. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-28-3

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

270 BHP CUMMINS MODEL 6CTA8.3-F2 DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING A FIRE PUMP

- 1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
- 2. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201, 4102, and 4801, and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 4. Emissions shall not exceed any of the following: 5.45 g-NOx/bhp-hr, 3.11 g-CO/bhp-hr, or 0.82 g-VOC/bhp-hr. [District Rule 2201] Federally Enforceable Through Title V Permit
- 5. PM10 emissions shall not exceed 0.25 g/bhp-hr based on U.S EPA certification using test procedure ISO 8178. [District Rules 2201 and District Rule 4102] Federally Enforceable Through Title V Permit
- 6. The exhaust stack shall not be fitted with a rain cap or any similar device that would impede vertical exhaust flow. [District Rule 4102]
- 7. This engine shall be operated only for maintenance, testing, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rules 2201 and 4702, and 17 CCR 93115] Federally Enforceable Through Title V Permit
- 8. The permittee shall maintain monthly records of the type of fuel purchased, the amount of fuel purchased, date when the fuel was purchased, signature of the permittee who received the fuel, and signature of the fuel supplier indicating that the fuel was delivered. [17 CCR 93115] Federally Enforceable Through Title V Permit
- 9. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
- All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit

PERMIT UNIT: N-3386-29-2

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

NON-ROAD TRANSPORTABLE (EPA CERTIFIED TIER 2) 460 HP CATERPILLAR MODEL 3406 DITA LOW-USE IC ENGINE SERVED BY A MINE-X MODEL DC16-6 OXIDATION PURIFIER POWERING AN AIR COMPRESSOR

PERMIT UNIT REQUIREMENTS

- 1. This engine shall be equipped with a turbocharger, intercooler/aftercooler and either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District NSR Rule] Federally Enforceable Through Title V Permit
- 2. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap, roof overhang, or any other obstruction. [District Rule 4102]
- 3. Emissions from this engine shall not exceed any of the following limits: 3.45 g-NOx/hp-hr; 0.23 g-CO/hp-hr; or 0.01 g-VOC/hp-hr. [District NSR Rule] Federally Enforceable Through Title V Permit
- 4. The PM10 emissions rate shall not exceed 0.08 g/hp-hr. [District NSR Rule and 40 CFR 89.112-96(a)(4)] Federally Enforceable Through Title V Permit
- 5. Particulate matter emissions shall not exceed 0.1 gr/dscf in concentration. [District Rule 4201, 3.1] Federally Enforceable Through Title V Permit
- 6. The sulfur content of the diesel fuel used shall not exceed 0.0015% by weight. The operator shall maintain copies of all fuel invoices and supplier certifications. [District Rule 2201 & 4801] Federally Enforceable Through Title V Permit
- 7. The operating hours of this I.C. engine shall not exceed 1,000 hours during any one calendar year and the engine shall be equipped with an operational, non-resettable, totalizing hour meter. [District Rule 4701, 3.14] Federally Enforceable Through Title V Permit
- 8. Operator shall maintain daily operating records for each calendar year of this engine. The records shall include total hours of operation, quantity of the fuel used, purpose for operating the engine, and location of the operation. The records shall be kept on the premises at all times and shall be readily made available for inspection upon request. [District Rule 4701, 6.2.2] Federally Enforceable Through Title V Permit
- 9. This engine shall not remain in any one location (i.e. single operating site within the facility) for more than 12 consecutive months, excluding maintenance and testing. [District Rule 4701, 3.24] Federally Enforceable Through Title V Permit

Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD, MODESTO, CA 95353 N-3366-25-2 - Jul 21 2010 3:43PM - SIONGCOJ

PERMIT UNIT: N-3386-30-0

EQUIPMENT DESCRIPTION:

EXPIRATION DATE: 10/31/2009

CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 900 LB KELCO 230V BLASTING POT

PERMIT UNIT REQUIREMENTS

- 1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule]
- 2. The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
- 3. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
- 4. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 5. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 6. Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 7. Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
- 8. Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: E & J GALLO WINERY Location: 600 YOSEMITE BLVD.MODESTO, CA 95353 N-3366-30-01 Jul 21 2010 3 44PM ~ SONGCOJ

PERMIT UNIT: N-3386-31-0

EQUIPMENT DESCRIPTION:

EXPIRATION DATE: 10/31/2009

CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 300 LB KELCO K-116V BLASTING POT

PERMIT UNIT REQUIREMENTS

- 1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule]
- 2. The blasting operations shall be carried out in a manner to prevent any nuisances. [District Rule 4102]
- 3. All abrasive blasting shall be conducted in accordance with California Code of Regulations Title 17, Subchapter 6, Sections 92000 through 92540. [92000 through 92540 CCR]
- 4. A used certified abrasive shall not be considered certified for reuse unless the abrasive conforms to its original cutpoint fineness. [92530 CCR]
- 5. Abrasive blasting operations conducted within a permanent building shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 1 or equivalent to 20% opacity. [92200 CCR]
- 6. Unconfined abrasive blasting operations shall not discharge air contaminants into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark or darker than Ringelmann 2 or equivalent to 40% opacity. [92200 CCR]
- 7. Except as otherwise provided in this permit, abrasive blasting shall be conducted within a permanent building unless steel or iron shot/grit is used. [92500 CCR]
- 8. Abrasive blasting of items exceeding 8 feet in any dimension, or of a surface situated at its permanent location, or no further away from its permanent location than is necessary to allow the surface to be blasted, may be performed outside a permanent building only if one of the following is used: steel or iron shot/grit; abrasives certified by CARB for permissible dry outdoor blasting; wet abrasive blasting, hydroblasting; or vacuum blasting. [92500 CCR]

PERMIT UNIT: N-3386-33-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,806 GALLON STEEL WINE STORAGE TANK 61 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-34-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,815 GALLON STEEL WINE STORAGE TANK 62 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-35-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,813 GALLON STEEL WINE STORAGE TANK 63 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

.

PERMIT UNIT: N-3386-36-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,815 GALLON STEEL WINE STORAGE TANK 64 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-37-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,807 GALLON STEEL WINE STORAGE TANK 65 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-38-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,809 GALLON STEEL WINE STORAGE TANK 66 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-39-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,812 GALLON STEEL WINE STORAGE TANK 67 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-40-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

5,807 GALLON STEEL WINE STORAGE TANK 68 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-41-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,521 GALLON STEEL WINE STORAGE TANK 102 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-42-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,506 GALLON STEEL WINE STORAGE TANK 103 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-43-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,499 GALLON STEEL WINE STORAGE TANK 106 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-44-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,540 GALLON STEEL WINE STORAGE TANK 107 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-45-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,522 GALLON STEEL WINE STORAGE TANK 108 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-46-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,507 GALLON STEEL WINE STORAGE TANK 109 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-47-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,519 GALLON STEEL WINE STORAGE TANK 110 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-48-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,563 GALLON STEEL WINE STORAGE TANK 111 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-49-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,568 GALLON STEEL WINE STORAGE TANK 112 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-50-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,549 GALLON STEEL WINE STORAGE TANK 113 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-51-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,554 GALLON STEEL WINE STORAGE TANK 114 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-52-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,558 GALLON STEEL WINE STORAGE TANK 115 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-53-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,471 GALLON STEEL WINE STORAGE TANK 116 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-54-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,486 GALLON STEEL WINE STORAGE TANK 117 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-55-0

EXPIRATION DATE: 10/31/2009

.

EQUIPMENT DESCRIPTION:

10,572 GALLON STEEL WINE STORAGE TANK 118 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-56-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,557 GALLON STEEL WINE STORAGE TANK 119 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-57-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,542 GALLON STEEL WINE STORAGE TANK 120 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-58-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 121 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-59-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 122 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-60-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,855 GALLON STEEL WINE STORAGE TANK 123 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-61-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,854 GALLON STEEL WINE STORAGE TANK 124 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-62-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,846 GALLON STEEL WINE STORAGE TANK 125 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-63-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,854 GALLON STEEL WINE STORAGE TANK 126 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-64-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,855 GALLON STEEL WINE STORAGE TANK 127 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-65-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,861 GALLON STEEL WINE STORAGE TANK 128 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-66-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 129 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-67-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 130 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

.

PERMIT UNIT: N-3386-68-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,860 GALLON STEEL WINE STORAGE TANK 131 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-69-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,846 GALLON STEEL WINE STORAGE TANK 132 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-70-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 133 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-71-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,850 GALLON STEEL WINE STORAGE TANK 134 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-72-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,853 GALLON STEEL WINE STORAGE TANK 135 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-73-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,850 GALLON STEEL WINE STORAGE TANK 136 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-74-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,859 GALLON STEEL WINE STORAGE TANK 137 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-75-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,857 GALLON STEEL WINE STORAGE TANK 138 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-76-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

9,858 GALLON STEEL WINE STORAGE TANK 139 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-77-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

10,206 GALLON STEEL WINE STORAGE TANK 198 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-78-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,395 GALLON STEEL WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-79-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,386 GALLON STEEL WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-80-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,399 GALLON STEEL WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-81-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,384 GALLON STEEL WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-82-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,367 GALLON STEEL WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-83-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,412 GALLON STEEL WINE STORAGE TANK 206 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-84-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,423 GALLON STEEL WINE STORAGE TANK 207 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-85-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,444 GALLON STEEL WINE STORAGE TANK 208 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-86-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,392 GALLON STEEL WINE STORAGE TANK 209 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-87-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,376 GALLON STEEL WINE STORAGE TANK 210 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-88-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,427 GALLON STEEL WINE STORAGE TANK 211 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-89-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,358 GALLON STEEL WINE STORAGE TANK 212 WITH PRESSURE/VACUUM VALVE

.

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-90-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,311 GALLON STEEL WINE STORAGE TANK 213 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-91-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,435 GALLON STEEL WINE STORAGE TANK 214 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-92-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,354 GALLON STEEL WINE STORAGE TANK 215 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-93-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,359 GALLON STEEL ENCLOSED TOP WINE FERMENTATION AND STORAGE TANK 216 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-94-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,366 GALLON STEEL WINE STORAGE TANK 217 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-95-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,389 GALLON STEEL WINE STORAGE TANK 218 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-96-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,609 GALLON STEEL WINE STORAGE TANK 219 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-97-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

19,491 GALLON STEEL WINE STORAGE TANK 220 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-98-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,295 GALLON STEEL WINE STORAGE TANK 501 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-99-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,266 GALLON STEEL WINE STORAGE TANK 502 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-100-0

EXPIRATION DATE: 10/31/2009

. ..

EQUIPMENT DESCRIPTION:

52,302 GALLON STEEL WINE STORAGE TANK 503 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

27

PERMIT UNIT: N-3386-101-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,278 GALLON STEEL WINE STORAGE TANK 504 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-102-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,264 GALLON STEEL WINE STORAGE TANK 505 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-103-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,311 GALLON STEEL WINE STORAGE TANK 506 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-104-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,289 GALLON STEEL WINE STORAGE TANK 507 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-105-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,279 GALLON STEEL WINE STORAGE TANK 508 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-106-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,359 GALLON STEEL WINE STORAGE TANK 509 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-107-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,250 GALLON STEEL WINE STORAGE TANK 510 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-108-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,186 GALLON STEEL WINE STORAGE TANK 511 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-109-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,228 GALLON STEEL WINE STORAGE TANK 512 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-110-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,252 GALLON STEEL WINE STORAGE TANK 513 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-111-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,260 GALLON STEEL WINE STORAGE TANK 514 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-112-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,237 GALLON STEEL WINE STORAGE TANK 515 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-113-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,227 GALLON STEEL WINE STORAGE TANK 516 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-114-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

۰..

52,283 GALLON STEEL WINE STORAGE TANK 517 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-115-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,257 GALLON STEEL WINE STORAGE TANK 518 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-116-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

52,123 GALLON STEEL WINE STORAGE TANK 519 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

.

PERMIT UNIT: N-3386-117-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

53,030 GALLON STEEL WINE STORAGE TANK 520 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-118-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,450 GALLON STEEL WINE STORAGE TANK 528 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-119-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,302 GALLON STEEL WINE STORAGE TANK 529 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-120-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,316 GALLON STEEL WINE STORAGE TANK 530 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-121-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,280 GALLON STEEL WINE STORAGE TANK 531 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-122-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,277 GALLON STEEL WINE STORAGE TANK 532 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-123-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,290 GALLON STEEL WINE STORAGE TANK 533 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-124-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,365 GALLON STEEL WINE STORAGE TANK 534 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-125-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,236 GALLON STEEL WINE STORAGE TANK 535 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-126-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,223 GALLON STEEL WINE STORAGE TANK 536 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-127-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,287 GALLON STEEL WINE STORAGE TANK 537 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-128-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,228 GALLON STEEL WINE STORAGE TANK 538 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-129-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,435 GALLON STEEL WINE STORAGE TANK 539 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-130-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

.

54,267 GALLON STEEL WINE STORAGE TANK 540 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-131-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,283 GALLON STEEL WINE STORAGE TANK 541 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-132-0

EQUIPMENT DESCRIPTION:

54,375 GALLON STEEL WINE STORAGE TANK 542 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

EXPIRATION DATE: 10/31/2009

PERMIT UNIT: N-3386-133-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,274 GALLON STEEL WINE STORAGE TANK 543 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-134-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,255 GALLON STEEL WINE STORAGE TANK 544 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-135-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,251 GALLON STEEL WINE STORAGE TANK 545 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-136-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,320 GALLON STEEL WINE STORAGE TANK 547 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-137-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,355 GALLON STEEL WINE STORAGE TANK 548 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-138-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,359 GALLON STEEL WINE STORAGE TANK 549 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-139-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

55,255 GALLON STEEL WINE STORAGE TANK 551 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-140-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

53,906 GALLON STEEL WINE STORAGE TANK 552 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-141-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,416 GALLON STEEL WINE STORAGE TANK 553 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-142-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,321 GALLON STEEL WINE STORAGE TANK 554 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-143-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,440 GALLON STEEL WINE STORAGE TANK 555 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-144-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,434 GALLON STEEL WINE STORAGE TANK 556 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-145-0

EXPIRATION DATE: 10/31/2009

...

EQUIPMENT DESCRIPTION:

57,581 GALLON STEEL WINE STORAGE TANK 557 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-146-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,533 GALLON STEEL WINE STORAGE TANK 558 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-147-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,494 GALLON STEEL WINE STORAGE TANK 559 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-148-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,338 GALLON STEEL WINE STORAGE TANK 560 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-149-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,333 GALLON STEEL WINE STORAGE TANK 561 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-150-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,514 GALLON STEEL WINE STORAGE TANK 562 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-151-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,418 GALLON STEEL WINE STORAGE TANK 563 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-152-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,179 GALLON STEEL WINE STORAGE TANK 564 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-153-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,258 GALLON STEEL WINE STORAGE TANK 565 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-154-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

47,987 GALLON STEEL WINE STORAGE TANK 566 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-155-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

57,606 GALLON STEEL WINE STORAGE TANK 567 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-156-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

58,694 GALLON STEEL WINE STORAGE TANK 568 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-157-0

.

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,470 GALLON STEEL WINE STORAGE TANK 589 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-158-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,358 GALLON STEEL WINE STORAGE TANK 590 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-159-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,501 GALLON STEEL WINE STORAGE TANK 591 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-160-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,015 GALLON STEEL WINE STORAGE TANK 592 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-161-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,384 GALLON STEEL WINE STORAGE TANK 593 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-162-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,296 GALLON STEEL WINE STORAGE TANK 594 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-163-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,201 GALLON STEEL WINE STORAGE TANK 595 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-164-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,303 GALLON STEEL WINE STORAGE TANK 596 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-165-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,440 GALLON STEEL WINE STORAGE TANK 597 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-166-0

EXPIRATION DATE: 10/31/2009

.

EQUIPMENT DESCRIPTION:

54,435 GALLON STEEL WINE STORAGE TANK 598 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-167-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

54,414 GALLON STEEL WINE STORAGE TANK 599 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-168-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

106,714 GALLON STEEL WINE STORAGE TANK 1007 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-169-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

106,623 GALLON STEEL WINE STORAGE TANK 1008 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-170-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

106,777 GALLON STEEL WINE STORAGE TANK 1009 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-171-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

.

106,698 GALLON STEEL WINE STORAGE TANK 1010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-172-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

106,706 GALLON STEEL WINE STORAGE TANK 1011 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-173-0

EXPIRATION DATE: 10/31/2009

÷ ..

. • **

EQUIPMENT DESCRIPTION:

.

106,761 GALLON STEEL WINE STORAGE TANK 1012 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-174-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

106,697 GALLON STEEL WINE STORAGE TANK 1013 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-175-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

106,667 GALLON STEEL WINE STORAGE TANK 1014 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-176-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

104,638 GALLON STEEL WINE STORAGE TANK 1015 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-177-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

104,535 GALLON STEEL WINE STORAGE TANK 1016 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-178-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

105,276 GALLON STEEL WINE STORAGE TANK 1017 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-179-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

105,111 GALLON STEEL WINE STORAGE TANK 1018 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

-

PERMIT UNIT: N-3386-180-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

104,613 GALLON STEEL WINE STORAGE TANK 1019 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-181-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

104,513 GALLON STEEL WINE STORAGE TANK 1020 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-182-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

104,531 GALLON STEEL WINE STORAGE TANK 1021 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-183-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

101,505 GALLON STEEL WINE STORAGE TANK 1022 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-184-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

101,952 GALLON STEEL WINE STORAGE TANK 1023 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-185-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

101,557 GALLON STEEL WINE STORAGE TANK 1024 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-186-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

100,227 GALLON STEEL WINE STORAGE TANK 1025 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-187-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

101,953 GALLON STEEL WINE STORAGE TANK 1026 WITH PRESSURE/VACUUM VALVE

_•

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-188-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

100,811 GALLON STEEL WINE STORAGE TANK 1027 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-189-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,029 GALLON STEEL WINE STORAGE TANK 1031 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-190-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,945 GALLON STEEL WINE STORAGE TANK 1032 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-191-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,027 GALLON STEEL WINE STORAGE TANK 1033 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-192-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,236 GALLON STEEL WINE STORAGE TANK 1034 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-193-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,080 GALLON STEEL WINE STORAGE TANK 1035 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-194-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,110 GALLON STEEL WINE STORAGE TANK 1036 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-195-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,078 GALLON STEEL WINE STORAGE TANK 1037 WITH PRESSURE/VACUUM VALVE

.

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-196-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,129 GALLON STEEL WINE STORAGE TANK 1038 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-197-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,993 GALLON STEEL WINE STORAGE TANK 1039 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

.

PERMIT UNIT: N-3386-198-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,073 GALLON STEEL WINE STORAGE TANK 1040 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-199-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,078 GALLON STEEL WINE STORAGE TANK 1041 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-200-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,100 GALLON STEEL WINE STORAGE TANK 1042 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-201-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,236 GALLON STEEL WINE STORAGE TANK 1043 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-202-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

.

103,020 GALLON STEEL WINE STORAGE TANK 1044 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-203-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,078 GALLON STEEL WINE STORAGE TANK 1045 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-204-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,972 GALLON STEEL WINE STORAGE TANK 1046 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-205-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,059 GALLON STEEL WINE STORAGE TANK 1047 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-206-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,019 GALLON STEEL WINE STORAGE TANK 1048 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-207-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,005 GALLON STEEL WINE STORAGE TANK 1049 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-208-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,004 GALLON STEEL WINE STORAGE TANK 1050 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-209-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,753 GALLON STEEL WINE STORAGE TANK 1051 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-210-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,558 GALLON STEEL WINE STORAGE TANK 1052 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-211-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,722 GALLON STEEL WINE STORAGE TANK 1053 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-212-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,663 GALLON STEEL WINE STORAGE TANK 1054 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-213-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

...

102,748 GALLON STEEL WINE STORAGE TANK 1055 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-214-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,704 GALLON STEEL WINE STORAGE TANK 1056 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-215-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,827 GALLON STEEL WINE STORAGE TANK 1075 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-216-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,109 GALLON STEEL WINE STORAGE TANK 1076 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-217-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,937 GALLON STEEL WINE STORAGE TANK 1077 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-218-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,929 GALLON STEEL WINE STORAGE TANK 1078 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-219-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,086 GALLON STEEL WINE STORAGE TANK 1081 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-220-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,871 GALLON STEEL WINE STORAGE TANK 1082 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-221-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,981 GALLON STEEL WINE STORAGE TANK 1083 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-222-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,831 GALLON STEEL WINE STORAGE TANK 1084 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-223-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,549 GALLON STEEL WINE STORAGE TANK 1085 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-224-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,252 GALLON STEEL WINE STORAGE TANK 1086 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

. . .

PERMIT UNIT: N-3386-225-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,708 GALLON STEEL WINE STORAGE TANK 1087 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-226-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,859 GALLON STEEL WINE STORAGE TANK 1088 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-227-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,725 GALLON STEEL WINE STORAGE TANK 1089 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-228-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,856 GALLON STEEL WINE STORAGE TANK 1090 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-229-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

103,001 GALLON STEEL WINE STORAGE TANK 1091 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-230-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

101,988 GALLON STEEL WINE STORAGE TANK 1092 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-231-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

102,904 GALLON STEEL WINE STORAGE TANK 1093 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-232-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

209,524 GALLON STEEL WINE STORAGE TANK 2006 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-233-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

208,075 GALLON STEEL WINE STORAGE TANK 2007 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-234-0

EXPIRATION DATE: 10/31/2009

ţ,

EQUIPMENT DESCRIPTION:

209,055 GALLON STEEL WINE STORAGE TANK 2008 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-235-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

209,297 GALLON STEEL WINE STORAGE TANK 2009 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-236-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

209,424 GALLON STEEL WINE STORAGE TANK 2010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-237-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

195,597 GALLON STEEL WINE STORAGE TANK 2011 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-238-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

196,197 GALLON STEEL WINE STORAGE TANK 2012 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-239-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

195,287 GALLON STEEL WINE STORAGE TANK 2013 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-240-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

196,616 GALLON STEEL WINE STORAGE TANK 2014 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

I. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-241-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

195,626 GALLON STEEL WINE STORAGE TANK 2015 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-242-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

195,184 GALLON STEEL WINE STORAGE TANK 2016 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-243-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

217,357 GALLON STEEL WINE STORAGE TANK 2021 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-244-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

217,288 GALLON STEEL WINE STORAGE TANK 2023 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-245-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

217,527 GALLON STEEL WINE STORAGE TANK 2024 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-246-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

217,195 GALLON STEEL WINE STORAGE TANK 2025 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-247-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

217,318 GALLON STEEL WINE STORAGE TANK 2026 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-248-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

217,233 GALLON STEEL WINE STORAGE TANK 2027 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-249-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

217,150 GALLON STEEL WINE STORAGE TANK 2028 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-250-0

EXPIRATION DATE: 10/31/2009

.

EQUIPMENT DESCRIPTION:

211,246 GALLON STEEL WINE STORAGE TANK 2029 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-251-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

210,669 GALLON STEEL WINE STORAGE TANK 2030 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-252-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

206,577 GALLON STEEL WINE STORAGE TANK 2031 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-253-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

206,223 GALLON STEEL WINE STORAGE TANK 2032 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-254-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

203,717 GALLON STEEL WINE STORAGE TANK 2033 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-255-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

203,012 GALLON STEEL WINE STORAGE TANK 2034 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-256-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

213,038 GALLON STEEL WINE STORAGE TANK 2035 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-257-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

211,045 GALLON STEEL WINE STORAGE TANK 2036 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-258-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

211,938 GALLON STEEL WINE STORAGE TANK 2037 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-259-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

212,405 GALLON STEEL WINE STORAGE TANK 2038 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

.

PERMIT UNIT: N-3386-260-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

212,689 GALLON STEEL WINE STORAGE TANK 2050 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-261-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

212,224 GALLON STEEL WINE STORAGE TANK 2051 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-262-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

212,274 GALLON STEEL WINE STORAGE TANK 2075 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-263-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

211,289 GALLON STEEL WINE STORAGE TANK 2076 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-264-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

331,531 GALLON STEEL WINE STORAGE TANK 3000 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-265-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

330,882 GALLON STEEL WINE STORAGE TANK 3001 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-266-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

333,256 GALLON STEEL WINE STORAGE TANK 3002 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-267-0

EQUIPMENT DESCRIPTION:

332,732 GALLON STEEL WINE STORAGE TANK 3003 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

EXPIRATION DATE: 10/31/2009

PERMIT UNIT: N-3386-268-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

334,614 GALLON STEEL WINE STORAGE TANK 3004 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-269-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

332,570 GALLON STEEL WINE STORAGE TANK 3005 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-270-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

331,846 GALLON STEEL WINE STORAGE TANK 3006 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-271-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

332,780 GALLON STEEL WINE STORAGE TANK 3007 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-272-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

326,505 GALLON STEEL WINE STORAGE TANK 3008 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-273-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

324,766 GALLON STEEL WINE STORAGE TANK 3009 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-274-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

330,499 GALLON STEEL WINE STORAGE TANK 3010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-275-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

329,834 GALLON STEEL WINE STORAGE TANK 3011 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-276-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

331,575 GALLON STEEL WINE STORAGE TANK 3012 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-277-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

326,509 GALLON STEEL WINE STORAGE TANK 3013 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-278-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,892 GALLON STEEL WINE STORAGE TANK 3014 WITH PRESSURE/VACUUM VALVE

,

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-279-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,851 GALLON STEEL WINE STORAGE TANK 3015 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-280-0

EQUIPMENT DESCRIPTION:

327,442 GALLON STEEL WINE STORAGE TANK 3016 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

EXPIRATION DATE: 10/31/2009

PERMIT UNIT: N-3386-281-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,094 GALLON STEEL WINE STORAGE TANK 3017 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-282-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

329,572 GALLON STEEL WINE STORAGE TANK 3018 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-283-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,636 GALLON STEEL WINE STORAGE TANK 3019 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

.

PERMIT UNIT: N-3386-284-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,944 GALLON STEEL WINE STORAGE TANK 3020 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-285-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,260 GALLON STEEL WINE STORAGE TANK 3025 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-286-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,301 GALLON STEEL WINE STORAGE TANK 3026 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-287-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,052 GALLON STEEL WINE STORAGE TANK 3027 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-288-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,755 GALLON STEEL WINE STORAGE TANK 3028 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-289-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

330,554 GALLON STEEL WINE STORAGE TANK 3029 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-290-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,579 GALLON STEEL WINE STORAGE TANK 3051 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-291-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

328,382 GALLON STEEL WINE STORAGE TANK 3052 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-292-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

331,410 GALLON STEEL WINE STORAGE TANK 3053 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-293-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

326,814 GALLON STEEL WINE STORAGE TANK 3057 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-294-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

328,639 GALLON STEEL WINE STORAGE TANK 3058 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-295-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

328,424 GALLON STEEL WINE STORAGE TANK 3059 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-296-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,428 GALLON STEEL WINE STORAGE TANK 3062 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-297-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,785 GALLON STEEL WINE STORAGE TANK 3063 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-298-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

326,855 GALLON STEEL WINE STORAGE TANK 3064 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-299-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

326,459 GALLON STEEL WINE STORAGE TANK 3066 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-300-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

328,662 GALLON STEEL WINE STORAGE TANK 3067 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-301-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

329,465 GALLON STEEL WINE STORAGE TANK 3068 WITH PRESSURE/VACUUM VALVE

.

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-302-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

331,156 GALLON STEEL WINE STORAGE TANK 3069 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-303-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

.

327,222 GALLON STEEL WINE STORAGE TANK 3070 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-304-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,869 GALLON STEEL WINE STORAGE TANK 3071 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-305-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

331,460 GALLON STEEL WINE STORAGE TANK 3072 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-306-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

328,335 GALLON STEEL WINE STORAGE TANK 3073 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-307-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,126 GALLON STEEL WINE STORAGE TANK 3074 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-308-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

330,974 GALLON STEEL WINE STORAGE TANK 3075 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-309-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

331,276 GALLON STEEL WINE STORAGE TANK 3076 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-310-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

331,138 GALLON STEEL WINE STORAGE TANK 3077 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-311-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,756 GALLON STEEL WINE STORAGE TANK 3078 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-312-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

327,356 GALLON STEEL WINE STORAGE TANK 3081 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-313-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

328,081 GALLON STEEL WINE STORAGE TANK 3082 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-314-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,601 GALLON STEEL WINE STORAGE TANK 3501 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-315-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,302 GALLON STEEL WINE STORAGE TANK 3502 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-316-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,439 GALLON STEEL WINE STORAGE TANK 3503 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-317-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,185 GALLON STEEL WINE STORAGE TANK 3504 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-318-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,204 GALLON STEEL WINE STORAGE TANK 3505 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-319-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,078 GALLON STEEL WINE STORAGE TANK 3506 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-320-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,379 GALLON STEEL WINE STORAGE TANK 3507 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-321-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,385 GALLON STEEL WINE STORAGE TANK 3508 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-322-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,959 GALLON STEEL WINE STORAGE TANK 3509 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-323-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,710 GALLON STEEL WINE STORAGE TANK 3510 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-324-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,089 GALLON STEEL WINE STORAGE TANK 3511 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-325-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,613 GALLON STEEL WINE STORAGE TANK 3512 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-326-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,648 GALLON STEEL WINE STORAGE TANK 3513 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-327-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,338 GALLON STEEL WINE STORAGE TANK 3514 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-328-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,338 GALLON STEEL WINE STORAGE TANK 3515 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-329-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,116 GALLON STEEL WINE STORAGE TANK 3516 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-330-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

351,269 GALLON STEEL WINE STORAGE TANK 3517 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-331-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,211 GALLON STEEL WINE STORAGE TANK 3518 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-332-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,057 GALLON STEEL WINE STORAGE TANK 3519 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-333-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,881 GALLON STEEL WINE STORAGE TANK 3520 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-334-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,809 GALLON STEEL WINE STORAGE TANK 3521 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-335-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,974 GALLON STEEL WINE STORAGE TANK 3522 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-336-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,648 GALLON STEEL WINE STORAGE TANK 3523 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-337-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,307 GALLON STEEL WINE STORAGE TANK 3524 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-338-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,324 GALLON STEEL WINE STORAGE TANK 3525 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-339-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,854 GALLON STEEL WINE STORAGE TANK 3526 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-340-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,252 GALLON STEEL WINE STORAGE TANK 3527 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-341-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,223 GALLON STEEL WINE STORAGE TANK 3528 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-342-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,692 GALLON STEEL WINE STORAGE TANK 3529 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-343-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,224 GALLON STEEL WINE STORAGE TANK 3530 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-344-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

348,985 GALLON STEEL WINE STORAGE TANK 3531 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-345-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,057 GALLON STEEL WINE STORAGE TANK 3532 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-346-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,790 GALLON STEEL WINE STORAGE TANK 3533 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-347-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

347,726 GALLON STEEL WINE STORAGE TANK 3534 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-348-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,789 GALLON STEEL WINE STORAGE TANK 3535 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-349-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,320 GALLON STEEL WINE STORAGE TANK 3536 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-350-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,880 GALLON STEEL WINE STORAGE TANK 3537 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-351-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,167 GALLON STEEL WINE STORAGE TANK 3538 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-352-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,082 GALLON STEEL WINE STORAGE TANK 3539 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-353-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,054 GALLON STEEL WINE STORAGE TANK 3543 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

.

PERMIT UNIT: N-3386-354-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,281 GALLON STEEL WINE STORAGE TANK 3544 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-355-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,531 GALLON STEEL WINE STORAGE TANK 3545 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-356-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

303,600 GALLON STEEL WINE STORAGE TANK 3546 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-357-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

348,063 GALLON STEEL WINE STORAGE TANK 3547 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-358-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

348,449 GALLON STEEL WINE STORAGE TANK 3548 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-359-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,971 GALLON STEEL WINE STORAGE TANK 3549 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-360-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,594 GALLON STEEL WINE STORAGE TANK 3553 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-361-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,828 GALLON STEEL WINE STORAGE TANK 3554 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-362-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,001 GALLON STEEL WINE STORAGE TANK 3555 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

 These terms and conditions are part of the Facility-wide Permit to Operate.

 Facility Name: E & J GALLO WINERY

 Location:
 600 YOSEMITE BLVD,MODESTO, CA 95353

 N-3386-362-0 - JM 21 2010 4-12PM - SIONGCOJ

.

PERMIT UNIT: N-3386-363-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,708 GALLON STEEL WINE STORAGE TANK 3556 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-364-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

,

350,022 GALLON STEEL WINE STORAGE TANK 3557 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-365-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,090 GALLON STEEL WINE STORAGE TANK 3558 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-366-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,205 GALLON STEEL WINE STORAGE TANK 3559 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

 These terms and conditions are part of the Facility-wide Permit to Operate.

 Facility Name:
 E & J GALLO WINERY

 Location:
 600 YOSEMITE BLVD.MODESTO. CA 95353

 N-3386-3660 : Jul 21 2010 4:12PM - SIONGCOJ

PERMIT UNIT: N-3386-367-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,848 GALLON STEEL WINE STORAGE TANK 3560 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-368-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,564 GALLON STEEL WINE STORAGE TANK 3561 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-369-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

351,018 GALLON STEEL WINE STORAGE TANK 3562 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-370-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,843 GALLON STEEL WINE STORAGE TANK 3563 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-371-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,438 GALLON STEEL WINE STORAGE TANK 3564 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-372-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,226 GALLON STEEL WINE STORAGE TANK 3565 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-373-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,861 GALLON STEEL WINE STORAGE TANK 3566 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-374-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,369 GALLON STEEL WINE STORAGE TANK 3567 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-375-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,661 GALLON STEEL WINE STORAGE TANK 3568 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-376-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,165 GALLON STEEL WINE STORAGE TANK 3569 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-377-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,615 GALLON STEEL WINE STORAGE TANK 3570 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

PERMIT UNIT: N-3386-378-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,771 GALLON STEEL WINE STORAGE TANK 3571 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-379-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,105 GALLON STEEL WINE STORAGE TANK 3572 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-380-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,835 GALLON STEEL WINE STORAGE TANK 3573 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-381-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,276 GALLON STEEL WINE STORAGE TANK 3574 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-382-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,965 GALLON STEEL WINE STORAGE TANK 3575 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-383-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

351,385 GALLON STEEL WINE STORAGE TANK 3576 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-384-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,126 GALLON STEEL WINE STORAGE TANK 3577 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-385-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,181 GALLON STEEL WINE STORAGE TANK 3578 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-386-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,683 GALLON STEEL WINE STORAGE TANK 3579 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-387-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,293 GALLON STEEL WINE STORAGE TANK 3580 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-388-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

350,206 GALLON STEEL WINE STORAGE TANK 3581 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-389-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

349,501 GALLON STEEL WINE STORAGE TANK 3582 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-390-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

583,760 GALLON STEEL WINE STORAGE TANK 6000 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-391-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

640,153 GALLON STEEL WINE STORAGE TANK 6001 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-392-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

644,899 GALLON STEEL WINE STORAGE TANK 6002 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-393-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

646,891 GALLON STEEL WINE STORAGE TANK 6003 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-394-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

.

650,818 GALLON STEEL WINE STORAGE TANK 6004 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

¥.

PERMIT UNIT: N-3386-395-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

644,070 GALLON STEEL WINE STORAGE TANK 6005 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-396-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

635,284 GALLON STEEL WINE STORAGE TANK 6006 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-397-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

641,475 GALLON STEEL WINE STORAGE TANK 6007 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-398-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

645,661 GALLON STEEL WINE STORAGE TANK 6008 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-399-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

637,719 GALLON STEEL WINE STORAGE TANK 6009 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-400-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

636,151 GALLON STEEL WINE STORAGE TANK 6010 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-401-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

637,048 GALLON STEEL WINE STORAGE TANK 6011 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-402-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

647,528 GALLON STEEL WINE STORAGE TANK 6012 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-403-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

646,915 GALLON STEEL WINE STORAGE TANK 6013 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-404-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

646,878 GALLON STEEL WINE STORAGE TANK 6014 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-405-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

646,397 GALLON STEEL WINE STORAGE TANK 6015 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-406-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

647,449 GALLON STEEL WINE STORAGE TANK 6016 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-407-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

635,052 GALLON STEEL WINE STORAGE TANK 6020 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-408-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

636,212 GALLON STEEL WINE STORAGE TANK 6021 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-409-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

638,621 GALLON STEEL WINE STORAGE TANK 6022 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-410-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

642,060 GALLON STEEL WINE STORAGE TANK 6023 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-411-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

638,664 GALLON STEEL WINE STORAGE TANK 6024 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-412-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

638,995 GALLON STEEL WINE STORAGE TANK 6025 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-413-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

642,199 GALLON STEEL WINE STORAGE TANK 6026 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-414-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

638,593 GALLON STEEL WINE STORAGE TANK 6027 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-415-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

638,320 GALLON STEEL WINE STORAGE TANK 6028 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-416-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

638,922 GALLON STEEL WINE STORAGE TANK 6029 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-417-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

644,914 GALLON STEEL WINE STORAGE TANK 6030 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-418-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

648,848 GALLON STEEL WINE STORAGE TANK 6031 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-419-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

646,628 GALLON STEEL WINE STORAGE TANK 6032 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-420-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

637,563 GALLON STEEL WINE STORAGE TANK 6050 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-421-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

638,193 GALLON STEEL WINE STORAGE TANK 6051 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-422-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

640,325 GALLON STEEL WINE STORAGE TANK 6052 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-423-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

636,046 GALLON STEEL WINE STORAGE TANK 6053 WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-424-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,029,137 GALLON STEEL WINE STORAGE TANK 1M WITH PRESSURE/VACUUM VALVE

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-425-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C1

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-426-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C2

PERMIT UNIT REQUIREMENTS

PERMIT UNIT: N-3386-427-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C3

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

PERMIT UNIT: N-3386-428-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C4

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

PERMIT UNIT: N-3386-429-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C5

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

.

PERMIT UNIT: N-3386-430-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C6

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

PERMIT UNIT: N-3386-467-0

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

2,566,123 GALLON UNDERGROUND WINE CELLAR WITH 624 WOOD STORAGE TANKS SERVED BY 2 INTAKE AND 2 EXHAUST VENTILATION PORTS

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

PERMIT UNIT: N-3386-469-1

EXPIRATION DATE: 10/31/2009

EQUIPMENT DESCRIPTION:

METAL PARTS AND PRODUCTS COATING OPERATION SERVED BY A CLOSED AFC FINISHING SYSTEMS, MODEL ECONOMY CROSSFLO PAINT BOOTH, WITH DRY FILTERS, HVLP SPRAY GUNS AND ENCLOSED SPRAY GUN CLEANING SYSTEM

PERMIT UNIT REQUIREMENTS

- 1. VOC emissions from this metal parts and products coating operation shall not exceed 7.6 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. VOC emissions from this metal parts and products coating operation shall not exceed 633 pounds in any one calendar year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 3. Particulate matter (PM10) emission from this metal parts and products coating operation shall not exceed 2.7 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. Only HVLP, electrostatic, electrodeposition, flow, roll, dip, brush or continuous coating application equipment shall be used, and the application equipment shall be operated in accordance with the manufacturer's recommendations. [District Rules 2201 and 4603] Federally Enforceable Through Title V Permit
- 5. For air-dried general coating, VOC content in the coatings as applied (excluding water and exempt compounds) shall not exceed 300 g/l (2.5 lb/gal). [District Rules 2201 and 4603] Federally Enforceable Through Title V Permit
- 6. Permittee shall not use materials with a VOC content greater than 25 g/l (0.21 lb/gallon) for spray equipment clean-up unless an enclosed system, or equipment proven to be equally effective at controlling emissions, is used for cleaning. [District Rule 4603] Federally Enforceable Through Title V Permit
- 7. VOC content of solvents used shall not exceed any of the following limits: product cleaning during manufacturing process or surface preparation for coating application: 25 g/l (0.21 lb/gal), repair and maintenance cleaning:25 g/l (0.21 lb/dal), and cleaning of coating application equipment: 25 g/l (0.21 lb/gal) unless any of these cleaning operations are performed with an APCO-approved VOC emissions control system that meets the requirements of Section 5.5 [District Rule 4603] Federally Enforceable Through Title V Permit
- 8. The permittee shall not use VOC-containing materials to clean spray equipment used for the application of coatings, adhesives, or ink, unless an enclosed system or equipment that is proven to be equally effective at controlling emissions is used for cleaning. If an enclosed system is used, it must totally enclose spray guns, cups, nozzles, bowls, and other parts during washing, rinsing and draining procedures, and it must be used according to the manufacture's recommendations and must be closed when not in use. [District Rule 4603] Federally Enforceable Through Title V Permit
- 9. The permittee shall dispose the fresh or spent solvents, waste solvent cleaning material such as cloth, paper, etc., coatings, adhesives, catalysts, and thinners in closed, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4603] Federally Enforceable Through Title V Permit
- 10. Permittee shall maintain daily and annual records of VOC emissions. The annual record shall be updated at least monthly. [District Rule 2201] Federally Enforceable Through Title V Permit

Permit Unit Requirements for N-3386-469-1 (continued)

-

- 11. Permittee shall maintain daily records of the following: quantity and type of coatings and solvents used, mix ratios (by volume) of components added to each coating, volume of coatings applied, VOC content of each coating as applied, and VOC content of each solvent. [District Rule 4603] Federally Enforceable Through Title V Permit
- 12. Permittee shall keep the following records for solvent cleaning activities: manufacturer's product data sheet or MSDS of solvents used, VOC content of solvents in g/l or lb/gal, and the type of cleaning activity for which each solvent is used. [District Rule 4603] Federally Enforceable Through Title V Permit
- 13. Records shall be retained on-site for a minimum of five years and made available for District inspection upon request. [District Rule 4603] Federally Enforceable Through Title V Permit

ATTACHMENT C

Detailed Facility List

Detailed Facility Report SJVUAPCD 7/21/10 For Facility=3386 and excluding Deleted Permits NORTHERN 5:13 pm Sorted by Facility Name and Permit Number **E & J GALLO WINERY** FAC # N 3386 TYPE: TitleV EXPIRE ON: 10/31/2009 TOXIC ID: 600 YOSEMITE BLVD STATUS: AREA: 5/306 Α TELEPHONE: INSP. DATE: **MODESTO, CA 95353** 2095794217 07/11 PERMIT FEE FEE PERMIT NUMBER FEE DESCRIPTION FEE RULE OTY AMOUNT TOTAL STATUS EQUIPMENT DESCRIPTION N-3386-1-7 10.463 MMBTU/HR 3020-02 G 1 815.00 815.00 Α 10.463 MMBTU/HR NATURAL GAS-FIRED KEWANEE MODEL #1.2S-250-G02 BOILER (#1) WITH A CLEAVER-BROOKS MODEL NTH105NGX-F9R BURNER WITH FLUE GAS RECIRCULATION 3020-02 G 815.00 815.00 Α 10.463 MMBTU/HR NATURAL GAS-FIRED KEWANEE MODEL #L2S-250-N-3386-2-6 10.463 kBTU/HR 1 G02 BOILER (#2) WITH A CLEAVER-BROOKS MODEL NTH105NGX-F9R BURNER AND FLUE GAS RECIRCULATION N-3386-3-5 3020-02 G 815.00 Α 10.2058 MMBTU/HR CLEAVER-BROOKS MODEL CB200-250 NATURAL 10.025 kBtu/hr 1 815.00 GAS-FIRED BOILER WITH A CLEAVER-BROOKS/NATCOM MODEL NTI250 LOW NOX BURNER 246.00 246.00 DIATOMACEOUS EARTH (DE) PNEUMATIC RECEIVING AND N-3386-5-2 176.808 GALLON 3020-05 F 1 Α STORAGE OPERATION WITH TWO (2) 11.818 CUBIC FEET SILOS EACH SERVED BY A SLY PACTECON BAGHOUSE (MODEL # PC-3(1)-584). N-3386-6-2 31,283 GALLON 3020-05 C 135.00 135.00 Α ACTIVATED CARBON RECEIVING AND STORAGE OPERATION WITH 1 A 4182 CUBIC FOOT STORAGE SILO SERVED BY A G. L. PRECISION (MODEL # 72GLP25-B) BAGHOUSE. N-3386-10-2 1 NOZZLE 3020-11 A 1 34.00 34.00 А ONE 1,000 GALLON TRUSCO SUPERVAULT SERVED BY AN OPW PHASE I VAPOR RECOVERY SYSTEM (G-70-132-A) AND ONE NOZZLE SERVED BY OPW PHASE II VAPOR RECOVERY SYSTEMS (G-70-132-A). 6.28 MMBTU/HR NATURAL GAS-FIRED CLEAVER-BROOKS MODEL N-3386-11-5 6.280 kBtu/hr 3020-02 G 1 815.00 815.00 Α **CB-LE BOILER WITH A CLEAVER-BROOKS MODEL NTI150 BURNER** AND FLUE GAS RECIRCULATION 3020-06 105.00 105.00 ABRASIVE BLASTING OPERATION WITH A 700 POUND CAPACITY N-3386-13-2 Miscellaneous 1 Α BLASTING POT 105.00 105.00 ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY N-3386-16-2 Miscellaneous 3020-06 1 Α BLASTING POT N-3386-17-2 Miscellaneous 3020-06 1 105.00 105.00 Α ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY **BLASTING POT** N-3386-18-2 Miscellaneous 3020-06 1 105.00 105.00 Α ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY **BLASTING POT** N-3386-19-2 Miscellaneous 3020-06 1 105.00 105.00 А ABRASIVE BLASTING OPERATION WITH A 50 POUND CAPACITY BLASTING POT N-3386-23-5 240.00 240.00 240 BHP FORD-GENERAC MODEL 7.5DTA DIESEL-FIRED 240 bhp IC engine 3020-10 C 1 А EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

SJVUAPCD NORTHERN			Facility=	tailed Fac 3386 and exe Facility Nam	cluding D e and Per	eleted Per rmit Numb	
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT	
N-3386-24-3	4 nozzles x 3 grades of fuel	3020-11 B	12	34.00	408.00	A	GASOLINE DISPENSING OPERATION WITH TWO 15,000 GALLON UNDERGROUND STORAGE TANKS SERVED BY AN EBW PHASE I VAPOR RECOVERY SYSTEM (VR-103-A), AND 4 FUELING POINTS WITH 4 GASOLINE DISPENSING NOZZLES SERVED BY A HEALY PHASE II VAPOR RECOVERY SYSTEM (VR-201-I)
N-3386-26-2	192 bhp emergency standby IC engine	3020-10 B	1	117.00	117.00	A	192 BHP GENERAC MODEL 64DTAH DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING A 125 KW ELECTRICAL GENERATOR
N-3386-27-1	1,120 bhp IC engine	3020-10 F	1	749.00	749.00	A	1,120 BHP DETROIT DIESEL MODEL 12V2000 DIESEL-FIRED EMERGENCY IC ENGINE POWERING AN ELECTRICAL GENERATOR
N-3386-28-3	270 bhp emergency IC engine	3020-10 C	1	240.00	240.00	A	270 BHP CUMMINS MODEL 6CTA8.3-F2 DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING A FIRE PUMP
N-3386-29-2	460 HP IC Engine	3020-10 D	1	479.00	479.00	A	NON-ROAD TRANSPORTABLE (EPA CERTIFIED TIER 2) 460 HP CATERPILLAR MODEL 3406 DITA LOW-USE IC ENGINE SERVED BY A MINE-X MODEL DC16-6 OXIDATION PURIFIER POWERING AN AIR COMPRESSOR
N-3386-30-0	Misc	3020-06	1	105.00	105.00	Α	CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 900 LB KELCO 230V BLASTING POT
N-3386-31-0	Misc	3020-06	1	105.00	105.00	Α	CONFINED AND UNCONFINED ABRASIVE BLASTING OPERATION WITH A 300 LB KELCO K-116V BLASTING POT
N-3386-33-0	5,806 Gallons	3020-05 B	• 1	93.00	93.00	Α	5,806 GALLON STEEL WINE STORAGE TANK 61 WITH PRESSURE/VACUUM VALVE
N-3386-34-0	5,815 Gallons	3020-05 B	1	93.00	93.00	Α	5,815 GALLON STEEL WINE STORAGE TANK 62 WITH PRESSURE/VACUUM VALVE
N-3386-35-0	5,813 Gallons	3020-05 B	1	93.00	93.00	A	5,813 GALLON STEEL WINE STORAGE TANK 63 WITH PRESSURE/VACUUM VALVE
N-3386-36-0	5,815 Gallons	3020-05 B	1	93.00	93.00	Α	5,815 GALLON STEEL WINE STORAGE TANK 64 WITH PRESSURE/VACUUM VALVE
N-3386-37-0	5,807 Gallons	3020-05 B	1	93.00	93.00	Α	5,807 GALLON STEEL WINE STORAGE TANK 65 WITH PRESSURE/VACUUM VALVE
N-3386-38-0	5,809 Gallons	3020-05 B	1	93.00	93.00	Α	5,809 GALLON STEEL WINE STORAGE TANK 66 WITH PRESSURE/VACUUM VALVE
N-3386-39-0	5,812 Gallons	3020-05 B	1	93.00	93.00	A	5,812 GALLON STEEL WINE STORAGE TANK 67 WITH PRESSURE/VACUUM VALVE
N-3386-40-0	5,807 Gallons	3020-05 B	1	93.00	93.00	A	5,807 GALLON STEEL WINE STORAGE TANK 68 WITH PRESSURE/VACUUM VALVE
N-3386-41-0	10,521 Gallons	3020-05 B	1	93.00	93.00	Α	10,521 GALLON STEEL WINE STORAGE TANK 102 WITH PRESSURE/VACUUM VALVE

SJVUAPCD NORTHERN		Detailed Facility Report For Facility=3386 and excluding Deleted Permits Sorted by Facility Name and Permit Number						
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY		FEE TOTAL	PERMIT	EQUIPMENT DESCRIPTION	
N-3386-42-0	10,506 Gallons	3020-05 B	1	93.00	93.00	A	10,506 GALLON STEEL WINE STORAGE TANK 103 WITH PRESSURE/VACUUM VALVE	
N-3386-43-0	10,499 Gallons	3020-05 B	1	93.00	93.00	. A	10,499 GALLON STEEL WINE STORAGE TANK 106 WITH PRESSURE/VACUUM VALVE	
N-3386-44-0	10,540 Gallons	3020-05 B	1	93.00	93.00	А	10,540 GALLON STEEL WINE STORAGE TANK 107 WITH PRESSURE/VACUUM VALVE	
N-3386-45-0	10,522 Gallons	3020-05 B	1	93.00	93.00	A	10,522 GALLON STEEL WINE STORAGE TANK 108 WITH PRESSURE/VACUUM VALVE	
N-3386-46-0	10,507 Gallons	3020-05 B	1	93.00	93.00	A	10,507 GALLON STEEL WINE STORAGE TANK 109 WITH PRESSURE/VACUUM VALVE	
N-3386-47-0	10,519 Gallons	3020-05 B	1	93.00	93.00	A	10,519 GALLON STEEL WINE STORAGE TANK 110 WITH PRESSURE/VACUUM VALVE	
N-3386-48-0	10,563 Gallons	3020-05 B	1	93.00	93.00	Α	10,563 GALLON STEEL WINE STORAGE TANK 111 WITH PRESSURE/VACUUM VALVE	
N-3386-49-0	10,568 Gallons	3020-05 B	1	93.00	93.00	Α	10,568 GALLON STEEL WINE STORAGE TANK 112 WITH PRESSURE/VACUUM VALVE	
N-3386-50-0	10,549 Gallons	3020-05 B	1	93.00	93.00	A	10,549 GALLON STEEL WINE STORAGE TANK 113 WITH PRESSURE/VACUUM VALVE	
N-3386-51-0	10,554 Gallons	3020-05 B	1	93.00	93.00	A	10,554 GALLON STEEL WINE STORAGE TANK 114 WITH PRESSURE/VACUUM VALVE	
N-3386-52-0	10,558 Gallons	3020-05 B	1	93.00	93.00	A	10,558 GALLON STEEL WINE STORAGE TANK 115 WITH PRESSURE/VACUUM VALVE	
N-3386-53-0	10,471 Gallons	3020-05 B	1	93.00	93.00	A	10,471 GALLON STEEL WINE STORAGE TANK 116 WITH PRESSURE/VACUUM VALVE	
N-3386-54-0	10,486 Gallons	3020-05 B	1	93.00	93.00	A	10,486 GALLON STEEL WINE STORAGE TANK 117 WITH PRESSURE/VACUUM VALVE	
N-3386-55-0	10,572 Gallons	3020-05 B	1	93.00	93.00	A	10,572 GALLON STEEL WINE STORAGE TANK 118 WITH PRESSURE/VACUUM VALVE	
N-3386-56-0	10,557 Gallons	3020-05 B	1	93.00	93.00	Α	10,557 GALLON STEEL WINE STORAGE TANK 119 WITH PRESSURE/VACUUM VALVE	
N-3386-57-0	10,542 Gallons	3020-05 B	1	93.00	93.00	Α	10,542 GALLON STEEL WINE STORAGE TANK 120 WITH PRESSURE/VACUUM VALVE	
N-3386-58-0	9,858 Gallons	3020-05 B	1	93.00	93.00	Α	9,858 GALLON STEEL WINE STORAGE TANK 121 WITH PRESSURE/VACUUM VALVE	
N-3386-59-0	9,858 Gallons	3020-05 B	1	93.00	93.00	Α	9,858 GALLON STEEL WINE STORAGE TANK 122 WITH PRESSURE/VACUUM VALVE	

Detailed Facility Report

7/21/10

5:13 pm

For Facility=3386 and excluding Deleted Permits

Sorted by Facility Name and Permit Number PERMIT FEE FEE PERMIT NUMBER FEE DESCRIPTION FEE RULE AMOUNT TOTAL STATUS EQUIPMENT DESCRIPTION QTY N-3386-60-0 9.855 Gallons 3020-05 B 93.00 93.00 9.855 GALLON STEEL WINE STORAGE TANK 123 WITH 1 А PRESSURE/VACUUM VALVE N-3386-61-0 9.854 Gallons 9,854 GALLON STEEL WINE STORAGE TANK 124 WITH 3020-05 B 1 93.00 93.00 А PRESSURE/VACUUM VALVE N-3386-62-0 9,846 Gallons 3020-05 B 1 93.00 93.00 9,846 GALLON STEEL WINE STORAGE TANK 125 WITH А PRESSURE/VACUUM VALVE N-3386-63-0 9,854 Gallons 3020-05 B 9,854 GALLON STEEL WINE STORAGE TANK 126 WITH 1 93.00 93.00 А PRESSURE/VACUUM VALVE N-3386-64-0 9,855 Gallons 3020-05 B 93.00 93.00 9,855 GALLON STEEL WINE STORAGE TANK 127 WITH 1 А PRESSURE/VACUUM VALVE N-3386-65-0 9.861 Gallons 3020-05 B 1 93.00 9,861 GALLON STEEL WINE STORAGE TANK 128 WITH 93.00 А PRESSURE/VACUUM VALVE N-3386-66-0 9.860 Gallons 3020-05 B 93.00 93.00 9,860 GALLON STEEL WINE STORAGE TANK 129 WITH 1 А PRESSURE/VACUUM VALVE N-3386-67-0 9,860 Gallons 3020-05 B 1 93.00 9,860 GALLON STEEL WINE STORAGE TANK 130 WITH 93.00 А PRESSURE/VACUUM VALVE N-3386-68-0 9.860 Gallons 3020-05 B 1 93.00 93.00 9,860 GALLON STEEL WINE STORAGE TANK 131 WITH А PRESSURE/VACUUM VALVE N-3386-69-0 9.846 Gallons 3020-05 B 1 93.00 93.00 Α 9,846 GALLON STEEL WINE STORAGE TANK 132 WITH PRESSURE/VACUUM VALVE N-3386-70-0 9,858 Gallons 3020-05 B 1 93.00 93.00 А 9,858 GALLON STEEL WINE STORAGE TANK 133 WITH PRESSURE/VACUUM VALVE 9,850 Gallons N-3386-71-0 3020-05 B 1 93.00 93.00 Α 9.850 GALLON STEEL WINE STORAGE TANK 134 WITH PRESSURE/VACUUM VALVE N-3386-72-0 9,853 Gallons 3020-05 B 1 93.00 93.00 Α 9.853 GALLON STEEL WINE STORAGE TANK 135 WITH PRESSURE/VACUUM VALVE N-3386-73-0 9.850 Gallons 3020-05 B 1 93.00 93.00 Α 9,850 GALLON STEEL WINE STORAGE TANK 136 WITH PRESSURE/VACUUM VALVE N-3386-74-0 9,859 Gallons 3020-05 B 93.00 93.00 9,859 GALLON STEEL WINE STORAGE TANK 137 WITH 1 А PRESSURE/VACUUM VALVE N-3386-75-0 9,857 Gallons 3020-05 B 93.00 9.857 GALLON STEEL WINE STORAGE TANK 138 WITH 1 93.00 Α PRESSURE/VACUUM VALVE N-3386-76-0 9,858 Gallons 3020-05 B 1 93.00 93.00 А 9.858 GALLON STEEL WINE STORAGE TANK 139 WITH PRESSURE/VACUUM VALVE N-3386-77-0 10.206 Gallons 3020-05 B 1 93.00 93.00 А 10,206 GALLON STEEL WINE STORAGE TANK 198 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

	Sorted by Facility Name and Permit Number										
PERMIT NUMBER			QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION				
N-3386-78-0	FEE DESCRIPTION 19,395 Gallons	FEE RULE 3020-05 B	1	93.00	93.00	A	19,395 GALLON STEEL WINE STORAGE TANK 201 WITH PRESSURE/VACUUM VALVE				
N-3386-79-0	19,386 Gallons	3020-05 B	1	93.00	93.00	Α	19,386 GALLON STEEL WINE STORAGE TANK 202 WITH PRESSURE/VACUUM VALVE				
N-3386-80-0	19,399 Gallons	3020-05 B	1	93.00	93.00	Α	19,399 GALLON STEEL WINE STORAGE TANK 203 WITH PRESSURE/VACUUM VALVE				
N-3386-81-0	19,384 Gallons	3020-05 B	1	93.00	93.00	Α	19,384 GALLON STEEL WINE STORAGE TANK 204 WITH PRESSURE/VACUUM VALVE				
N-3386-82-0	19,367 Gallons	3020-05 B	1	93.00	93.00	Α	19,367 GALLON STEEL WINE STORAGE TANK 205 WITH PRESSURE/VACUUM VALVE				
N-3386-83-0	19,412 Gallons	3020-05 B	1	93.00	93.00	Α	19,412 GALLON STEEL WINE STORAGE TANK 206 WITH PRESSURE/VACUUM VALVE				
N-3386-84-0	19,423 Gallons	3020-05 B	1	93.00	93.00	A	19,423 GALLON STEEL WINE STORAGE TANK 207 WITH PRESSURE/VACUUM VALVE				
N-3386-85-0	19,444 Gallons	3020-05 B	1	93.00	93.00	Α	19,444 GALLON STEEL WINE STORAGE TANK 208 WITH PRESSURE/VACUUM VALVE				
N-3386-86-0	19,392 Gallons	3020-05 B	1	93.00	93.00	Α	19,392 GALLON STEEL WINE STORAGE TANK 209 WITH PRESSURE/VACUUM VALVE				
N-3386-87-0	19,376 Gallons	3020-05 B	1	93.00	93.00	Α	19,376 GALLON STEEL WINE STORAGE TANK 210 WITH PRESSURE/VACUUM VALVE				
N-3386-88-0	19,427 Gallons	3020-05 B	1	93.00	93.00	A	19,427 GALLON STEEL WINE STORAGE TANK 211 WITH PRESSURE/VACUUM VALVE				
N-3386-89-0	19,358 Gallons	3020-05 B	1	93.00	93.00	A	19,358 GALLON STEEL WINE STORAGE TANK 212 WITH PRESSURE/VACUUM VALVE				
N-3386-90-0	19,311 Gallons	3020-05 B	1	93.00	93.00	Α	19,311 GALLON STEEL WINE STORAGE TANK 213 WITH PRESSURE/VACUUM VALVE				
N-3386-91-0	19,435 Gallons	3020-05 B	1	93.00	93.00	A	19,435 GALLON STEEL WINE STORAGE TANK 214 WITH PRESSURE/VACUUM VALVE				
N-3386-92-0	19,354 Gallons	3020-05 B	1	93.00	93.00	A	19,354 GALLON STEEL WINE STORAGE TANK 215 WITH PRESSURE/VACUUM VALVE				
N-3386-93-0	19,359 Gallons	3020-05 B	1	93.00	93.00	A	19,359 GALLON STEEL ENCLOSED TOP WINE FERMENTATION AND STORAGE TANK 216 WITH PRESSURE/VACUUM VALVE				
N-3386-94-0	19,366 Gallons	3020-05 B	1	93.00	93.00	A	19,366 GALLON STEEL WINE STORAGE TANK 217 WITH PRESSURE/VACUUM VALVE				
N-3386-95-0	19,389 Gallons	3020-05 B	1	93.00	93.00	А	19,389 GALLON STEEL WINE STORAGE TANK 218 WITH PRESSURE/VACUUM VALVE				

Detailed Facility Report SJVUAPCD 7/21/10 NORTHERN For Facility=3386 and excluding Deleted Permits 5:13 pm Sorted by Facility Name and Permit Number PERMIT PERMIT FEE FEE NUMBER FEE DESCRIPTION FEE RULE QTY AMOUNT TOTAL STATUS EQUIPMENT DESCRIPTION N-3386-96-0 19,609 Gallons 3020-05 B 1 93.00 93.00 Α 19.609 GALLON STEEL WINE STORAGE TANK 219 WITH PRESSURE/VACUUM VALVE 19,491 GALLON STEEL WINE STORAGE TANK 220 WITH N-3386-97-0 19,491 Gallons 3020-05 B 1 93.00 93.00 Α PRESSURE/VACUUM VALVE N-3386-98-0 52,295 Gallons 3020-05 D 1 185.00 185.00 А 52,295 GALLON STEEL WINE STORAGE TANK 501 WITH PRESSURE/VACUUM VALVE N-3386-99-0 52,266 Gallons 3020-05 D 1 185.00 185.00 А 52,266 GALLON STEEL WINE STORAGE TANK 502 WITH PRESSURE/VACUUM VALVE N-3386-100-0 52.302 Gallons 3020-05 D 1 52,302 GALLON STEEL WINE STORAGE TANK 503 WITH 185.00 185.00 А PRESSURE/VACUUM VALVE N-3386-101-0 52,278 Gallons 3020-05 D 1 185.00 185.00 А 52.278 GALLON STEEL WINE STORAGE TANK 504 WITH PRESSURE/VACUUM VALVE N-3386-102-0 1 52,264 Gallons 3020-05 D 185.00 185.00 52,264 GALLON STEEL WINE STORAGE TANK 505 WITH А PRESSURE/VACUUM VALVE N-3386-103-0 52.311 Gallons 3020-05 D 1 52,311 GALLON STEEL WINE STORAGE TANK 506 WITH 185.00 185.00 Α PRESSURE/VACUUM VALVE N-3386-104-0 52,289 Gallons 3020-05 D 1 185.00 185.00 Α 52,289 GALLON STEEL WINE STORAGE TANK 507 WITH PRESSURE/VACUUM VALVE N-3386-105-0 52,279 Gallons 3020-05 D 1 185.00 185.00 А 52,279 GALLON STEEL WINE STORAGE TANK 508 WITH PRESSURE/VACUUM VALVE N-3386-106-0 52,359 Gallons 3020-05 D 1 185.00 185.00 52,359 GALLON STEEL WINE STORAGE TANK 509 WITH А PRESSURE/VACUUM VALVE N-3386-107-0 52,250 Gallons 3020-05 D 1 185.00 52,250 GALLON STEEL WINE STORAGE TANK 510 WITH 185.00 Α PRESSURE/VACUUM VALVE N-3386-108-0 52,186 Gallons 3020-05 D 1 52,186 GALLON STEEL WINE STORAGE TANK 511 WITH 185.00 185.00 Α PRESSURE/VACUUM VALVE N-3386-109-0 52,228 Gallons 3020-05 D 1 185.00 185.00 А 52,228 GALLON STEEL WINE STORAGE TANK 512 WITH PRESSURE/VACUUM VALVE N-3386-110-0 52,252 Gallons 3020-05 D 1 185.00 185.00 Α 52,252 GALLON STEEL WINE STORAGE TANK 513 WITH PRESSURE/VACUUM VALVE N-3386-111-0 52,260 Gallons 3020-05 D 185.00 1 185.00 Α 52,260 GALLON STEEL WINE STORAGE TANK 514 WITH PRESSURE/VACUUM VALVE 185.00 52,237 GALLON STEEL WINE STORAGE TANK 515 WITH N-3386-112-0 52,237 Gallons 3020-05 D 1 185.00 Α PRESSURE/VACUUM VALVE N-3386-113-0 52,227 Gallons 3020-05 D 52,227 GALLON STEEL WINE STORAGE TANK 516 WITH 1 185.00 185.00 Α

6

PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

PERMIT		-		FEE	FEE	PERMIT	
NUMBER	FEE DESCRIPTION	FEE RULE	QTY		TOTAL	STATUS	EQUIPMENT DESCRIPTION
N-3386-114-0	52,283 Gallons	3020-05 D	1	185.00	185.00	А	52,283 GALLON STEEL WINE STORAGE TANK 517 WITH PRESSURE/VACUUM VALVE
N-3386-115-0	52,257 Gallons	3020-05 D	1	185.00	185.00	A	52,257 GALLON STEEL WINE STORAGE TANK 518 WITH PRESSURE/VACUUM VALVE
N-3386-116-0	52,123 Gallons	3020-05 D	1	185.00	185.00	Α	52,123 GALLON STEEL WINE STORAGE TANK 519 WITH PRESSURE/VACUUM VALVE
N-3386-117-0	53,030 Gallons	3020-05 D	1	185.00	185.00	A	53,030 GALLON STEEL WINE STORAGE TANK 520 WITH PRESSURE/VACUUM VALVE
N-3386-118-0	54,450 Gallons	3020-05 D	1	185.00	185.00	Α	54,450 GALLON STEEL WINE STORAGE TANK 528 WITH PRESSURE/VACUUM VALVE
N-3386-119-0	54,302 Gallons	3020-05 D	1	185.00	185.00	A	54,302 GALLON STEEL WINE STORAGE TANK 529 WITH PRESSURE/VACUUM VALVE
N-3386-120-0	54,316 Gallons	3020-05 D	1	185.00	185.00	Α	54,316 GALLON STEEL WINE STORAGE TANK 530 WITH PRESSURE/VACUUM VALVE
N-3386-121-0	54,280 Gallons	3020-05 D	1	185.00	185.00	Α	54,280 GALLON STEEL WINE STORAGE TANK 531 WITH PRESSURE/VACUUM VALVE
N-3386-122-0	54,277 Gallons	3020-05 D	1	185.00	185.00	Α	54,277 GALLON STEEL WINE STORAGE TANK 532 WITH PRESSURE/VACUUM VALVE
N-3386-123-0	54,290 Gallons	3020-05 D	1	185.00	185.00	Α	54,290 GALLON STEEL WINE STORAGE TANK 533 WITH PRESSURE/VACUUM VALVE
N-3386-124-0	54,365 Gallons	3020-05 D	1	185.00	185.00	Α	54,365 GALLON STEEL WINE STORAGE TANK 534 WITH PRESSURE/VACUUM VALVE
N-3386-125-0	54,236 Gallons	3020-05 D	1	185.00	185.00	Α	54,236 GALLON STEEL WINE STORAGE TANK 535 WITH PRESSURE/VACUUM VALVE
N-3386-126-0	54,223 Gallons	3020-05 D	1	185.00	185.00	А	54,223 GALLON STEEL WINE STORAGE TANK 536 WITH PRESSURE/VACUUM VALVE
N-3386-127-0	54,287 Gallons	3020-05 D	1	185.00	185.00	А	54,287 GALLON STEEL WINE STORAGE TANK 537 WITH PRESSURE/VACUUM VALVE
N-3386-128-0	54,228 Gallons	3020-05 D	1	185.00	185.00	А	54,228 GALLON STEEL WINE STORAGE TANK 538 WITH PRESSURE/VACUUM VALVE
N-3386-129-0	54,435 Gallons	3020-05 D	1	185.00	185.00	Α	54,435 GALLON STEEL WINE STORAGE TANK 539 WITH PRESSURE/VACUUM VALVE
N-3386-130-0	54,267 Gallons	3020-05 D	1	185.00	185.00	А	54,267 GALLON STEEL WINE STORAGE TANK 540 WITH PRESSURE/VACUUM VALVE
N-3386-131-0	54,283 Gallons	3020-05 D	1	185.00	185.00	A	54,283 GALLON STEEL WINE STORAGE TANK 541 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

	Sorted by Facility Name and Permit Number								
PERMIT				FEE	FEE	PERMIT			
NUMBER	FEE DESCRIPTION	FEE RULE	QTY	AMOUNT	TOTAL	STATUS	EQUIPMENT DESCRIPTION		
N-3386-132-0	54,375 Gallons	3020-05 D	1	185.00	185.00	Α	54,375 GALLON STEEL WINE STORAGE TANK 542 WITH PRESSURE/VACUUM VALVE		
N-3386-133-0	54,274 Gallons	3020-05 D	1	185.00	185.00	Α	54,274 GALLON STEEL WINE STORAGE TANK 543 WITH PRESSURE/VACUUM VALVE		
N-3386-134-0	54,255 Gallons	3020-05 D	1	185.00	185.00	Α	54,255 GALLON STEEL WINE STORAGE TANK 544 WITH PRESSURE/VACUUM VALVE		
N-3386-135-0	54,251 Gallons	3020-05 D	1	185.00	185.00	Α	54,251 GALLON STEEL WINE STORAGE TANK 545 WITH PRESSURE/VACUUM VALVE		
N-3386-136-0	54,320 Gallons	3020-05 D	1	185.00	185.00	Α	54,320 GALLON STEEL WINE STORAGE TANK 547 WITH PRESSURE/VACUUM VALVE		
N-3386-137-0	54,355 Gallons	3020-05 D	1	185.00	185.00	Α	54,355 GALLON STEEL WINE STORAGE TANK 548 WITH PRESSURE/VACUUM VALVE		
N-3386-138-0	54,359 Gallons	3020-05 D	1	185.00	185.00	Α	54,359 GALLON STEEL WINE STORAGE TANK 549 WITH PRESSURE/VACUUM VALVE		
N-3386-139-0	55,255 Gallons	3020-05 D	1	185.00	185.00	A	55,255 GALLON STEEL WINE STORAGE TANK 551 WITH PRESSURE/VACUUM VALVE		
N-3386-140-0	53,906 Gallons	3020-05 D	1	185.00	185.00	Α	53,906 GALLON STEEL WINE STORAGE TANK 552 WITH PRESSURE/VACUUM VALVE		
N-3386-141-0	54,416 Gallons	3020-05 D	1	185.00	185.00	Α	54,416 GALLON STEEL WINE STORAGE TANK 553 WITH PRESSURE/VACUUM VALVE		
N-3386-142-0	54,321 Gallons	3020-05 D	1	185.00	185.00	Α	54,321 GALLON STEEL WINE STORAGE TANK 554 WITH PRESSURE/VACUUM VALVE		
N-3386-143-0	54,440 Gallons	3020-05 D	1	185.00	185.00	А	54,440 GALLON STEEL WINE STORAGE TANK 555 WITH PRESSURE/VACUUM VALVE		
N-3386-144-0	54,434 Gallons	3020-05 D	1	185.00	185.00	A	54,434 GALLON STEEL WINE STORAGE TANK 556 WITH PRESSURE/VACUUM VALVE		
N-3386-145-0	57,581 Gallons	3020-05 D	1	185.00	185.00	Α	57,581 GALLON STEEL WINE STORAGE TANK 557 WITH PRESSURE/VACUUM VALVE		
N-3386-146-0	54,533 Gallons	3020-05 D	1	185.00	185.00	Α	54,533 GALLON STEEL WINE STORAGE TANK 558 WITH PRESSURE/VACUUM VALVE		
N-3386-147-0	54,494 Gallons	3020-05 D	1	185.00	185.00	Α	54,494 GALLON STEEL WINE STORAGE TANK 559 WITH PRESSURE/VACUUM VALVE		
N-3386-148-0	54,338 Gallons	3020-05 D	1	185.00	185.00	Α	54,338 GALLON STEEL WINE STORAGE TANK 560 WITH PRESSURE/VACUUM VALVE		
N-3386-149-0	54,333 Gallons	3020-05 D	1	185.00	185.00	Α	54,333 GALLON STEEL WINE STORAGE TANK 561 WITH PRESSURE/VACUUM VALVE		

7/21/10

5:13 pm

	Sorted by Facility Name and Permit Number									
PERMIT				FEE	FEE	PERMIT				
NUMBER	FEE DESCRIPTION	FEE RULE	QTY	AMOUNT	TOTAL	STATUS	EQUIPMENT DESCRIPTION			
N-3386-150-0	54,514 Gallons	3020-05 D	1	185.00	185.00	Α	54,514 GALLON STEEL WINE STORAGE TANK 562 WITH PRESSURE/VACUUM VALVE			
N-3386-151-0	54,418 Gallons	3020-05 D	1	185.00	185.00	А	54,418 GALLON STEEL WINE STORAGE TANK 563 WITH PRESSURE/VACUUM VALVE			
N-3386-152-0	54,179 Gallons	3020-05 D	1	185.00	185.00	A	54,179 GALLON STEEL WINE STORAGE TANK 564 WITH PRESSURE/VACUUM VALVE			
N-3386-153-0	54,258 Gallons	3020-05 D	1	185.00	185.00	Α	54,258 GALLON STEEL WINE STORAGE TANK 565 WITH PRESSURE/VACUUM VALVE			
N-3386-154-0	47,987 Gallons	3020-05 C	1	135.00	135.00	Α	47,987 GALLON STEEL WINE STORAGE TANK 566 WITH PRESSURE/VACUUM VALVE			
N-3386-155-0	57,606 Gallons	3020-05 D	1	185.00	185.00	Α	57,606 GALLON STEEL WINE STORAGE TANK 567 WITH PRESSURE/VACUUM VALVE			
N-3386-156-0	58,694 Gallons	3020-05 D	1	185.00	185.00	A	58,694 GALLON STEEL WINE STORAGE TANK 568 WITH PRESSURE/VACUUM VALVE			
N-3386-157-0	54,470 Gallons	3020-05 D	1	185.00	185.00	Α	54,470 GALLON STEEL WINE STORAGE TANK 589 WITH PRESSURE/VACUUM VALVE			
N-3386-158-0	54,358 Gallons	3020-05 D	1	185.00	185.00	A	54,358 GALLON STEEL WINE STORAGE TANK 590 WITH PRESSURE/VACUUM VALVE			
N-3386-159-0	54,501 Gallons	3020-05 D	1	185.00	185.00	A	54,501 GALLON STEEL WINE STORAGE TANK 591 WITH PRESSURE/VACUUM VALVE			
N-3386-160-0	54,015 Gallons	3020-05 D	1	185.00	185.00	A	54,015 GALLON STEEL WINE STORAGE TANK 592 WITH PRESSURE/VACUUM VALVE			
N-3386-161-0	54,384 Gallons	3020-05 D	1	185.00	185.00	Α	54,384 GALLON STEEL WINE STORAGE TANK 593 WITH PRESSURE/VACUUM VALVE			
N-3386-162-0	54,296 Gallons	3020-05 D	1	185.00	185.00	Α	54,296 GALLON STEEL WINE STORAGE TANK 594 WITH PRESSURE/VACUUM VALVE			
N-3386-163-0	54,201 Gallons	3020-05 D	1	185.00	185.00	А	54,201 GALLON STEEL WINE STORAGE TANK 595 WITH PRESSURE/VACUUM VALVE			
N-3386-164-0	54,303 Gallons	3020-05 D	1	185.00	185.00	A	54,303 GALLON STEEL WINE STORAGE TANK 596 WITH PRESSURE/VACUUM VALVE			
N-3386-165-0	54,440 Gallons	3020-05 D	1	185.00	185.00	Α	54,440 GALLON STEEL WINE STORAGE TANK 597 WITH PRESSURE/VACUUM VALVE			
N-3386-166-0	54,435 Gallons	3020-05 D	1	185.00	185.00	А	54,435 GALLON STEEL WINE STORAGE TANK 598 WITH PRESSURE/VACUUM VALVE			
N-3386-167-0	54,414 Gallons	3020-05 D	1	185.00	185.00	А	54,414 GALLON STEEL WINE STORAGE TANK 599 WITH PRESSURE/VACUUM VALVE			

7/21/10

5:13 pm

		50	intea by	Facility Nam			Der
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-3386-168-0	106,714 Gallons	3020-05 E	1	246.00	246.00	A	106,714 GALLON STEEL WINE STORAGE TANK 1007 WITH PRESSURE/VACUUM VALVE
N-3386-169-0	106,623 Gallons	3020-05 E	1	246.00	246.00	A	106,623 GALLON STEEL WINE STORAGE TANK 1008 WITH PRESSURE/VACUUM VALVE
N-3386-170-0	106,777 Gallons	3020-05 E	1	246.00	246.00	Α	106,777 GALLON STEEL WINE STORAGE TANK 1009 WITH PRESSURE/VACUUM VALVE
N-3386-171-0	106,698 Gallons	3020-05 E	1	246.00	246.00	Α	106,698 GALLON STEEL WINE STORAGE TANK 1010 WITH PRESSURE/VACUUM VALVE
N-3386-172-0	106,706 Gallons	3020-05 E	1	246.00	246.00	Α	106,706 GALLON STEEL WINE STORAGE TANK 1011 WITH PRESSURE/VACUUM VALVE
N-3386-173-0	106,761 Gallons	3020-05 E	1	246.00	246.00	A	106,761 GALLON STEEL WINE STORAGE TANK 1012 WITH PRESSURE/VACUUM VALVE
N-3386-174-0	106,697 Gallons	3020-05 E	1	246.00	246.00	Α	106,697 GALLON STEEL WINE STORAGE TANK 1013 WITH PRESSURE/VACUUM VALVE
N-3386-175-0	106,667 Gallons	3020-05 E	1	246.00	246.00	Α	106,667 GALLON STEEL WINE STORAGE TANK 1014 WITH PRESSURE/VACUUM VALVE
N-3386-176-0	104,638 Gallons	3020-05 E	1	246.00	246.00	Α	104,638 GALLON STEEL WINE STORAGE TANK 1015 WITH PRESSURE/VACUUM VALVE
N-3386-177-0	104,535 Gallons	3020-05 E	1	246.00	246.00	Α	104,535 GALLON STEEL WINE STORAGE TANK 1016 WITH PRESSURE/VACUUM VALVE
N-3386-178-0	105,276 Gallons	3020-05 E	1	246.00	246.00	Α	105,276 GALLON STEEL WINE STORAGE TANK 1017 WITH PRESSURE/VACUUM VALVE
N-3386-179-0	105,111 Gallons	3020-05 E	1	246.00	246.00	Α	105,111 GALLON STEEL WINE STORAGE TANK 1018 WITH PRESSURE/VACUUM VALVE
N-3386-180-0	104,613 Gallons	3020-05 E	1	246.00	246.00	Α	104,613 GALLON STEEL WINE STORAGE TANK 1019 WITH PRESSURE/VACUUM VALVE
N-3386-181-0	104,513 Gallons	3020-05 E	1	246.00	246.00	A	104,513 GALLON STEEL WINE STORAGE TANK 1020 WITH PRESSURE/VACUUM VALVE
N-3386-182-0	104,531 Gallons	3020-05 E	1	246.00	246.00	Α	104,531 GALLON STEEL WINE STORAGE TANK 1021 WITH PRESSURE/VACUUM VALVE
N-3386-183-0	101,505 Gallons	3020-05 E	1	246.00	246.00	Α	101,505 GALLON STEEL WINE STORAGE TANK 1022 WITH PRESSURE/VACUUM VALVE
N-3386-184-0	101,952 Gallons	3020-05 E	1	246.00	246.00	Α	101,952 GALLON STEEL WINE STORAGE TANK 1023 WITH PRESSURE/VACUUM VALVE
N-3386-185-0	101,557 Gallons	3020-05 E	1	246.00	246.00	Α	101,557 GALLON STEEL WINE STORAGE TANK 1024 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

DEDINT			neu by				
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	
N-3386-186-0	100,227 Gallons	3020-05 E	1	246.00	246.00	A	100,227 GALLON STEEL WINE STORAGE TANK 1025 WITH PRESSURE/VACUUM VALVE
N-3386-187-0	101,953 Gallons	3020-05 E	1	246.00	246.00	Α	101,953 GALLON STEEL WINE STORAGE TANK 1026 WITH PRESSURE/VACUUM VALVE
N-3386-188-0	100,811 Gallons	3020-05 E	1	246.00	246.00	A	100,811 GALLON STEEL WINE STORAGE TANK 1027 WITH PRESSURE/VACUUM VALVE
N-3386-189-0	103,029 Gallons	3020-05 E	1	246.00	246.00	Α	103,029 GALLON STEEL WINE STORAGE TANK 1031 WITH PRESSURE/VACUUM VALVE
N-3386-190-0	102,945 Gallons	3020-05 E	1	246.00	246.00	Α	102,945 GALLON STEEL WINE STORAGE TANK 1032 WITH PRESSURE/VACUUM VALVE
N-3386-191-0	103,027 Gallons	3020-05 E	1	246.00	246.00	A	103,027 GALLON STEEL WINE STORAGE TANK 1033 WITH PRESSURE/VACUUM VALVE
N-3386-192-0	103,236 Gallons	3020-05 E	1	246.00	246.00	А	103,236 GALLON STEEL WINE STORAGE TANK 1034 WITH PRESSURE/VACUUM VALVE
N-3386-193-0	103,080 Gallons	3020-05 E	1	246.00	246.00	А	103,080 GALLON STEEL WINE STORAGE TANK 1035 WITH PRESSURE/VACUUM VALVE
N-3386-194-0	103,110 Gallons	3020-05 E	1	246.00	246.00	Α	103,110 GALLON STEEL WINE STORAGE TANK 1036 WITH PRESSURE/VACUUM VALVE
N-3386-195-0	103,078 Gallons	3020-05 E	1	246.00	246.00	А	103,078 GALLON STEEL WINE STORAGE TANK 1037 WITH PRESSURE/VACUUM VALVE
N-3386-196-0	103,129 Gallons	3020-05 E	1	246.00	246.00	Α	103,129 GALLON STEEL WINE STORAGE TANK 1038 WITH PRESSURE/VACUUM VALVE
N-3386-197-0	102,993 Gallons	3020-05 E	1	246.00	246.00	Α	102,993 GALLON STEEL WINE STORAGE TANK 1039 WITH PRESSURE/VACUUM VALVE
N-3386-198-0	103,073 Gallons	3020-05 E	1	246.00	246.00	Α	103,073 GALLON STEEL WINE STORAGE TANK 1040 WITH PRESSURE/VACUUM VALVE
N-3386-199-0	103,078 Gallons	3020-05 E	1	246.00	246.00	Α .	103,078 GALLON STEEL WINE STORAGE TANK 1041 WITH PRESSURE/VACUUM VALVE
N-3386-200-0	103,100 Gallons	3020-05 E	1	246.00	246.00	А	103,100 GALLON STEEL WINE STORAGE TANK 1042 WITH PRESSURE/VACUUM VALVE
N-3386-201-0	103,236 Gallons	3020-05 E	1	246.00	246.00	А	103,236 GALLON STEEL WINE STORAGE TANK 1043 WITH PRESSURE/VACUUM VALVE
N-3386-202-0	103,020 Gallons	3020-05 E	1	246.00	246.00	А	103,020 GALLON STEEL WINE STORAGE TANK 1044 WITH PRESSURE/VACUUM VALVE
N-3386-203-0	103,078 Gallons	3020-05 E	1	246.00	246.00	А	103,078 GALLON STEEL WINE STORAGE TANK 1045 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

Detailed Facility Report For Facility=3386 and excluding Deleted Permits Sorted by Facility Name and Permit Number

	Sorted by Facility Name and Permit Number									
PERMIT				FEE	FEE	PERMIT				
NUMBER	FEE DESCRIPTION	FEE RULE	QTY	AMOUNT	TOTAL	STATUS				
N-3386-204-0	102,972 Gallons	3020-05 E	1	246.00	246.00	Α	102,972 GALLON STEEL WINE STORAGE TANK 1046 WITH PRESSURE/VACUUM VALVE			
N-3386-205-0	103,059 Gallons	3020-05 E	1	246.00	246.00	A	103,059 GALLON STEEL WINE STORAGE TANK 1047 WITH PRESSURE/VACUUM VALVE			
N-3386-206-0	103,019 Gallons	3020-05 E	1	246.00	246.00	Α	103,019 GALLON STEEL WINE STORAGE TANK 1048 WITH PRESSURE/VACUUM VALVE			
N-3386-207-0	103,005 Gallons	3020-05 E	1	246.00	246.00	Α	103,005 GALLON STEEL WINE STORAGE TANK 1049 WITH PRESSURE/VACUUM VALVE			
N-3386-208-0	103,004 Gallons	3020-05 E	1	246.00	246.00	Α	103,004 GALLON STEEL WINE STORAGE TANK 1050 WITH PRESSURE/VACUUM VALVE			
N-3386-209-0	102,753 Gallons	3020-05 E	1	246.00	246.00	A	102,753 GALLON STEEL WINE STORAGE TANK 1051 WITH PRESSURE/VACUUM VALVE			
N-3386-210-0	102,558 Gallons	3020-05 E	1	246.00	246.00	Α	102,558 GALLON STEEL WINE STORAGE TANK 1052 WITH PRESSURE/VACUUM VALVE			
N-3386-211-0	102,722 Gallons	3020-05 E	1	246.00	246.00	Α	102,722 GALLON STEEL WINE STORAGE TANK 1053 WITH PRESSURE/VACUUM VALVE			
N-3386-212-0	102,663 Gallons	3020-05 E	1	246.00	246.00	A	102,663 GALLON STEEL WINE STORAGE TANK 1054 WITH PRESSURE/VACUUM VALVE			
N-3386-213-0	102,748 Gallons	3020-05 E	1	246.00	246.00	Α	102,748 GALLON STEEL WINE STORAGE TANK 1055 WITH PRESSURE/VACUUM VALVE			
N-3386-214-0	102,704 Gallons	3020-05 E	1	246.00	246.00	Α	102,704 GALLON STEEL WINE STORAGE TANK 1056 WITH PRESSURE/VACUUM VALVE			
N-3386-215-0	102,827 Gallons	3020-05 E	1	246.00	246.00	Α	102,827 GALLON STEEL WINE STORAGE TANK 1075 WITH PRESSURE/VACUUM VALVE			
N-3386-216-0	103,109 Gallons	3020-05 E	1	246.00	246.00	Α	103,109 GALLON STEEL WINE STORAGE TANK 1076 WITH PRESSURE/VACUUM VALVE			
N-3386-217-0	102,937 Gallons	3020-05 E	1	246.00	246.00	Α	102,937 GALLON STEEL WINE STORAGE TANK 1077 WITH PRESSURE/VACUUM VALVE			
N-3386-218-0	102,929 Gallons	3020-05 E	_ 1	246.00	246.00	Α	102,929 GALLON STEEL WINE STORAGE TANK 1078 WITH PRESSURE/VACUUM VALVE			
N-3386-219-0	103,086 Gallons	3020-05 E	1	246.00	246.00	Α	103,086 GALLON STEEL WINE STORAGE TANK 1081 WITH PRESSURE/VACUUM VALVE			
N-3386-220-0	102,871 Gallons	3020-05 E	1	246.00	246.00	Α	102,871 GALLON STEEL WINE STORAGE TANK 1082 WITH PRESSURE/VACUUM VALVE			
N-3386-221-0	102,981 Gallons	3020-05 E	1	246.00	246.00	Α	102,981 GALLON STEEL WINE STORAGE TANK 1083 WITH PRESSURE/VACUUM VALVE			

•

7/21/10

5:13 pm

BEDNUT		50	onea by	Facility Nam			Der
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-3386-222-0	102,831 Gallons	3020-05 E	1	246.00	246.00	А	102,831 GALLON STEEL WINE STORAGE TANK 1084 WITH PRESSURE/VACUUM VALVE
N-3386-223-0	102,549 Gallons	3020-05 E	1	246.00	246.00	Α	102,549 GALLON STEEL WINE STORAGE TANK 1085 WITH PRESSURE/VACUUM VALVE
N-3386-224-0	103,252 Gallons	3020-05 E	1	246.00	246.00	Α	103,252 GALLON STEEL WINE STORAGE TANK 1086 WITH PRESSURE/VACUUM VALVE
N-3386-225-0	102,708 Gallons	3020-05 E	1	246.00	246.00	Α	102,708 GALLON STEEL WINE STORAGE TANK 1087 WITH PRESSURE/VACUUM VALVE
N-3386-226-0	102,859 Gallons	3020-05 E	1	246.00	246.00	Α	102,859 GALLON STEEL WINE STORAGE TANK 1088 WITH PRESSURE/VACUUM VALVE
N-3386-227-0	102,725 Gallons	3020-05 E	1	246.00	246.00	Α	102,725 GALLON STEEL WINE STORAGE TANK 1089 WITH PRESSURE/VACUUM VALVE
N-3386-228-0	102,856 Gallons	3020-05 E	1	246.00	246.00	А	102,856 GALLON STEEL WINE STORAGE TANK 1090 WITH PRESSURE/VACUUM VALVE
N-3386-229-0	103,001 Gallons	3020-05 E	1	246.00	246.00	A	103,001 GALLON STEEL WINE STORAGE TANK 1091 WITH PRESSURE/VACUUM VALVE
N-3386-230-0	101,988 Gallons	3020-05 E	1	246.00	246.00	Α	101,988 GALLON STEEL WINE STORAGE TANK 1092 WITH PRESSURE/VACUUM VALVE
N-3386-231-0	102,904 Gallons	3020-05 E	1	246.00	246.00	Α	102,904 GALLON STEEL WINE STORAGE TANK 1093 WITH PRESSURE/VACUUM VALVE
N-3386-232-0	209,524 Gallons	3020-05 E	1	246.00	246.00	A	209,524 GALLON STEEL WINE STORAGE TANK 2006 WITH PRESSURE/VACUUM VALVE
N-3386-233-0	208,075 Gallons	3020-05 E	1	246.00	246.00	А	208,075 GALLON STEEL WINE STORAGE TANK 2007 WITH PRESSURE/VACUUM VALVE
N-3386-234-0	209,055 Gallons	3020-05 E	1	246.00	246.00	А	209,055 GALLON STEEL WINE STORAGE TANK 2008 WITH PRESSURE/VACUUM VALVE
N-3386-235-0	209,297 Gallons	3020-05 E	1	246.00	246.00	A	209,297 GALLON STEEL WINE STORAGE TANK 2009 WITH PRESSURE/VACUUM VALVE
N-3386-236-0	209,424 Gallons	3020-05 E	1	246.00	246.00	Α	209,424 GALLON STEEL WINE STORAGE TANK 2010 WITH PRESSURE/VACUUM VALVE
N-3386-237-0	195,597 Gallons	3020-05 E	1	246.00	246.00	A	195,597 GALLON STEEL WINE STORAGE TANK 2011 WITH PRESSURE/VACUUM VALVE
N-3386-238-0	196,197 Gallons	3020-05 E	1	246.00	246.00	A	196,197 GALLON STEEL WINE STORAGE TANK 2012 WITH PRESSURE/VACUUM VALVE
N-3386-239-0	195,287 Gallons	3020-05 E	1	246.00	246.00	Α	195,287 GALLON STEEL WINE STORAGE TANK 2013 WITH PRESSURE/VACUUM VALVE

Detailed Facility Report SJVUAPCD NORTHERN For Facility=3386 and excluding Deleted Permits Sorted by Facility Name and Permit Number FEE FEE PERMIT CATY AMOUNT TOTAL STATUS EC FEE PERMIT TOTAL STATUS EQUIPMENT DESCRIPTION PERMIT NUMBER FEE DESCRIPTION FEE RULE

N-3386-240-0	196,616 Gallons	3020-05 E	1	246.00	246.00	Α	196,616 GALLON STEEL WINE STORAGE TANK 2014 WITH PRESSURE/VACUUM VALVE
N-3386-241-0	195,626 Gallons	3020-05 E	1	246.00	246.00	Α	195,626 GALLON STEEL WINE STORAGE TANK 2015 WITH PRESSURE/VACUUM VALVE
N-3386-242-0	195,184 Gallons	3020-05 E	1	246.00	246.00	A	195,184 GALLON STEEL WINE STORAGE TANK 2016 WITH PRESSURE/VACUUM VALVE
N-3386-243-0	217,357 Gallons	3020-05 E	1	246.00	246.00	Α	217,357 GALLON STEEL WINE STORAGE TANK 2021 WITH PRESSURE/VACUUM VALVE
N-3386-244-0	217,288 Gallons	3020-05 E	1	246.00	246.00	Α	217,288 GALLON STEEL WINE STORAGE TANK 2023 WITH PRESSURE/VACUUM VALVE
N-3386-245-0	217,527 Gallons	3020-05 E	1	246.00	246.00	A	217,527 GALLON STEEL WINE STORAGE TANK 2024 WITH PRESSURE/VACUUM VALVE
N-3386-246-0	217,195 Gallons	3020-05 E	1	246.00	246.00	A	217,195 GALLON STEEL WINE STORAGE TANK 2025 WITH PRESSURE/VACUUM VALVE
N-3386-247-0	217,318 Gallons	3020-05 E	1	246.00	246.00	A	217,318 GALLON STEEL WINE STORAGE TANK 2026 WITH PRESSURE/VACUUM VALVE
N-3386-248-0	217,233 Gallons	3020-05 E	1	246.00	246.00	A	217,233 GALLON STEEL WINE STORAGE TANK 2027 WITH PRESSURE/VACUUM VALVE
N-3386-249-0	217,150 Gallons	3020-05 E	1	246.00	246.00	A	217,150 GALLON STEEL WINE STORAGE TANK 2028 WITH PRESSURE/VACUUM VALVE
N-3386-250-0	211,246 Gallons	3020-05 E	1	246.00	246.00	A	211,246 GALLON STEEL WINE STORAGE TANK 2029 WITH PRESSURE/VACUUM VALVE
N-3386-251-0	210,669 Gallons	3020-05 E	1	246.00	246.00	A	210,669 GALLON STEEL WINE STORAGE TANK 2030 WITH PRESSURE/VACUUM VALVE
N-3386-252-0	206,577 Gallons	3020-05 E	1	246.00	246.00	A	206,577 GALLON STEEL WINE STORAGE TANK 2031 WITH PRESSURE/VACUUM VALVE
N-3386-253-0	206,223 Gallons	3020-05 E	1	246.00	246.00	A	206,223 GALLON STEEL WINE STORAGE TANK 2032 WITH PRESSURE/VACUUM VALVE
N-3386-254-0	203,717 Gallons	3020-05 E	1	246.00	246.00	A	203,717 GALLON STEEL WINE STORAGE TANK 2033 WITH PRESSURE/VACUUM VALVE
N-3386-255-0	203,012 Gallons	3020-05 E	1	246.00	246.00	Α.	203,012 GALLON STEEL WINE STORAGE TANK 2034 WITH PRESSURE/VACUUM VALVE
N-3386-256-0	213,038 Gallons	3020-05 E	1	246.00	246.00	A	213,038 GALLON STEEL WINE STORAGE TANK 2035 WITH PRESSURE/VACUUM VALVE
N-3386-257-0	211,045 Gallons	3020-05 E	1	246.00	246.00	Α	211,045 GALLON STEEL WINE STORAGE TANK 2036 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

	Sorted by Facility Name and Permit Number									
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION			
N-3386-258-0	211,938 Gallons	3020-05 E	1	246.00	246.00	A	211,938 GALLON STEEL WINE STORAGE TANK 2037 WITH PRESSURE/VACUUM VALVE			
N-3386-259-0	212,405 Gallons	3020-05 E	1	246.00	246.00	Α	212,405 GALLON STEEL WINE STORAGE TANK 2038 WITH PRESSURE/VACUUM VALVE			
N-3386-260-0	212,689 Gallons	3020-05 E	1	246.00	246.00	А	212,689 GALLON STEEL WINE STORAGE TANK 2050 WITH PRESSURE/VACUUM VALVE			
N-3386-261-0	212,224 Gallons	3020-05 E	1	246.00	246.00	Α	212,224 GALLON STEEL WINE STORAGE TANK 2051 WITH PRESSURE/VACUUM VALVE			
N-3386-262-0	212,274 Gallons	3020-05 E	1	246.00	246.00	Α	212,274 GALLON STEEL WINE STORAGE TANK 2075 WITH PRESSURE/VACUUM VALVE			
N-3386-263-0	211,289 Gallons	3020-05 E	1	246.00	246.00	Α	211,289 GALLON STEEL WINE STORAGE TANK 2076 WITH PRESSURE/VACUUM VALVE			
N-3386-264-0	331,531 Gallons	3020-05 E	1	246.00	246.00	Α	331,531 GALLON STEEL WINE STORAGE TANK 3000 WITH PRESSURE/VACUUM VALVE			
N-3386-265-0	330,882 Gallons	3020-05 E	[°] 1	246.00	246.00	Α	330,882 GALLON STEEL WINE STORAGE TANK 3001 WITH PRESSURE/VACUUM VALVE			
N-3386-266-0	333,256 Gallons	3020-05 E	1	246.00	246.00	Α	333,256 GALLON STEEL WINE STORAGE TANK 3002 WITH PRESSURE/VACUUM VALVE			
N-3386-267-0	332,732 Gallons	3020-05 E	1	246.00	246.00	Α	332,732 GALLON STEEL WINE STORAGE TANK 3003 WITH PRESSURE/VACUUM VALVE			
N-3386-268-0	334,614 Gallons	3020-05 E	1	246.00	246.00	Α	334,614 GALLON STEEL WINE STORAGE TANK 3004 WITH PRESSURE/VACUUM VALVE			
N-3386-269-0	332,570 Gallons	3020-05 E	1	246.00	246.00	Α	332,570 GALLON STEEL WINE STORAGE TANK 3005 WITH PRESSURE/VACUUM VALVE			
N-3386-270-0	331,846 Gallons	3020-05 E	1	246.00	246.00	Α	331,846 GALLON STEEL WINE STORAGE TANK 3006 WITH PRESSURE/VACUUM VALVE			
N-3386-271-0	332,780 Gallons	3020-05 E	1	246.00	246.00	Α	332,780 GALLON STEEL WINE STORAGE TANK 3007 WITH PRESSURE/VACUUM VALVE			
N-3386-272-0	326,505 Gallons	3020-05 E	1	246.00	246.00	Α	326,505 GALLON STEEL WINE STORAGE TANK 3008 WITH PRESSURE/VACUUM VALVE			
N-3386-273-0	324,766 Gallons	3020-05 E	1	246.00	246.00	Α	324,766 GALLON STEEL WINE STORAGE TANK 3009 WITH PRESSURE/VACUUM VALVE			
N-3386-274-0	330,499 Gallons	3020-05 E	1	246.00	246.00	Α	330,499 GALLON STEEL WINE STORAGE TANK 3010 WITH PRESSURE/VACUUM VALVE			
N-3386-275-0	329,834 Gallons	3020-05 E	1	246.00	246.00	Α	329,834 GALLON STEEL WINE STORAGE TANK 3011 WITH PRESSURE/VACUUM VALVE			

7/21/10

5:13 pm

Sorted by Facility Name and Permit Number							Der
PERMIT				FEE	FEE	PERMIT	
NUMBER	FEE DESCRIPTION	FEE RULE	QTY		TOTAL	STATUS	EQUIPMENT DESCRIPTION
N-3386-276-0	331,575 Gallons	3020-05 E	1	246.00	246.00	Α	331,575 GALLON STEEL WINE STORAGE TANK 3012 WITH PRESSURE/VACUUM VALVE
N-3386-277-0	326,509 Gallons	3020-05 E	1	246.00	246.00	Α	326,509 GALLON STEEL WINE STORAGE TANK 3013 WITH PRESSURE/VACUUM VALVE
N-3386-278-0	327,892 Gallons	3020-05 E	1	246.00	246.00	Α	327,892 GALLON STEEL WINE STORAGE TANK 3014 WITH PRESSURE/VACUUM VALVE
N-3386-279-0	327,851 Gallons	3020-05 E	1	246.00	246.00	Α	327,851 GALLON STEEL WINE STORAGE TANK 3015 WITH PRESSURE/VACUUM VALVE
N-3386-280-0	327,442 Gallons	3020-05 E	1	246.00	246.00	А	327,442 GALLON STEEL WINE STORAGE TANK 3016 WITH PRESSURE/VACUUM VALVE
N-3386-281-0	327,094 Gallons	3020-05 E	1	246.00	246.00	А	327,094 GALLON STEEL WINE STORAGE TANK 3017 WITH PRESSURE/VACUUM VALVE
N-3386-282-0	329,572 Gallons	3020-05 E	1	246.00	246.00	Α	329,572 GALLON STEEL WINE STORAGE TANK 3018 WITH PRESSURE/VACUUM VALVE
N-3386-283-0	327,636 Gallons	3020-05 E	1	246.00	246.00	Α	327,636 GALLON STEEL WINE STORAGE TANK 3019 WITH PRESSURE/VACUUM VALVE
N-3386-284-0	327,944 Gallons	3020-05 E	1	246.00	246.00	Α	327,944 GALLON STEEL WINE STORAGE TANK 3020 WITH PRESSURE/VACUUM VALVE
N-3386-285-0	327,260 Gallons	3020-05 E	1	246.00	246.00	А	327,260 GALLON STEEL WINE STORAGE TANK 3025 WITH PRESSURE/VACUUM VALVE
N-3386-286-0	327,301 Gallons	3020-05 E	1	246.00	246.00	Α	327,301 GALLON STEEL WINE STORAGE TANK 3026 WITH PRESSURE/VACUUM VALVE
N-3386-287-0	327,052 Gallons	3020-05 E	1	246.00	246.00	А	327,052 GALLON STEEL WINE STORAGE TANK 3027 WITH PRESSURE/VACUUM VALVE
N-3386-288-0	327,755 Gallons	3020-05 E	1	246.00	246.00	Α	327,755 GALLON STEEL WINE STORAGE TANK 3028 WITH PRESSURE/VACUUM VALVE
N-3386-289-0	330,554 Gallons	. 3020-05 E	1	246.00	246.00	А	330,554 GALLON STEEL WINE STORAGE TANK 3029 WITH PRESSURE/VACUUM VALVE
N-3386-290-0	327,579 Gallons	3020-05 E	1	246.00	246.00	А	327,579 GALLON STEEL WINE STORAGE TANK 3051 WITH PRESSURE/VACUUM VALVE
N-3386-291-0	328,382 Gallons	3020-05 E	1	246.00	246.00	Α	328,382 GALLON STEEL WINE STORAGE TANK 3052 WITH PRESSURE/VACUUM VALVE
N-3386-292-0	331,410 Gallons	3020-05 E	1	246.00	246.00	· A	331,410 GALLON STEEL WINE STORAGE TANK 3053 WITH PRESSURE/VACUUM VALVE
N-3386-293-0	326,814 Gallons	3020-05 E	1	246.00	246.00	Α	326,814 GALLON STEEL WINE STORAGE TANK 3057 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

	Sorted by Facility Name and Permit Number						
PERMIT				FEE	FEE	PERMIT	
NUMBER	FEE DESCRIPTION	FEE RULE	QTY		TOTAL	STATUS	EQUIPMENT DESCRIPTION
N-3386-294-0	328,639 Gallons	3020-05 E	1	246.00	246.00	Α	328,639 GALLON STEEL WINE STORAGE TANK 3058 WITH PRESSURE/VACUUM VALVE
N-3386-295-0	328,424 Gallons	3020-05 E	1	246.00	246.00	Α	328,424 GALLON STEEL WINE STORAGE TANK 3059 WITH PRESSURE/VACUUM VALVE
N-3386-296-0	327,428 Gallons	3020-05 E	1	246.00	246.00	Α	327,428 GALLON STEEL WINE STORAGE TANK 3062 WITH PRESSURE/VACUUM VALVE
N-3386-297-0	327,785 Gallons	3020-05 E	1	246.00	246.00	Α	327,785 GALLON STEEL WINE STORAGE TANK 3063 WITH PRESSURE/VACUUM VALVE
N-3386-298-0	326,855 Gallons	3020-05 E	1	246.00	246.00	Α	326,855 GALLON STEEL WINE STORAGE TANK 3064 WITH PRESSURE/VACUUM VALVE
N-3386-299-0	326,459 Gallons	3020-05 E	1	246.00	246.00	Α	326,459 GALLON STEEL WINE STORAGE TANK 3066 WITH PRESSURE/VACUUM VALVE
N-3386-300-0	328,662 Gallons	3020-05 E	1	246.00	246.00	Α	328,662 GALLON STEEL WINE STORAGE TANK 3067 WITH PRESSURE/VACUUM VALVE
N-3386-301-0	329,465 Gallons	3020-05 E	1	246.00	246.00	A	329,465 GALLON STEEL WINE STORAGE TANK 3068 WITH PRESSURE/VACUUM VALVE
N-3386-302-0	331,156 Gallons	3020-05 E	1	246.00	246.00	Α	331,156 GALLON STEEL WINE STORAGE TANK 3069 WITH PRESSURE/VACUUM VALVE
N-3386-303-0	327,222 Gallons	3020-05 E	1	246.00	246.00	Α	327,222 GALLON STEEL WINE STORAGE TANK 3070 WITH PRESSURE/VACUUM VALVE
N-3386-304-0	327,869 Gallons	3020-05 E	1	246.00	246.00	A	327,869 GALLON STEEL WINE STORAGE TANK 3071 WITH PRESSURE/VACUUM VALVE
N-3386-305-0	331,460 Gallons	3020-05 E	1	246.00	246.00	A	331,460 GALLON STEEL WINE STORAGE TANK 3072 WITH PRESSURE/VACUUM VALVE
N-3386-306-0	328,335 Gallons	3020-05 E	1	246.00	246.00	Α	328,335 GALLON STEEL WINE STORAGE TANK 3073 WITH PRESSURE/VACUUM VALVE
N-3386-307-0	327,126 Gallons	3020-05 E	1	246.00	246.00	Α	327, 126 GALLON STEEL WINE STORAGE TANK 3074 WITH PRESSURE/VACUUM VALVE
N-3386-308-0	330,974 Gallons	3020-05 E	1	246.00	246.00	A	330,974 GALLON STEEL WINE STORAGE TANK 3075 WITH PRESSURE/VACUUM VALVE
N-3386-309-0	331,276 Gallons	3020-05 E	1	246.00	246.00	А	331,276 GALLON STEEL WINE STORAGE TANK 3076 WITH PRESSURE/VACUUM VALVE
N-3386-310-0	331,138 Gallons	3020-05 E	1	246.00	246.00	А	331,138 GALLON STEEL WINE STORAGE TANK 3077 WITH PRESSURE/VACUUM VALVE
N-3386-311-0	327,756 Gallons	3020-05 E	1	246.00	246.00	A	327,756 GALLON STEEL WINE STORAGE TANK 3078 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

Sorted by Facility Name and Permit Number							
PERMIT			<u></u>	FEE	FEE	PERMIT	
NUMBER	FEE DESCRIPTION	FEE RULE	QTY	AMOUNT	TOTAL	STATUS	
N-3386-312-0	327,356 Gallons	3020-05 E	1	246.00	246.00	Α	327,356 GALLON STEEL WINE STORAGE TANK 3081 WITH PRESSURE/VACUUM VALVE
N-3386-313-0	328,081 Gallons	3020-05 E	1	246.00	246.00	А	328,081 GALLON STEEL WINE STORAGE TANK 3082 WITH PRESSURE/VACUUM VALVE
N-3386-314-0	349,601 Gallons	3020-05 E	1	246.00	246.00	Α	349,601 GALLON STEEL WINE STORAGE TANK 3501 WITH PRESSURE/VACUUM VALVE
N-3386-315-0	350,302 Gallons	3020-05 E	1	246.00	246.00	Α	350,302 GALLON STEEL WINE STORAGE TANK 3502 WITH PRESSURE/VACUUM VALVE
N-3386-316-0	350,439 Gallons	3020-05 E	1	246.00	246.00	Α	350,439 GALLON STEEL WINE STORAGE TANK 3503 WITH PRESSURE/VACUUM VALVE
N-3386-317-0	350,185 Gallons	3020-05 E	1	246.00	246.00	Α	350,185 GALLON STEEL WINE STORAGE TANK 3504 WITH PRESSURE/VACUUM VALVE
N-3386-318-0	350,204 Gallons	3020-05 E	1	246.00	246.00	Α	350,204 GALLON STEEL WINE STORAGE TANK 3505 WITH PRESSURE/VACUUM VALVE
N-3386-319-0	350,078 Gallons	3020-05 E	1	246.00	246.00	Α	350,078 GALLON STEEL WINE STORAGE TANK 3506 WITH PRESSURE/VACUUM VALVE
N-3386-320-0	350,379 Gallons	3020-05 E	1	246.00	246.00	Α	350,379 GALLON STEEL WINE STORAGE TANK 3507 WITH PRESSURE/VACUUM VALVE
N-3386-321-0	350,385 Gallons	3020-05 E	1	246.00	246.00	Α	350,385 GALLON STEEL WINE STORAGE TANK 3508 WITH PRESSURE/VACUUM VALVE
N-3386-322-0	349,959 Gallons	3020-05 E	1	246.00	246.00	Α	349,959 GALLON STEEL WINE STORAGE TANK 3509 WITH PRESSURE/VACUUM VALVE
N-3386-323-0	349,710 Gallons	3020-05 E	1	246.00	246.00	Α	349,710 GALLON STEEL WINE STORAGE TANK 3510 WITH PRESSURE/VACUUM VALVE
N-3386-324-0	350,089 Gallons	3020-05 E	1	246.00	246.00	А	350,089 GALLON STEEL WINE STORAGE TANK 3511 WITH PRESSURE/VACUUM VALVE
N-3386-325-0	349,613 Gallons	3020-05 E	1	246.00	246.00	А	349,613 GALLON STEEL WINE STORAGE TANK 3512 WITH PRESSURE/VACUUM VALVE
N-3386-326-0	349,648 Gallons	3020-05 E	1	246.00	246.00	А	349,648 GALLON STEEL WINE STORAGE TANK 3513 WITH PRESSURE/VACUUM VALVE
N-3386-327-0	350,338 Gallons	3020-05 E	1	246.00	246.00	А	350,338 GALLON STEEL WINE STORAGE TANK 3514 WITH PRESSURE/VACUUM VALVE
N-3386-328-0	350,338 Gallons	3020-05 E	1	246.00	246.00	Α	350,338 GALLON STEEL WINE STORAGE TANK 3515 WITH PRESSURE/VACUUM VALVE
N-3386-329-0	349,116 Gallons	3020-05 E	1	246.00	246.00	Α	349,116 GALLON STEEL WINE STORAGE TANK 3516 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

	Sorted by Facility Name and Permit Number							
PERMIT				FEE	FEE	PERMIT		
NUMBER	FEE DESCRIPTION	FEE RULE	ΩΤΥ	AMOUNT	TOTAL	STATUS		
N-3386-330-0	351,269 Gallons	3020-05 E	1	246.00	246.00	Α	351,269 GALLON STEEL WINE STORAGE TANK 3517 WITH PRESSURE/VACUUM VALVE	
N-3386-331-0	350,211 Gallons	3020-05 E	1	246.00	246.00	Α	350,211 GALLON STEEL WINE STORAGE TANK 3518 WITH PRESSURE/VACUUM VALVE	
N-3386-332-0	350,057 Gallons	3020-05 E	1	246.00	246.00	Α	350,057 GALLON STEEL WINE STORAGE TANK 3519 WITH PRESSURE/VACUUM VALVE	
N-3386-333-0	349,881 Gallons	3020-05 E	1	246.00	246.00	Α	349,881 GALLON STEEL WINE STORAGE TANK 3520 WITH PRESSURE/VACUUM VALVE	
N-3386-334-0	349,809 Gallons	3020-05 E	1	246.00	246.00	Α	349,809 GALLON STEEL WINE STORAGE TANK 3521 WITH PRESSURE/VACUUM VALVE	
N-3386-335-0	349,974 Gallons	3020-05 E	1	246.00	246.00	Α	349,974 GALLON STEEL WINE STORAGE TANK 3522 WITH . PRESSURE/VACUUM VALVE	
N-3386-336-0	349,648 Gallons	3020-05 E	1	246.00	246.00	Α	349,648 GALLON STEEL WINE STORAGE TANK 3523 WITH PRESSURE/VACUUM VALVE	
N-3386-337-0	350,307 Gallons	3020-05 E	1	246.00	246.00	Α	350,307 GALLON STEEL WINE STORAGE TANK 3524 WITH PRESSURE/VACUUM VALVE	
N-3386-338-0	350,324 Gallons	3020-05 E	1	246.00	246.00	Α	350,324 GALLON STEEL WINE STORAGE TANK 3525 WITH PRESSURE/VACUUM VALVE	
N-3386-339-0	350,854 Gallons	3020-05 E	1	246.00	246.00	Α	350,854 GALLON STEEL WINE STORAGE TANK 3526 WITH PRESSURE/VACUUM VALVE	
N-3386-340-0	350,252 Gallons	3020-05 E	1	246.00	246.00	Α	350,252 GALLON STEEL WINE STORAGE TANK 3527 WITH PRESSURE/VACUUM VALVE	
N-3386-341-0	349,223 Gallons	3020-05 E	1	246.00	246.00	Α	349,223 GALLON STEEL WINE STORAGE TANK 3528 WITH PRESSURE/VACUUM VALVE	
N-3386-342-0	349,692 Gallons	3020-05 E	1	246.00	246.00	Α	349,692 GALLON STEEL WINE STORAGE TANK 3529 WITH PRESSURE/VACUUM VALVE	
N-3386-343-0	349,224 Gallons	3020-05 E	1	246.00	246.00	А	349,224 GALLON STEEL WINE STORAGE TANK 3530 WITH PRESSURE/VACUUM VALVE	
N-3386-344-0	348,985 Gallons	3020-05 E	1	246.00	246.00	А	348,985 GALLON STEEL WINE STORAGE TANK 3531 WITH PRESSURE/VACUUM VALVE	
N-3386-345-0	350,057 Gallons	3020-05 E	1	246.00	246.00	А	350,057 GALLON STEEL WINE STORAGE TANK 3532 WITH PRESSURE/VACUUM VALVE	
N-3386-346-0	349,790 Gallons	3020-05 E	1	246.00	246.00	А	349,790 GALLON STEEL WINE STORAGE TANK 3533 WITH PRESSURE/VACUUM VALVE	
N-3386-347-0	347,726 Gallons	3020-05 E	1	246.00	246.00	А	347,726 GALLON STEEL WINE STORAGE TANK 3534 WITH PRESSURE/VACUUM VALVE	

7/21/10

5:13 pm

	Sorted by Facility Name and Permit Number							
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION	
N-3386-348-0	349,789 Gallons	3020-05 E	1	246.00	246.00	A	349,789 GALLON STEEL WINE STORAGE TANK 3535 WITH PRESSURE/VACUUM VALVE	
N-3386-349-0	349,320 Gallons	3020-05 E	1	246.00	246.00	Α	349,320 GALLON STEEL WINE STORAGE TANK 3536 WITH PRESSURE/VACUUM VALVE	
N-3386-350-0	349,880 Gallons	3020-05 E	1 .	246.00	246.00	Α	349,880 GALLON STEEL WINE STORAGE TANK 3537 WITH PRESSURE/VACUUM VALVE	
N-3386-351-0	349,167 Gallons	3020-05 E	1	246.00	246.00	Α	349,167 GALLON STEEL WINE STORAGE TANK 3538 WITH PRESSURE/VACUUM VALVE	
N-3386-352-0	349,082 Gallons	3020-05 E	1	246.00	246.00	Α	349,082 GALLON STEEL WINE STORAGE TANK 3539 WITH PRESSURE/VACUUM VALVE	
N-3386-353-0	350,054 Gallons	3020-05 E	1	246.00	246.00	А	350,054 GALLON STEEL WINE STORAGE TANK 3543 WITH PRESSURE/VACUUM VALVE	
N-3386-354-0	350,281 Gallons	3020-05 E	1	246.00	246.00	А	350,281 GALLON STEEL WINE STORAGE TANK 3544 WITH PRESSURE/VACUUM VALVE	
N-3386-355-0	350,531 Gallons	3020-05 E	1	246.00	246.00	Α	350,531 GALLON STEEL WINE STORAGE TANK 3545 WITH PRESSURE/VACUUM VALVE	
N-3386-356-0	303,600 Gallons	, 3020-05 E	1	246.00	246.00	А	303,600 GALLON STEEL WINE STORAGE TANK 3546 WITH PRESSURE/VACUUM VALVE	
N-3386-357-0	348,063 Gallons	3020-05 E	1	246.00	246.00	Α	348,063 GALLON STEEL WINE STORAGE TANK 3547 WITH PRESSURE/VACUUM VALVE	
N-3386-358-0	348,449 Gallons	3020-05 E	1	246.00	246.00	Α	348,449 GALLON STEEL WINE STORAGE TANK 3548 WITH PRESSURE/VACUUM VALVE	
N-3386-359-0	349,971 Gallons	3020-05 E	1	246.00	246.00	A	349,971 GALLON STEEL WINE STORAGE TANK 3549 WITH PRESSURE/VACUUM VALVE	
N-3386-360-0	349,594 Gallons	3020-05 E	1	246.00	246.00	А	349,594 GALLON STEEL WINE STORAGE TANK 3553 WITH PRESSURE/VACUUM VALVE	
N-3386-361-0	349,828 Gallons	3020-05 E	1	246.00	246.00	Α	349,828 GALLON STEEL WINE STORAGE TANK 3554 WITH PRESSURE/VACUUM VALVE	
N-3386-362-0	349,001 Gallons	3020-05 E	1	246.00	246.00	А	349,001 GALLON STEEL WINE STORAGE TANK 3555 WITH PRESSURE/VACUUM VALVE	
N-3386-363-0	349,708 Gallons	3020-05 E	1	246.00	246.00	А	349,708 GALLON STEEL WINE STORAGE TANK 3556 WITH PRESSURE/VACUUM VALVE	
N-3386-364-0	350,022 Gallons	3020-05 E	1	246.00	246.00	А	350,022 GALLON STEEL WINE STORAGE TANK 3557 WITH PRESSURE/VACUUM VALVE	
N-3386-365-0	350,090 Gallons	3020-05 E	1	246.00	246.00	А	350,090 GALLON STEEL WINE STORAGE TANK 3558 WITH PRESSURE/VACUUM VALVE	

7/21/10

5:13 pm

	Sorred by Facility Name and Permit Number							
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION	
N-3386-366-0	350,205 Gallons	3020-05 E	1	246.00	246.00	А	350,205 GALLON STEEL WINE STORAGE TANK 3559 WITH PRESSURE/VACUUM VALVE	
N-3386-367-0	349,848 Gallons	3020-05 E	1	246.00	246.00	A	349,848 GALLON STEEL WINE STORAGE TANK 3560 WITH PRESSURE/VACUUM VALVE	
N-3386-368-0	349,564 Gallons	3020-05 E	1	246.00	246.00	Α	349,564 GALLON STEEL WINE STORAGE TANK 3561 WITH PRESSURE/VACUUM VALVE	
N-3386-369-0	351,018 Gallons	3020-05 E	1	246.00	246.00	Α	351,018 GALLON STEEL WINE STORAGE TANK 3562 WITH PRESSURE/VACUUM VALVE	
N-3386-370-0	349,843 Gallons	3020-05 E	1	246.00	246.00	Α	349,843 GALLON STEEL WINE STORAGE TANK 3563 WITH PRESSURE/VACUUM VALVE	
N-3386-371-0	349,438 Gallons	3020-05 E	1	246.00	246.00	A	349,438 GALLON STEEL WINE STORAGE TANK 3564 WITH PRESSURE/VACUUM VALVE	
N-3386-372-0	350,226 Gallons	3020-05 E	1	246.00	246.00	Α	350,226 GALLON STEEL WINE STORAGE TANK 3565 WITH PRESSURE/VACUUM VALVE	
N-3386-373-0	349,861 Gallons	3020-05 E	[`] 1	246.00	246.00	Α	349,861 GALLON STEEL WINE STORAGE TANK 3566 WITH PRESSURE/VACUUM VALVE	
N-3386-374-0	349,369 Gallons	3020-05 E	1	246.00	246.00	Α	349,369 GALLON STEEL WINE STORAGE TANK 3567 WITH PRESSURE/VACUUM VALVE	
N-3386-375-0	349,661 Gallons	3020-05 E	1	246.00	246.00	Α	349,661 GALLON STEEL WINE STORAGE TANK 3568 WITH PRESSURE/VACUUM VALVE	
N-3386-376-0	350,165 Gallons	3020-05 E	1	246.00	246.00	Α	350,165 GALLON STEEL WINE STORAGE TANK 3569 WITH PRESSURE/VACUUM VALVE	
N-3386-377-0	350,615 Gallons	3020-05 E	1	246.00	246.00	Α	350,615 GALLON STEEL WINE STORAGE TANK 3570 WITH PRESSURE/VACUUM VALVE	
N-3386-378-0	349,771 Gallons	3020-05 E	1	246.00	246.00	Α	349,771 GALLON STEEL WINE STORAGE TANK 3571 WITH PRESSURE/VACUUM VALVE	
N-3386-379-0	350,105 Gallons	3020-05 E	1	246.00	246.00	Α	350,105 GALLON STEEL WINE STORAGE TANK 3572 WITH PRESSURE/VACUUM VALVE	
N-3386-380-0	349,835 Gallons	3020-05 E	1	246.00	246.00	А	349,835 GALLON STEEL WINE STORAGE TANK 3573 WITH PRESSURE/VACUUM VALVE	
N-3386-381-0	350,276 Gallons	3020-05 E	1	246.00	246.00	Α	350,276 GALLON STEEL WINE STORAGE TANK 3574 WITH PRESSURE/VACUUM VALVE	
N-3386-382-0	349,965 Gallons	3020-05 E	1	246.00	246.00	Α.	349,965 GALLON STEEL WINE STORAGE TANK 3575 WITH PRESSURE/VACUUM VALVE	
N-3386-383-0	351,385 Gallons	3020-05 E	1	246.00	246.00	Α	351,385 GALLON STEEL WINE STORAGE TANK 3576 WITH PRESSURE/VACUUM VALVE	

7/21/10

5:13 pm

	Sorted by Facility Name and Permit Number							
PERMIT	•		·	FÉE	FEE	PERMIT		
NUMBER	FEE DESCRIPTION	FEE RULE	QTY	AMOUNT	TOTAL	STATUS	EQUIPMENT DESCRIPTION	
N-3386-384-0	349,126 Gallons	3020-05 E	1	246.00	246.00	Α	349,126 GALLON STEEL WINE STORAGE TANK 3577 WITH PRESSURE/VACUUM VALVE	
N-3386-385-0	350,181 Gallons	3020-05 E	1	246.00	246.00	Α	350,181 GALLON STEEL WINE STORAGE TANK 3578 WITH PRESSURE/VACUUM VALVE	
N-3386-386-0	349,683 Gallons	3020-05 E	1	246.00	246.00	Α	349,683 GALLON STEEL WINE STORAGE TANK 3579 WITH PRESSURE/VACUUM VALVE	
N-3386-387-0	350,293 Gallons	3020-05 E	1	246.00	246.00	Α	350,293 GALLON STEEL WINE STORAGE TANK 3580 WITH PRESSURE/VACUUM VALVE	
N-3386-388-0	350,206 Gallons	3020-05 E	1	246.00	246.00	Α	350,206 GALLON STEEL WINE STORAGE TANK 3581 WITH PRESSURE/VACUUM VALVE	
N-3386-389-0	349,501 Gallons	3020-05 E	1	246.00	246.00	Α	349,501 GALLON STEEL WINE STORAGE TANK 3582 WITH PRESSURE/VACUUM VALVE	
N-3386-390-0	583,760 Gallons	3020-05 F	1	301.00	301.00	Α	583,760 GALLON STEEL WINE STORAGE TANK 6000 WITH PRESSURE/VACUUM VALVE	
N-3386-391-0	640,153 Gallons	3020-05 F	1	301.00	301.00	Α	640,153 GALLON STEEL WINE STORAGE TANK 6001 WITH PRESSURE/VACUUM VALVE	
N-3386-392-0	644,899 Gallons	3020-05 F	1	301.00	301.00	Α	644,899 GALLON STEEL WINE STORAGE TANK 6002 WITH PRESSURE/VACUUM VALVE	
N-3386-393-0	646,891 Gallons	3020-05 F	1	301.00	301.00	Α	646,891 GALLON STEEL WINE STORAGE TANK 6003 WITH PRESSURE/VACUUM VALVE	
N-3386-394-0	650,818 Gallons	3020-05 F	1	301.00	301.00	Α	650,818 GALLON STEEL WINE STORAGE TANK 6004 WITH PRESSURE/VACUUM VALVE	
N-3386-395-0	644,070 Gallons	3020-05 F	1	301.00	301.00	Α	644,070 GALLON STEEL WINE STORAGE TANK 6005 WITH PRESSURE/VACUUM VALVE	
N-3386-396-0	635,284 Gallons	3020-05 F	1	301.00	301.00	Α	635,284 GALLON STEEL WINE STORAGE TANK 6006 WITH PRESSURE/VACUUM VALVE	
N-3386-397-0	641,475 Gallons	3020-05 F	1	301.00	301.00	Α	641,475 GALLON STEEL WINE STORAGE TANK 6007 WITH PRESSURE/VACUUM VALVE	
N-3386-398-0	645,661 Gallons	3020-05 F	1	301.00	301.00	Α	645,661 GALLON STEEL WINE STORAGE TANK 6008 WITH PRESSURE/VACUUM VALVE	
N-3386-399-0	637,719 Gallons	3020-05 F	1	301.00	301.00	Α	637,719 GALLON STEEL WINE STORAGE TANK 6009 WITH PRESSURE/VACUUM VALVE	
N-3386-400-0	636,151 Gallons	3020-05 F	1	301.00	301.00	Α	636,151 GALLON STEEL WINE STORAGE TANK 6010 WITH PRESSURE/VACUUM VALVE	
N-3386-401-0	637,048 Gallons	3020-05 F	1	301.00	301.00	Α	637,048 GALLON STEEL WINE STORAGE TANK 6011 WITH PRESSURE/VACUUM VALVE	

Detailed Facility Report

7/21/10

5:13 pm

For Facility=3386 and excluding Deleted Permits

Sorted by Facility Name and Permit Number PERMIT FEE FEE PERMIT NUMBER FEE DESCRIPTION FEE RULE QTY AMOUNT TOTAL STATUS EQUIPMENT DESCRIPTION 647,528 GALLON STEEL WINE STORAGE TANK 6012 WITH N-3386-402-0 647,528 Gallons 3020-05 F 301.00 1 301.00 Α PRESSURE/VACUUM VALVE N-3386-403-0 646,915 Gallons 3020-05 F 1 301.00 301.00 646,915 GALLON STEEL WINE STORAGE TANK 6013 WITH А PRESSURE/VACUUM VALVE N-3386-404-0 3020-05 F 1 301.00 646,878 GALLON STEEL WINE STORAGE TANK 6014 WITH 646,878 Gallons 301.00 Α PRESSURE/VACUUM VALVE 646,397 GALLON STEEL WINE STORAGE TANK 6015 WITH N-3386-405-0 646.397 Gallons 3020-05 F 1 301.00 301.00 А PRESSURE/VACUUM VALVE N-3386-406-0 647.449 Gallons 3020-05 F 647,449 GALLON STEEL WINE STORAGE TANK 6016 WITH 1 301.00 301.00 Α PRESSURE/VACUUM VALVE N-3386-407-0 635,052 Gallons 3020-05 F 635.052 GALLON STEEL WINE STORAGE TANK 6020 WITH 1 301.00 301.00 Α PRESSURE/VACUUM VALVE N-3386-408-0 636,212 Gallons 3020-05 F 1 301.00 301.00 636.212 GALLON STEEL WINE STORAGE TANK 6021 WITH Α PRESSURE/VACUUM VALVE N-3386-409-0 638,621 Gallons 3020-05 F 1 301.00 301.00 А 638,621 GALLON STEEL WINE STORAGE TANK 6022 WITH PRESSURE/VACUUM VALVE N-3386-410-0 642.060 Gallons 3020-05 F 1 301.00 301.00 Α 642,060 GALLON STEEL WINE STORAGE TANK 6023 WITH PRESSURE/VACUUM VALVE N-3386-411-0 638.664 Gallons 3020-05 F 1 301.00 301.00 А 638,664 GALLON STEEL WINE STORAGE TANK 6024 WITH PRESSURE/VACUUM VALVE N-3386-412-0 638,995 Gallons 3020-05 F 1 301.00 301.00 А 638,995 GALLON STEEL WINE STORAGE TANK 6025 WITH PRESSURE/VACUUM VALVE N-3386-413-0 642,199 Gallons 3020-05 F 1 301.00 301.00 А 642,199 GALLON STEEL WINE STORAGE TANK 6026 WITH PRESSURE/VACUUM VALVE N-3386-414-0 638.593 Gallons 3020-05 F 1 301.00 301.00 Α 638,593 GALLON STEEL WINE STORAGE TANK 6027 WITH PRESSURE/VACUUM VALVE N-3386-415-0 638.320 Gallons 3020-05 F 1 301.00 638,320 GALLON STEEL WINE STORAGE TANK 6028 WITH 301.00 А PRESSURE/VACUUM VALVE N-3386-416-0 638,922 Gallons 3020-05 F 1 301.00 301.00 А 638,922 GALLON STEEL WINE STORAGE TANK 6029 WITH PRESSURE/VACUUM VALVE N-3386-417-0 644,914 Gallons 3020-05 F 1 301.00 301.00 А 644,914 GALLON STEEL WINE STORAGE TANK 6030 WITH PRESSURE/VACUUM VALVE N-3386-418-0 648,848 Gallons 3020-05 F 1 301.00 301.00 А 648.848 GALLON STEEL WINE STORAGE TANK 6031 WITH PRESSURE/VACUUM VALVE 646.628 Gallons N-3386-419-0 3020-05 F 1 301.00 301.00 А 646,628 GALLON STEEL WINE STORAGE TANK 6032 WITH PRESSURE/VACUUM VALVE

7/21/10

5:13 pm

Detailed Facility Report For Facility=3386 and excluding Deleted Permits Sorted by Facility Name and Permit Number

	Sorred by Facility Name and Permit Number									
PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION			
N-3386-420-0	637,563 Gallons	3020-05 F	1	301.00	301.00	Α	637,563 GALLON STEEL WINE STORAGE TANK 6050 WITH PRESSURE/VACUUM VALVE			
N-3386-421-0	638,193 Gallons	3020-05 F	1	301.00	301.00	Α	638,193 GALLON STEEL WINE STORAGE TANK 6051 WITH PRESSURE/VACUUM VALVE			
N-3386-422-0	640,325 Gallons	3020-05 F	1	301.00	301.00	Α	640,325 GALLON STEEL WINE STORAGE TANK 6052 WITH PRESSURE/VACUUM VALVE			
N-3386-423-0	636,046 Gallons	3020-05 F	1	301.00	301.00	A	636,046 GALLON STEEL WINE STORAGE TANK 6053 WITH PRESSURE/VACUUM VALVE			
N-3386-424-0	1,029,137 Gallons	3020-05 G	1	382.00	382.00	А	1,029,137 GALLON STEEL WINE STORAGE TANK 1M WITH PRESSURE/VACUUM VALVE			
N-3386-425-0	1,990 Gallons	3020-05 A	1	75.00	75.00	A	1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C1			
N-3386-426-0	1,990 Gallons	3020-05 A	1	75.00	75.00	Α	1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C2			
N-3386-427-0	1,990 Gallons	3020-05 A	¹	75.00	75.00	Α	1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C3			
N-3386-428-0	1,990 Gallons	3020-05 A	1	75.00	75.00	Α	1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C4			
N-3386-429-0	1,990 Gallons	3020-05 A	1	75.00	75.00	А	1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C5			
N-3386-430-0	1,990 Gallons	3020-05 A	1	75.00	75.00	Α	1,990 GALLON STEEL ENCLOSED TOP WHITE WINE FERMENTATION AND WINE STORAGE TANK C6			
N-3386-467-0	2,566,123 Gallons	3020-05 G	1	382.00	382.00	A	2,566,123 GALLON UNDERGROUND WINE CELLAR WITH 624 WOOD STORAGE TANKS SERVED BY 2 INTAKE AND 2 EXHAUST VENTILATION PORTS			
N-3386-469-1	3 hp	3020-01 A	1	87.00	87.00	A	METAL PARTS AND PRODUCTS COATING OPERATION SERVED BY A CLOSED AFC FINISHING SYSTEMS, MODEL ECONOMY CROSSFLO PAINT BOOTH, WITH DRY FILTERS, HVLP SPRAY GUNS AND			

Number of Facilities Reported: 1

ENCLOSED SPRAY GUN CLEANING SYSTEM