



**AUG 01 2011**

Ron Flores  
Florestone Products Company, Inc  
2851 Falcon Drive  
Madera, CA 93637


**Re: Notice of Final Action - Title V Permit Renewal  
District Facility # C-495  
Project # C-1092064**

Dear Mr. Flores:

The District has issued the Final Title V Permit for Florestone Products Company, Inc. The preliminary decision for this project was made on June 8, 2011. No comments were received subsequent to the District preliminary decision. Enclosed are the Renewed Final Title V Permit and public notice to be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

**Attachments**

cc: Sajjad Ahmad, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



AUG 01 2011

Gerardo C. Rios, Chief  
Permits Office (AIR-3)  
U.S. EPA - Region IX  
75 Hawthorne St  
San Francisco, CA 94105


**Re: Notice of Final Action - Title V Permit Renewal  
District Facility # C-495  
Project # C-1092064**

Dear Mr. Rios:

The District has issued the Final Title V Permit Renewal for Florestone Products Company, Inc. The preliminary decision for this project was made on June 8, 2011. No comments were received subsequent to the District preliminary decision. Enclosed are the Renewed Final Title V Permit and public notice to be published approximately three days from the date of this letter.

I would like to thank you and your staff for working with us. We appreciate your concurrence with this action. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

Attachments

cc: Sajjad Ahmad, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



AUG 01 2011

Mike Tollstrup, Chief  
Project Assessment Branch  
Air Resources Board  
P O Box 2815  
Sacramento, CA 95812-2815


**Re: Notice of Final Action - Title V Permit Renewal  
District Facility # C-495  
Project # C-1092064**

Dear Mr. Tollstrup:

The District has issued the Final Title V Permit for Florestone Products Company, Inc. The preliminary decision for this project was made on June 8, 2011. No comments were received subsequent to the District preliminary decision. Enclosed are the Renewed Final Title V Permit and public notice to be published approximately three days from the date of this letter.

I would like to thank you and your staff for working with us. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner  
Director of Permit Services

Attachments

cc: Sajjad Ahmad, Permit Services Engineer

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585

Fresno Bee

**SAN JOAQUIN VALLEY  
AIR POLLUTION CONTROL DISTRICT  
NOTICE OF FINAL DECISION TO ISSUE  
RENEWED FEDERALLY MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District has made its final decision to issue the renewed Federally Mandated Operating Permit to Florestone Products Company, Inc for its Bathroom Fixtures Manufacturing Operation located at 2851 Falcon Drive in Madera, California.

The District's analysis of the legal and factual basis for this proposed action, project #C-1092064, is available for public inspection at [http://www.valleyair.org/notices/public\\_notices\\_idx.htm](http://www.valleyair.org/notices/public_notices_idx.htm) and the District office at the address below. For additional information regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900, or contact David Warner, Director of Permit Services, in writing at SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 E. GETTYSBURG AVE, FRESNO, CA 93726-0244.



# Permit to Operate

**FACILITY:** C-495

**EXPIRATION DATE:** 10/31/2015

**LEGAL OWNER OR OPERATOR:**

FLORESTONE PRODUCTS CO, INC

**MAILING ADDRESS:**

2851 FALCON DR  
MADERA, CA 93637

**FACILITY LOCATION:**

2851 FALCON DRIVE  
MADERA, CA 93637

**FACILITY DESCRIPTION:**

PLASTIC MATERIAL & RESINS BATHROOM FIXTURES

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

**Seyed Sadredin**  
Executive Director / APCO

**David Warner**  
Director of Permit Services

# San Joaquin Valley Air Pollution Control District

FACILITY: C-495-0-2

EXPIRATION DATE: 10/31/2015

## FACILITY-WIDE REQUIREMENTS

---

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.9.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: FLORESTONE PRODUCTS CO, INC  
Location: 2851 FALCON DRIVE, MADERA, CA 93637  
C-495-0-2 - Jul 27 2011 2:29PM -- AHMADS

10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.



36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), Rule 111 (Kern, Tulare, Kings), and Rule 202 (Fresno, Kern, Tulare, Kings, Madera, Stanislaus, Merced, San Joaquin). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
42. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
43. Closed, non-absorbent containers shall be used for storage and disposal of all VOC-emitting material. [District Rule 4684] Federally Enforceable Through Title V Permit
44. All resins and solvents shall be stored in closed containers. [District Rule 4684] Federally Enforceable Through Title V Permit
45. Material removed from the dust collectors shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
46. On December 31, 2004, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin January 1, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520, 9.5.2] Federally Enforceable Through Title V Permit
47. Should the facility, as defined in 40 CFR section 68.3, become subject to Part 68, then the owner or operator shall submit a risk management plan (RMP) by the date specified in 40 CFR section 68.10. The facility shall certify compliance as part of the annual certification as required by 40 CFR part 70. [40 CFR 68] Federally Enforceable Through Title V Permit
48. The permittee shall comply with all applicable requirements of 40 CFR 63, Subpart WWWW, on and after April 21, 2006 or accept and meet an enforceable HAP emissions limit below the major source thresholds, as defined in 40 CFR 63.2, prior to April 21, 2006. [40 CFR 63, Subpart WWWW - Table 2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

49. The requirements of 40 CFR 63 Subpart WWWW shall apply to all parts of the facility engaging in the following operations: Open molding, closed molding, centrifugal casting, continuous lamination, continuous casting, polymer casting, pultrusion, sheet molding compound (SMC) manufacturing, bulk molding compound (BMC) manufacturing, mixing, cleaning of equipment used in reinforced plastic composites manufacture, hazardous air pollutant (HAP)-containing materials storage, and repair operations on parts manufactured at this facility. [40 CFR 63.5790(b)] Federally Enforceable Through Title V Permit
50. Application of mold sealing and release agents, mold stripping and cleaning, repair of parts that you did not manufacture, including non-routine manufacturing of parts, personal activities that are not part of the manufacturing operations (such as hobby shops on military bases), prepreg materials as defined in 40 CFR 63.5935, non-gel coat surface coatings, repair or production materials that do not contain resin or gel coat, and research and development operations as defined in section 112(c)(7) of the CAA are not subject to the requirements of Subpart WWWW. [40 CFR 63.5790(c)] Federally Enforceable Through Title V Permit
51. On and after April 21, 2006, the permittee shall comply with the applicable organic HAP emissions limits in Table 3 or the organic HAP content limits in Table 7, and the work practice standards in Table 4 of 40 CFR 63, Subpart WWWW. [40 CFR 63.5805(a) and 63.5835(a)] Federally Enforceable Through Title V Permit
52. The facility must use one of the compliance methods in paragraphs (a) through (d) of section 63.5810 to meet the applicable standards in Table 3 of 40 CFR 63 Subpart WWWW. Permittee may choose to switch from one compliance option to another within this section. When change to an option based on a 12-month rolling average, the source must base the average on the previous 12 months of data calculated using the compliance option it is currently using, unless the facility were using the compliant materials option in paragraph (d) of section 63.5810. In this case, the facility must immediately begin collecting resin and gel coat use data and demonstrate compliance 12 months after changing options. [40 CFR 63.5810] Federally Enforceable Through Title V Permit
53. When complying with an emission limit in Tables 3 to this subpart, the facility may use any control method that reduces organic HAP emissions, including reducing resin and gel coat organic HAP content, changing to nonatomized mechanical application, covered curing techniques, and routing part or all of your emissions to an add-on control. The necessary calculations must be completed within 30 days after the end of each month. [40 CFR 63.5810] Federally Enforceable Through Title V Permit
54. The organic HAP emissions factor equations in Table 1 of 40 CFR 63 Subpart WWWW can be used to determine compliance with certain organic HAP emissions limits in Tables 3 to this subpart. In lieu of these equations, the facility may elect to use different organic HAP emissions factors in accordance with the 40 CFR 63.5796 to demonstrate compliance with the applicable standards. [40 CFR 63.5796] Federally Enforceable Through Title V Permit
55. The organic HAP content of resins and gel coats used at the facility shall be determined using the applicable methods and procedures specified in paragraphs (a) through (c) of 40 CFR 63.5797. [40 CFR 63.5797] Federally Enforceable Through Title V Permit
56. Initial compliance with applicable standards in paragraphs (a) through (h) of 40 CFR 63.5805 shall be demonstrated using the procedures shown in Tables 8 and 9 of the Subpart WWWW. [40 CFR 63.5860(a)] Federally Enforceable Through Title V Permit
57. If initially compliance is demonstrated that all resins and gel coats individually meet the applicable organic HAP emissions limits, or organic HAP content limits, then resin and gel coat use records are not required. The permittee shall include a statement in the compliance reports that all resins and gel coats meet the organic HAP limits for compliant resins and gel coats shown in Tables 3, 5, or 7 to the subpart WWWW. If the facility change to a higher organic HAP resin or gel coat, or increase the resin or gel coat organic HAP content, or change to a higher-emitting resin or gel coat application method after initial compliance, then the facility must either again demonstrate that all resins and gel coats still meet the applicable organic HAP emissions limits, or begin collecting resin and gel coat use records and calculate compliance on a 12-month rolling average. [40 CFR 63.5895(d)] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

58. Compliance with organic HAP emissions limits shall be demonstrated by maintaining an organic HAP emissions factor value less than or equal to the appropriate organic HAP emissions limit listed in Tables 3, 5, or 7 to the 40 CFR 63 Subpart WWW, on a 12-month rolling average, or by including in each compliance report a statement that all resins and gel coats meet the appropriate organic HAP emissions limits, as discussed in <sup>1</sup> 63.5895(d). [40 CFR 63.5900(a)(2) & (3)] Federally Enforceable Through Title V Permit
59. Permittee shall report each deviation from each applicable standard in 40 CFR 63.5805. The deviations must be reported according to the requirements in section 63.5910. [40 CFR 63.5900(b)] Federally Enforceable Through Title V Permit
60. The permittee shall submit to the Administrator a notification of compliance status in accordance with 40 CFR 63.9(h) no later than the dates specified in the Table 13 of 40 CFR 63 Subpart WWW. If change of any information submitted in any notification has been made, the facility must submit the changes in writing to the Administrator within 15 calendar days after the change. [40 CFR 63.5905] Federally Enforceable Through Title V Permit
61. Compliance report containing information described in 40 CFR 63.5910(c) and (d) shall be submitted to the permitting authority semiannually and according to 40 CFR 63.5910(b). [40 CFR 63.5910] Federally Enforceable Through Title V Permit
62. Records of resin and gel coat use, organic HAP content, and operation where the resin is used shall be collected, kept, and maintained. Resin use records may be based on purchase records and the organic HAP content records may be based on MSDS or on resin specifications supplied by the resin supplier. [40 CFR 63.5895(c)] Federally Enforceable Through Title V Permit
63. All data, assumptions, and calculations used to determine organic HAP emissions factors or average organic HAP contents for operations listed in Tables 3, 5, and 7 and a certified statement stating that the operation is in compliance with the work practice requirements in Table 4 to the 40 CFR 63 Subpart WWW shall be kept and maintained for five years and these records must be kept on site for at least two years. [40 CFR 63.5915 and 63.5920] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-2-6

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

SHOWER STALL GEL SPRAY PROCESS #1 INCLUDING MOLDS AND ASSOCIATED EQUIPMENT

## PERMIT UNIT REQUIREMENTS

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
4. Visible emissions at the spray booth exhaust shall be inspected quarterly during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Filters shall be thoroughly inspected quarterly for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Spray coating shall only be performed in a spray booth. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Each spray booth shall be equipped with filters that control PM10 emissions by at least 95%. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Only non VOC solvents and cleaners shall be used. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
9. Except for tooling, only air assisted airless spray applicators and/or hand lay-up application methods shall be used. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
10. When tooling, only non-atomized application equipment shall be utilized. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
11. VOC emissions shall not exceed 418.4 lb/ton-gel coat. [District Rule 2201] Federally Enforceable Through Title V Permit
12. All gel coats except for tooling gel coats shall not exceed a monomer content of 39% by weight. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
13. Tooling gel coats shall not exceed a monomer content of 48% by weight. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
14. The total VOC emissions from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5 shall not exceed either of the following limits: 1,286.2 lb/day or 206,532 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

15. The total PM10 emissions from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5 shall not exceed either of the following limits: 107.0 lb/day or 17,202 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
16. The permittee shall keep daily and annual records of the total VOC emissions (lb-pollutant/day and lb-pollutant/year) from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5. [District Rule 2201] Federally Enforceable Through Title V Permit
17. The permittee shall store or dispose of all uncured polyester resin materials, coatings, adhesives, catalysts, and thinners in self-closing, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4684] Federally Enforceable Through Title V Permit
18. The permittee shall keep the following daily records: 1) The type and quantity of all resins used in each operation, 2) Records of the VOC content, in weight percent, of all resins used or stored at the facility, and 3) Records of the VOC content of all cleaning solvents used and stored at the facility. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
19. Records of filters maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
20. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, 9.4.2, and 4684] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-3-6

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

SHOWER STALL GEL SPRAY PROCESS #2 INCLUDING MOLDS AND ASSOCIATED EQUIPMENT

## PERMIT UNIT REQUIREMENTS

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
4. Visible emissions at the spray booth exhaust shall be inspected quarterly during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Filters shall be thoroughly inspected quarterly for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Spray coating shall only be performed in a spray booth. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Each spray booth shall be equipped with filters that control PM10 emissions by at least 95%. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Only non VOC solvents and cleaners shall be used. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
9. Except for tooling, only air assisted airless spray applicators and/or hand lay-up application methods shall be used. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
10. When tooling, only non-atomized application equipment shall be utilized. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
11. VOC emissions shall not exceed 418.4 lb/ton-gel coat. [District Rule 2201] Federally Enforceable Through Title V Permit
12. All gel coats except for tooling gel coats shall not exceed a monomer content of 39% by weight. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
13. Tooling gel coats shall not exceed a monomer content of 48% by weight. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
14. The total VOC emissions from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5 shall not exceed either of the following limits: 1,286.2 lb/day or 206,532 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

15. The total PM10 emissions from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5 shall not exceed either of the following limits: 107.0 lb/day or 17,202 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
16. The permittee shall keep daily and annual records of the total VOC emissions (lb-pollutant/day and lb-pollutant/year) from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5. [District Rule 2201] Federally Enforceable Through Title V Permit
17. The permittee shall store or dispose of all uncured polyester resin materials, coatings, adhesives, catalysts, and thinners in self-closing, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4684] Federally Enforceable Through Title V Permit
18. The permittee shall keep the following daily records: 1) The type and quantity of all resins used in each operation, 2) Records of the VOC content, in weight percent, of all resins used or stored at the facility, and 3) Records of the VOC content of all cleaning solvents used and stored at the facility. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
19. Records of filters maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
20. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, 9.4.2, and 4684] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-4-5

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

SHOWER STALL CHOP SPRAY PROCESS #1 INCLUDING MOLDS, SIX BINK AIR SPRAY BOOTHS AND TWO WARM AIR TUNNELS FOR DRYING. (THE SPRAY BOOTHS AND AIR TUNNELS ARE COMMON TO THIS PERMIT AND C-495-5)

## PERMIT UNIT REQUIREMENTS

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
4. Visible emissions at the spray booth exhaust shall be inspected quarterly during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Filters shall be thoroughly inspected quarterly for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Spray coating shall only be performed in a spray booth. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Each spray booth shall be equipped with filters that control PM10 emissions by at least 95%. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Only non VOC solvents and cleaners shall be used. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
9. Except for tooling, only air assisted airless spray applicators and/or hand lay-up application methods shall be used. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
10. When tooling, only non-atomized application equipment shall be utilized. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
11. VOC emissions shall not exceed 139.8 lb/ton-resin. [District Rule 2201] Federally Enforceable Through Title V Permit
12. All resins except for tooling resins shall not exceed a monomer content of 35% by weight. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
13. Tooling resins shall not exceed a monomer content of 48% by weight. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
14. The total VOC emissions from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5 shall not exceed either of the following limits: 1,286.2 lb/day or 206,532 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.



15. The total PM10 emissions from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5 shall not exceed either of the following limits: 107.0 lb/day or 17,202 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
16. The permittee shall store or dispose of all uncured polyester resin materials, coatings, adhesives, catalysts, and thinners in self-closing, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4684] Federally Enforceable Through Title V Permit
17. The permittee shall keep daily and annual records of the total VOC emissions (lb-pollutant/day and lb-pollutant/year) from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5. [District Rule 2201] Federally Enforceable Through Title V Permit
18. The permittee shall keep the following daily records: 1) The type and quantity of all resins used in each operation, 2) Records of the VOC content, in weight percent, of all resins used or stored at the facility, and 3) Records of the VOC content of all cleaning solvents used and stored at the facility. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
19. Records of filters maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
20. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, 9.4.2, and 4684] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-5-5

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

SHOWER STALL CHOP SPRAY PROCESS #2 INCLUDING MOLDS, SIX BINK SPRAY BOOTHS AND TWO WARM AIR TUNNELS FOR DRYING. (SPRAY BOOTHS AND WARM AIR TUNNELS ARE COMMON TO THIS PERMIT AND C-495-4)

## PERMIT UNIT REQUIREMENTS

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
4. Visible emissions at the spray booth exhaust shall be inspected quarterly during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Filters shall be thoroughly inspected quarterly for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Spray coating shall only be performed in a spray booth. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Each spray booth shall be equipped with filters that control PM10 emissions by at least 95%. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Only non VOC solvents and cleaners shall be used. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
9. Except for tooling, only air assisted airless spray applicators and/or hand lay-up application methods shall be used. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
10. When tooling, only non-atomized application equipment shall be utilized. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
11. VOC emissions shall not exceed 139.8 lb/ton-resin. [District Rule 2201] Federally Enforceable Through Title V Permit
12. All resins except for tooling resins shall not exceed a monomer content of 35% by weight. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
13. Tooling resins shall not exceed a monomer content of 48% by weight. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
14. The total VOC emissions from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5 shall not exceed either of the following limits: 1,286.2 lb/day or 206,532 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

15. The total PM10 emissions from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5 shall not exceed either of the following limits: 107.0 lb/day or 17,202 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
16. The permittee shall store or dispose of all uncured polyester resin materials, coatings, adhesives, catalysts, and thinners in self-closing, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4684] Federally Enforceable Through Title V Permit
17. The permittee shall keep daily and annual records of the total VOC emissions (lb-pollutant/day and lb-pollutant/year) from permit units C-495-1, C-495-2, C-495-3, C-495-4, and C-495-5. [District Rule 2201] Federally Enforceable Through Title V Permit
18. The permittee shall keep the following daily records: 1) The type and quantity of all resins used in each operation, 2) Records of the VOC content, in weight percent, of all resins used or stored at the facility, and 3) Records of the VOC content of all cleaning solvents used and stored at the facility. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
19. Records of filters maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
20. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, 9.4.2, and 4684] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-6-5

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

60 HP TERAZZO SHOWER RECEPTOR PROCESS INCLUDING ONE 5 HP, 10 CF ESSICK MIXER, AND FIVE GRINDING BOOTHS EACH SERVED BY A TORIT MODEL ECB-2 DUST COLLECTOR

## PERMIT UNIT REQUIREMENTS

---

1. Visible emissions from the baghouses serving the precast concrete manufacturing operation shall not equal or exceed 5% opacity for a period or periods aggregation more than three minutes in any one hour. [District Rule 2201] Federally Enforceable Through Title V Permit
2. Total PM10 emissions from the shower receptor process operation shall not exceed 3.3 pounds of PM10 per day. [District Rule 2201] Federally Enforceable Through Title V Permit
3. The amount of material collected from the dust collectors serving each booth shall not exceed 150 pounds per day. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The permittee shall keep a daily log of the date and the quantity of material collected from the dust collectors serving each booth, for a period of five years, and shall make such records available for district inspection upon request. [District Rule 2201 and District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
5. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
6. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E = 3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E = 17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit
7. Visible emissions from the baghouse shall be inspected quarterly during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
8. Dust collector filters shall be thoroughly inspected quarterly for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
9. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-7-2

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

18,000 GALLON POLYESTER RESIN STORAGE SYSTEM INCLUDING THREE 6,000 GALLON TANKS ON THE EAST SIDE OF BUILDING "A" SUPPLYING THE MOLDING DEPARTMENT

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall only store, place, or hold organic liquid with a true vapor pressure (TVP) of less than 0.5 psia under all storage conditions. [District Rule 4623] Federally Enforceable Through Title V Permit
2. The permittee shall keep accurate records of each organic liquid stored in the tank, including its storage temperature, TVP, and/or API gravity. [District Rules 4623] Federally Enforceable Through Title V Permit
3. All records required to be maintained by this permit shall be maintained for a period of at least five years and shall be made readily available for District inspection upon request. [District Rule 4623] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-8-2

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

18,000 GALLON POLYESTER RESIN STORAGE SYSTEM INCLUDING THREE 6,000 GALLON TANKS ON THE WEST SIDE OF BUILDING "A" SUPPLYING THE FIBERGLASS MOLDING DEPARTMENT

## PERMIT UNIT REQUIREMENTS

---

1. This tank shall only store, place, or hold organic liquid with a true vapor pressure (TVP) of less than 0.5 psia under all storage conditions. [District Rule 4623] Federally Enforceable Through Title V Permit
2. The permittee shall keep accurate records of each organic liquid stored in the tank, including its storage temperature, TVP, and/or API gravity. [District Rules 4623] Federally Enforceable Through Title V Permit
3. All records required to be maintained by this permit shall be maintained for a period of at least five years and shall be made readily available for District inspection upon request. [District Rule 4623] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-9-2

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

20 HP PANEL TRIM ROOM SERVED BY TWO TORIT MODEL ECCCB-2 MODULAR DUST COLLECTOR

## PERMIT UNIT REQUIREMENTS

---

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. Particulate matter emissions shall not exceed the hourly rate as calculated in District Rule 4202 using the equation  $E = 3.59 \times P^{0.62}$  if P is less than or equal to 30 tons per hour, or  $E = 17.31 \times P^{0.16}$  if P is greater than 30 tons per hour. [District Rule 4202] Federally Enforceable Through Title V Permit
3. Visible emissions at the booths exhaust shall be inspected quarterly during operation. If visible emissions are observed, corrective action shall be taken to eliminate visible emissions. If visible emissions cannot be corrected within 24 hours, a visible emissions test using EPA Method 9 shall be conducted. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
4. Dust collector filters shall be thoroughly inspected quarterly for tears, scuffs, abrasions, holes, or any evidence of particulate matter leaks and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
5. Records of dust collector maintenance, inspections, and repair shall be maintained. The records shall include identification of the equipment, date of inspection, corrective action taken, and identification of the individual performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-495-10-1

**EXPIRATION DATE:** 10/31/2015

**EQUIPMENT DESCRIPTION:**

RESIN TRANSFER MOLDING PROCESS INCLUDING FOUR MOLDING STATIONS EQUIPPED WITH MOLDS, PUMPS, VACUUM, FINISH EQUIPMENT, AND CONVEYING EQUIPMENT

## PERMIT UNIT REQUIREMENTS

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. All polyester resin used in this operation shall be formed and cured in enclosed molds. [District Rules 2201 and 4684] Federally Enforceable Through Title V Permit
4. Only non VOC solvents and cleaners shall be used. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The VOC emissions from this operation shall not exceed 0.8% of the weight of the resins used. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The total VOC emissions from permit units C-495-2, C-495-3, C-495-4, C-495-5, and C-495-10 shall not exceed either of the following limits: 1,286.2 lb/day or 206,532 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The permittee shall store or dispose of all uncured polyester resin materials, coatings, adhesives, catalysts, and thinners in self-closing, non-absorbent and non-leaking containers. The containers shall remain closed at all times except when depositing or removing the contents of the containers or when the container is empty. [District Rule 4684] Federally Enforceable Through Title V Permit
8. The permittee shall keep the following daily records: 1) The type and quantity of all resins used in each operation, 2) Records of the VOC content, in weight percent, of all resins used or stored at the facility, and 3) Records of the VOC content of all cleaning materials used and stored at the facility. [District Rule 4684] Federally Enforceable Through Title V Permit
9. The permittee shall keep daily and annual records of the total VOC emissions (lb-pollutant/day and lb-pollutant/year) from permit units C-495-2, C-495-3, C-495-4, C-495-5, and C-495-10. [District Rule 2201] Federally Enforceable Through Title V Permit
10. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070, 2520, 9.4 and 4684] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.