



OCT 03 2011

Mr. Steven Sylvester
E & J Gallo Winery
600 Yosemite Blvd
Modesto, CA 95354

**Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # N-3386
Project # N-1111823**

Dear Mr. Sylvester:

The Air Pollution Control Officer has issued Authorities to Construct (N-3386-470-1 to -473-1) with Certificates of Conformity to E & J Gallo Winery at 600 Yosemite Blvd, Modesto. This project was to re-evaluate the amount of VOC offsets for four new wine storage tanks.

Enclosed are the Authorities to Construct. The application and proposal were sent to US EPA Region IX on July 29, 2011. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Prior to operating with modifications authorized by the Authority to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Rupi Gill, Permit Services Manager, at (209) 557-6400.

Sincerely,

David Warner
Director of Permit Services

DW:JK/st

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



OCT 03 2011

Gerardo C. Rios, Chief
Permits Office
Air Division
U.S. EPA - Region IX
75 Hawthorne St
San Francisco, CA 94105

**Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # N-3386
Project # N-1111823**

Dear Mr. Rios:

The Air Pollution Control Officer has issued Authorities to Construct (N-3386-470-1 to -473-1) with Certificates of Conformity to E & J Gallo Winery at 600 Yosemite Blvd, Modesto. This project was to re-evaluate the amount of VOC offsets for four new wine storage tanks.

Enclosed is a copy of the Authorities to Construct. The application and proposal were sent to US EPA Region IX on July 29, 2011. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Rupi Gill, Permit Services Manager, at (209) 557-6400.

Sincerely,



David Warner
Director of Permit Services

DW:JK/st

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



OCT 03 2011

Mike Tollstrup, Chief
Project Assessment Branch
Air Resources Board
P O Box 2815
Sacramento, CA 95812-2815

Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # N-3386
Project # N-1111823

Dear Mr. Tollstrup:

The Air Pollution Control Officer has issued Authorities to Construct (N-3386-470-1 to -473-1) with Certificates of Conformity to E & J Gallo Winery at 600 Yosemite Blvd, Modesto. This project was to re-evaluate the amount of VOC offsets for four new wine storage tanks.

Enclosed is a copy of the Authorities to Construct. The application and proposal were sent to US EPA Region IX on July 29, 2011. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Rupi Gill, Permit Services Manager, at (209) 557-6400.

Sincerely,

David Warner
Director of Permit Services

DW:JK/st

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

Modesto Bee

**NOTICE OF FINAL DECISION
FOR THE ISSUANCE OF AUTHORITY TO CONSTRUCT AND
THE PROPOSED SIGNIFICANT MODIFICATION OF FEDERALLY
MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District has made its final decision to issue Authorities to Construct to E & J Gallo Winery for winery located at 600 Yosemite Blvd, Modesto, California. This project was to re-evaluate the amount of VOC offsets for four new wine storage tanks.

The District's analysis of the legal and factual basis for this proposed action, project #N-1111823, is available for public inspection at the District office at the address below. For additional information regarding this matter, please contact Mr. Rupi Gill, Permit Services Manager, at (209) 557-6400, or contact David Warner, Director of Permit Services, in writing at SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 4800 ENTERPRISE WAY, MODESTO, CA 95356-8718.



AUTHORITY TO CONSTRUCT

PERMIT NO: N-3386-470-1

ISSUANCE DATE: 09/30/2011

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY
MAILING ADDRESS: 600 YOSEMITE BLVD
MODESTO, CA 95354

LOCATION: 600 YOSEMITE BLVD
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:
MODIFICATION OF 53,000 GALLON STEEL WINE STORAGE TANK WITH PRESSURE/VACUUM VALVE AND INSULATION: TO RE-CALCULATE THE AMOUNT OF OFFSETS

CONDITIONS

1. The Authority to Construct N-3386-470-0 shall be cancelled upon implementation of this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District NSR Rule] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
5. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Saadodin, Executive Director / APCO

DAVID WARNER, Director of Permit Services

N-3386-470-1 : 09/30/2011 3:41PM - KAHLOUJ : Joint Inspection NOT Required

6. The temperature of the wine stored in this tank shall be maintained at or below 40 degrees Fahrenheit. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank shall not exceed 53,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The maximum wine storage throughput in this tank shall not exceed 5,000,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall record, on a daily basis, total gallons of wine contained in the tank and temperature of the stored wine. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
12. The operator shall maintain records of annual throughput of wine. [District Rule 2201] Federally Enforceable Through Title V Permit
13. Prior to operating equipment under under this Authority to Construct, the permittee shall mitigate the following quantities of VOC: 1st quarter: 33 lb, 2nd quarter: 33 lb, 3rd quarter: 33 lb, and 4th quarter: 34 lb. Offsets shall be provided at the applicable offset ratio specified in Section 4.8.1 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
14. VOC ERC S-3666-1(or a certificate split from any of these certificates) shall be used to supply the required VOC offsets, unless a revised offsetting proposal is received and approved by the District. Following the revisions, this Authority to Construct permit shall be re-issued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to re-issuance of this Authority to Construct permit. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-3386-471-1

ISSUANCE DATE: 09/30/2011

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY
MAILING ADDRESS: 600 YOSEMITE BLVD
MODESTO, CA 95354

LOCATION: 600 YOSEMITE BLVD
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:
MODIFICATION OF 53,000 GALLON STEEL WINE STORAGE TANK WITH PRESSURE/VACUUM VALVE AND INSULATION: TO RE-CALCULATE THE AMOUNT OF OFFSETS

CONDITIONS

1. The Authority to Construct N-3386-471-0 shall be cancelled upon implementation of this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District NSR Rule] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
5. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services

N-3386-471-1 : Sep 30 2011 3:41PM - KAHLONU : Joint Inspection NOT Required

6. The temperature of the wine stored in this tank shall be maintained at or below 40 degrees Fahrenheit. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank shall not exceed 53,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The maximum wine storage throughput in this tank shall not exceed 5,000,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall record, on a daily basis, total gallons of wine contained in the tank and temperature of the stored wine. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
12. The operator shall maintain records of annual throughput of wine. [District Rule 2201] Federally Enforceable Through Title V Permit
13. Prior to operating equipment under under this Authority to Construct, the permittee shall mitigate the following quantities of VOC: 1st quarter: 33 lb, 2nd quarter: 33 lb, 3rd quarter: 33 lb, and 4th quarter: 34 lb. Offsets shall be provided at the applicable offset ratio specified in Section 4.8.1 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
14. VOC ERC S-3666-1(or a certificate split from any of these certificates) shall be used to supply the required VOC offsets, unless a revised offsetting proposal is received and approved by the District. Following the revisions, this Authority to Construct permit shall be re-issued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to re-issuance of this Authority to Construct permit. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-3386-472-1

ISSUANCE DATE: 09/30/2011

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY
MAILING ADDRESS: 600 YOSEMITE BLVD
MODESTO, CA 95354

LOCATION: 600 YOSEMITE BLVD
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:

MODIFICATION OF 53,000 GALLON STEEL WINE STORAGE TANK WITH PRESSURE/VACUUM VALVE AND INSULATION: TO RE-CALCULATE THE AMOUNT OF OFFSETS


CONDITIONS

1. The Authority to Construct N-3386-472-0 shall be cancelled upon implementation of this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District NSR Rule] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule-2520, 5.3.4] Federally Enforceable Through Title V Permit
4. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
5. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadreain, Executive Director, APCO



DAVID WARNER, Director of Permit Services

N-3386-472-1 : Sep 30 2011 3:41 PM / KAHLCNLU : Joint Inspection NOT Required

6. The temperature of the wine stored in this tank shall be maintained at or below 40 degrees Fahrenheit. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank shall not exceed 53,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The maximum wine storage throughput in this tank shall not exceed 5,000,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall record, on a daily basis, total gallons of wine contained in the tank and temperature of the stored wine. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
12. The operator shall maintain records of annual throughput of wine. [District Rule 2201] Federally Enforceable Through Title V Permit
13. Prior to operating equipment under this Authority to Construct, the permittee shall mitigate the following quantities of VOC: 1st quarter: 33 lb, 2nd quarter: 33 lb, 3rd quarter: 33 lb, and 4th quarter: 34 lb. Offsets shall be provided at the applicable offset ratio specified in Section 4.8.1 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
14. VOC ERC S-3666-1 (or a certificate split from any of these certificates) shall be used to supply the required VOC offsets, unless a revised offsetting proposal is received and approved by the District. Following the revisions, this Authority to Construct permit shall be re-issued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to re-issuance of this Authority to Construct permit. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-3386-473-1

ISSUANCE DATE: 09/30/2011

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY
MAILING ADDRESS: 600 YOSEMITE BLVD
MODESTO, CA 95354

LOCATION: 600 YOSEMITE BLVD
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:

MODIFICATION OF 53,000 GALLON STEEL WINE STORAGE TANK WITH PRESSURE/VACUUM VALVE AND INSULATION: TO RE-CALCULATE THE AMOUNT OF OFFSETS


CONDITIONS

1. The Authority to Construct N-3386-473-0 shall be cancelled upon implementation of this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District NSR Rule] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
5. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Saadedin, Executive Director, APCO


DAVID WARNER, Director of Permit Services

N-3386-473-1 Exp 30 2011 3:41PM - KAH/LOUJ : Joint Inspection NOT Required

6. The temperature of the wine stored in this tank shall be maintained at or below 40 degrees Fahrenheit. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The maximum wine storage throughput in this tank shall not exceed 53,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The maximum wine storage throughput in this tank shall not exceed 5,000,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
11. The operator shall record, on a daily basis, total gallons of wine contained in the tank and temperature of the stored wine. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
12. The operator shall maintain records of annual throughput of wine. [District Rule 2201] Federally Enforceable Through Title V Permit
13. Prior to operating equipment under under this Authority to Construct, the permittee shall mitigate the following quantities of VOC: 1st quarter: 33 lb, 2nd quarter: 33 lb, 3rd quarter: 33 lb, and 4th quarter: 34 lb. Offsets shall be provided at the applicable offset ratio specified in Section 4.8.1 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
14. VOC ERC S-3666-1(or a certificate split from any of these certificates) shall be used to supply the required VOC offsets, unless a revised offsetting proposal is received and approved by the District. Following the revisions, this Authority to Construct permit shall be re-issued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to re-issuance of this Authority to Construct permit. [District Rule 2201] Federally Enforceable Through Title V Permit
15. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit