



NOV 22 2011

Bill Nakata  
ASV Wines, Inc.  
1998 Road 152  
Delano, CA 93215-9437

**RE: Notice of Final Action - Authority to Construct**  
**Project Number: S-1110978**

Dear Mr. Nakata:


The Air Pollution Control Officer has issued Authority to Construct permits to ASV Wines, Inc. for six wine storage tanks, at 31502 Peterson Road, McFarland.

Enclosed are copies of the Authority to Construct permits and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue this Authority to Construct was published on October 10, 2011. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on October 4, 2011. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura at (661) 392-5500.

Sincerely,



 David Warner  
Director of Permit Services

DW: DBT/cm

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



NOV 22 2011

Mike Tollstrup, Chief  
Project Assessment Branch  
Stationary Source Division  
California Air Resources Board  
PO Box 2815  
Sacramento, CA 95812-2815

**RE: Notice of Final Action - Authority to Construct**  
**Project Number: S-1110978**

Dear Mr. Tollstrup:

The Air Pollution Control Officer has issued Authority to Construct permits to ASV Wines, Inc. for six wine storage tanks, at 31502 Peterson Road, McFarland.

Enclosed are copies of the Authority to Construct permits and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue this Authority to Construct was published on October 10, 2011. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on October 4, 2011. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura at (661) 392-5500.

Sincerely,

David Warner  
Director of Permit Services

DW: DBT/cm

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



NOV 22 2011

Gerardo C. Rios (AIR 3)  
Chief, Permits Office  
Air Division  
U.S. E.P.A. - Region IX  
75 Hawthorne Street  
San Francisco, CA 94105

**RE: Notice of Final Action - Authority to Construct**  
**Project Number: S-1110978**

Dear Mr. Rios:


The Air Pollution Control Officer has issued Authority to Construct permits to ASV Wines, Inc. for six wine storage tanks, at 31502 Peterson Road, McFarland.

Enclosed are copies of the Authority to Construct permits and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue this Authority to Construct was published on October 10, 2011. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on October 4, 2011. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura at (661) 392-5500.

Sincerely,



David Warner  
Director of Permit Services

DW: DBT/cm

Enclosures

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585

Bakersfield Californian

**NOTICE OF FINAL ACTION  
FOR THE ISSUANCE OF AUTHORITY  
TO CONSTRUCT PERMITS**

NOTICE IS HEREBY GIVEN that the Air Pollution Control Officer has issued Authority to Construct permits to ASV Wines, Inc. for six wine storage tanks, at 31502 Peterson Road, McFarland.

No comments were received following the District's preliminary decision on this project.

The application review for Project #S-1110978 is available for public inspection at [http://www.valleyair.org/notices/public\\_notices\\_idx.htm](http://www.valleyair.org/notices/public_notices_idx.htm) and the **SAN JOAQUIN VALLEY UNIFIED AIR POLLUTION CONTROL DISTRICT, 34946 FLYOVER COURT, BAKERSFIELD, CA 93308.**



## AUTHORITY TO CONSTRUCT

PERMIT NO: S-7048-160-0

ISSUANCE DATE: 11/14/2011

LEGAL OWNER OR OPERATOR: ASV WINES INC.  
MAILING ADDRESS: 1998 ROAD 152  
DELANO, CA 93215-9437

LOCATION: 31502 PETERSON ROAD  
MCFARLAND, CA 93250

EQUIPMENT DESCRIPTION:  
9,385 GALLON STEEL WINE STORAGE TANK #2003 WITH PRESSURE/VACUUM VALVE, INSTALLED IN AN ENCLOSED BUILDING


### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Ethanol content of wine in this tank shall not exceed 20 percent by volume. [District Rule 2201]
4. Tank throughput shall not exceed either of the following limits: 20,000 gallons in any one day or 200,000 gallons per year. [District Rule 2201]
5. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
6. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694]
7. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
8. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rules 2201 and 4694]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
DAVID WARNER, Director of Permit Services

S-7048-160-0; Nov 14 2011 9:56AM - TORID : Joint Inspection NOT Required

9. The maximum temperature of the each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694]
10. Daily records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694]
11. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694]
12. Annual records of wine throughput shall be kept. [District Rule 4694]
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 2201 and 4694]
14. Prior to operating equipment under Authorities to Construct (ATCs) S-7048-160-0, 161-0, 162-0, 163-0, 164-0 and 165-0, the Permittee shall surrender VOC Emission Reduction Credits (ERCs) in the amount of 89 lb-VOC/quarter at the offset ratio specified in Table 4-2 or Rule 2201. Using ERC Certificate C-662-1, the offset ratio is 1.5:1 and the total amount of offsets required will be 133 lb-VOC/quarter. [District Rule 2201]
15. ERC Certificate number 662-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which, this ATC will be re-issued, administratively, specifying the new proposal. [District Rule 2201]



## AUTHORITY TO CONSTRUCT

PERMIT NO: S-7048-161-0

ISSUANCE DATE: 11/14/2011

LEGAL OWNER OR OPERATOR: ASV WINES INC  
MAILING ADDRESS: 1998 ROAD 152  
DELANO, CA 93215-9437

LOCATION: 31502 PETERSON ROAD  
MCFARLAND, CA 93250

EQUIPMENT DESCRIPTION:  
9,385 GALLON STEEL WINE STORAGE TANK #2004 WITH PRESSURE/VACUUM VALVE, INSTALLED IN AN ENCLOSED BUILDING


### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Ethanol content of wine in this tank shall not exceed 20 percent by volume. [District Rule 2201]
4. Tank throughput shall not exceed either of the following limits: 20,000 gallons in any one day or 200,000 gallons per year. [District Rule 2201]
5. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
6. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694]
7. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
8. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rules 2201 and 4694]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services

S-7048-161-0 - Nov 14 2011 2:58AM - TORID - Joint Inspection NOT Required

9. The maximum temperature of the each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694]
10. Daily records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694]
11. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694]
12. Annual records of wine throughput shall be kept. [District Rule 4694]
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 2201 and 4694]
14. Prior to operating equipment under Authorities to Construct (ATCs) S-7048-160-0, 161-0, 162-0, 163-0, 164-0 and 165-0, the Permittee shall surrender VOC Emission Reduction Credits (ERCs) in the amount of 89 lb-VOC/quarter at the offset ratio specified in Table 4-2 or Rule 2201. Using ERC Certificate C-662-1, the offset ratio is 1.5:1 and the total amount of offsets required will be 133 lb-VOC/quarter. [District Rule 2201]
15. ERC Certificate number 662-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which, this ATC will be re-issued, administratively, specifying the new proposal. [District Rule 2201]





## AUTHORITY TO CONSTRUCT

PERMIT NO: S-7048-162-0

ISSUANCE DATE: 11/14/2011

LEGAL OWNER OR OPERATOR: ASV WINES INC  
MAILING ADDRESS: 1998 ROAD 152  
DELANO, CA 93215-9437

LOCATION: 31502 PETERSON ROAD  
MCFARLAND, CA 93250

**EQUIPMENT DESCRIPTION:**

9,385 GALLON STEEL WINE STORAGE TANK #2005 WITH PRESSURE/VACUUM VALVE, INSTALLED IN AN ENCLOSED BUILDING


### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Ethanol content of wine in this tank shall not exceed 20 percent by volume. [District Rule 2201]
4. Tank throughput shall not exceed either of the following limits: 20,000 gallons in any one day or 200,000 gallons per year. [District Rule 2201]
5. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
6. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694]
7. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
8. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rules 2201 and 4694]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
DAVID WARNER, Director of Permit Services

9. The maximum temperature of the each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694]
10. Daily records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694]
11. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694]
12. Annual records of wine throughput shall be kept. [District Rule 4694]
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 2201 and 4694]
14. Prior to operating equipment under Authorities to Construct (ATCs) S-7048-160-0, 161-0, 162-0, 163-0, 164-0 and 165-0, the Permittee shall surrender VOC Emission Reduction Credits (ERCs) in the amount of 89 lb-VOC/quarter at the offset ratio specified in Table 4-2 or Rule 2201. Using ERC Certificate C-662-1, the offset ratio is 1.5:1 and the total amount of offsets required will be 133 lb-VOC/quarter. [District Rule 2201]
15. ERC Certificate number 662-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which, this ATC will be re-issued, administratively, specifying the new proposal. [District Rule 2201]



## AUTHORITY TO CONSTRUCT

PERMIT NO: S-7048-163-0

ISSUANCE DATE: 11/14/2011

LEGAL OWNER OR OPERATOR: ASV WINES INC  
MAILING ADDRESS: 1998 ROAD 152  
DELANO, CA 93215-9437

LOCATION: 31502 PETERSON ROAD  
MCFARLAND, CA 93250

EQUIPMENT DESCRIPTION:  
9,385 GALLON STEEL WINE STORAGE TANK #2006 WITH PRESSURE/VACUUM VALVE, INSTALLED IN AN ENCLOSED BUILDING

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Ethanol content of wine in this tank shall not exceed 20 percent by volume. [District Rule 2201]
4. Tank throughput shall not exceed either of the following limits: 20,000 gallons in any one day or 200,000 gallons per year. [District Rule 2201]
5. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
6. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694]
7. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
8. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rules 2201 and 4694]

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
DAVID WARNER, Director of Permit Services

S-7048-163-0 - Nov 14 2011 9:56AM - TORID - Joint Inspection NOT Required

9. The maximum temperature of the each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694]
10. Daily records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694]
11. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694]
12. Annual records of wine throughput shall be kept. [District Rule 4694]
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 2201 and 4694]
14. Prior to operating equipment under Authorities to Construct (ATCs) S-7048-160-0, 161-0, 162-0, 163-0, 164-0 and 165-0, the Permittee shall surrender VOC Emission Reduction Credits (ERCs) in the amount of 89 lb-VOC/quarter at the offset ratio specified in Table 4-2 or Rule 2201. Using ERC Certificate C-662-1, the offset ratio is 1.5:1 and the total amount of offsets required will be 133 lb-VOC/quarter. [District Rule 2201]
15. ERC Certificate number 662-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which, this ATC will be re-issued, administratively, specifying the new proposal. [District Rule 2201]



## AUTHORITY TO CONSTRUCT

PERMIT NO: S-7048-164-0

ISSUANCE DATE: 11/14/2011

LEGAL OWNER OR OPERATOR: ASV WINES INC  
MAILING ADDRESS: 1998 ROAD 152  
DELANO, CA 93215-9437

LOCATION: 31502 PETERSON ROAD  
MCFARLAND, CA 93250

EQUIPMENT DESCRIPTION:  
9,385 GALLON STEEL WINE STORAGE TANK #2007 WITH PRESSURE/VACUUM VALVE, INSTALLED IN AN ENCLOSED BUILDING

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Ethanol content of wine in this tank shall not exceed 20 percent by volume. [District Rule 2201]
4. Tank throughput shall not exceed either of the following limits: 20,000 gallons in any one day or 200,000 gallons per year. [District Rule 2201]
5. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
6. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694]
7. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
8. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rules 2201 and 4694]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

DAVID WARNER, Director of Permit Services

S-7048-164-0; Nov 14 2011 9:58AM - TORID : Joint Inspection NOT Required

9. The maximum temperature of the each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694]
10. Daily records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694]
11. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694]
12. Annual records of wine throughput shall be kept. [District Rule 4694]
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 2201 and 4694]
14. Prior to operating equipment under Authorities to Construct (ATCs) S-7048-160-0, 161-0, 162-0, 163-0, 164-0 and 165-0, the Permittee shall surrender VOC Emission Reduction Credits (ERCs) in the amount of 89 lb-VOC/quarter at the offset ratio specified in Table 4-2 or Rule 2201. Using ERC Certificate C-662-1, the offset ratio is 1.5:1 and the total amount of offsets required will be 133 lb-VOC/quarter. [District Rule 2201]
15. ERC Certificate number 662-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which, this ATC will be re-issued, administratively, specifying the new proposal. [District Rule 2201]



## AUTHORITY TO CONSTRUCT

PERMIT NO: S-7048-165-0

ISSUANCE DATE: 11/14/2011

LEGAL OWNER OR OPERATOR: ASV WINES INC  
MAILING ADDRESS: 1998 ROAD 152  
DELANO, CA 93215-9437

LOCATION: 31502 PETERSON ROAD  
MCFARLAND, CA 93250

EQUIPMENT DESCRIPTION:  
9,385 GALLON STEEL WINE STORAGE TANK #2008 WITH PRESSURE/VACUUM VALVE, INSTALLED IN AN ENCLOSED BUILDING

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Ethanol content of wine in this tank shall not exceed 20 percent by volume. [District Rule 2201]
4. Tank throughput shall not exceed either of the following limits: 20,000 gallons in any one day or 200,000 gallons per year. [District Rule 2201]
5. The wine storage tank shall be equipped and operated with a pressure-vacuum relief valve, set to operate within 10% of the maximum allowable working pressure of the tank and permanently labeled with the operating pressure settings. [District Rules 2201 and 4694]
6. The pressure-vacuum relief valve shall be installed and operated in accordance with the manufacturer's instructions. [District Rules 2201 and 4694]
7. The pressure-vacuum relief valve and wine storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694]
8. The temperature of each batch of wine placed, stored, or held in the tank shall not exceed 75 degrees F after 60 days following completion of fermentation. [District Rules 2201 and 4694]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

  
DAVID WARNER, Director of Permit Services

S-7048-165-0; Nov 14 2011 9:57AM - TORID : Joint Inspection NOT Required

9. The maximum temperature of the each batch of wine placed, stored, or held in the tank shall be recorded weekly. [District Rule 4694]
10. Daily records of filling and emptying operations shall be kept for this tank including the date of the operation, a unique identifier for each batch, the volume percent ethanol in the batch and the volume of wine transferred. [District Rules 2201 and 4694]
11. The wine batch identifier and volume stored in the tank shall be recorded weekly. [District Rule 4694]
12. Annual records of wine throughput shall be kept. [District Rule 4694]
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 2201 and 4694]
14. Prior to operating equipment under Authorities to Construct (ATCs) S-7048-160-0, 161-0, 162-0, 163-0, 164-0 and 165-0, the Permittee shall surrender VOC Emission Reduction Credits (ERCs) in the amount of 89 lb-VOC/quarter at the offset ratio specified in Table 4-2 or Rule 2201. Using ERC Certificate C-662-1, the offset ratio is 1.5:1 and the total amount of offsets required will be 133 lb-VOC/quarter. [District Rule 2201]
15. ERC Certificate number 662-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which, this ATC will be re-issued, administratively, specifying the new proposal. [District Rule 2201]