



DEC 23 2011

Phillip Newell
Guardian Industries Corporation
11535 E. Mountain View Ave.
Kingsburg, CA 93631

**Re: Notice of Final Action - Title V Permit Renewal
District Facility # C-598
Project # C-1072784**

Dear Mr. Newell:

The District has issued the Final Renewed Title V Permit for Guardian Industries Corporation. The preliminary decision for this project was made on October 26, 2011. No comments were received subsequent to the District preliminary decision.

The public notice for issuance of the Final Renewed Title V Permit will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Attachments

cc: Brian Clements, Permit Services Engineer

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



DEC 23 2011

Gerardo C. Rios, Chief
Permits Office (AIR-3)
U.S. EPA - Region IX
75 Hawthorne St.
San Francisco, CA 94105

**Re: Notice of Final Action - Title V Permit Renewal
District Facility # C-598
Project # C-1072784**

Dear Mr. Rios:

The District has issued the Final Renewed Title V Permit for Guardian Industries Corporation. The preliminary decision for this project was made on October 26, 2011. No comments were received subsequent to the District preliminary decision.

The public notice for issuance of the Final Renewed Title V Permit will be published approximately three days from the date of this letter.

I would like to thank you and your staff for working with us. We appreciate your concurrence with this action. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Attachments

cc: Brian Clements, Permit Services Engineer

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



DEC 23 2011

Mike Tollstrup, Chief
Project Assessment Branch
Air Resources Board
P O Box 2815
Sacramento, CA 95812-2815

**Re: Notice of Final Action - Title V Permit Renewal
District Facility # C-598
Project # C-1072784**

Dear Mr. Tollstrup:

The District has issued the Final Renewed Title V Permit for Guardian Industries Corporation. The preliminary decision for this project was made on October 26, 2011. No comments were received subsequent to the District preliminary decision.

The public notice for issuance of the Final Renewed Title V Permit will be published approximately three days from the date of this letter.

I would like to thank you and your staff for working with us. Should you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Attachments

cc: Brian Clements, Permit Services Engineer

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

Fresno Bee

**SAN JOAQUIN VALLEY
AIR POLLUTION CONTROL DISTRICT
NOTICE OF FINAL DECISION TO ISSUE
RENEWED FEDERALLY MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District has made its final decision to issue the renewed Federally Mandated Operating Permit to Guardian Industries Corporation for its glass manufacturing plant at 11535 E. Mountain View Ave. in Kingsburg, California.

The District's analysis of the legal and factual basis for this proposed action, project #C-1072784, is available for public inspection at http://www.valleyair.org/notices/public_notices_idx.htm and the District office at the address below. For additional information regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900, or contact David Warner, Director of Permit Services, in writing at SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 E. GETTYSBURG AVE, FRESNO, CA 93726-0244.



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT



HEALTHY AIR LIVING™

Permit to Operate

FACILITY: C-598

EXPIRATION DATE: 01/31/2016

LEGAL OWNER OR OPERATOR:
MAILING ADDRESS:

GUARDIAN INDUSTRIES CORP
11535 E MOUNTAIN VIEW AVE
KINGSBURG, CA 93631-9211

FACILITY LOCATION:

11535 E MOUNTAIN VIEW AVE
KINGSBURG, CA 93631

FACILITY DESCRIPTION:

GLASS MANUFACTURING

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

Seyed Sadredin
Executive Director / APCO

David Warner
Director of Permit Services

San Joaquin Valley Air Pollution Control District

FACILITY: C-598-0-4

EXPIRATION DATE: 01/31/2016

FACILITY-WIDE REQUIREMENTS

1. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
2. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
3. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.9.1 and 9.13.1] Federally Enforceable Through Title V Permit
4. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
5. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
6. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
7. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
8. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
9. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: GUARDIAN INDUSTRIES CORP
Location: 11535 E MOUNTAIN VIEW AVE, KINGSBURG, CA 93631
C-598-0-4 : Dec 22 2011 10:57AM - CLEMENTB

10. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
11. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7; PSD SJ 76-44, VII] Federally Enforceable Through Title V Permit
13. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
14. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
15. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
16. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
17. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
18. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
19. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
20. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
21. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
22. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
23. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

24. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
25. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
26. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
27. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
28. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit
29. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
30. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
31. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
32. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 202 (Fresno). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
33. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
34. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

35. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0] Federally Enforceable Through Title V Permit
36. Upon presentation of appropriate credentials, a permittee shall allow the EPA Regional Administrator, the head of the State Air Pollution Control Agency, the head of the District, and/or their authorized representative to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1; PSD SJ 76-44, V.A] Federally Enforceable Through Title V Permit
37. Upon presentation of appropriate credentials, a permittee shall allow the EPA Regional Administrator, the head of the State Air Pollution Control Agency, the head of the District, and/or their authorized representative to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2; PSD SJ 76-44, V.B] Federally Enforceable Through Title V Permit
38. Upon presentation of appropriate credentials, a permittee shall allow the EPA Regional Administrator, the head of the State Air Pollution Control Agency, the head of the District, and/or their authorized representative to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3; PSD SJ 76-44, V.C] Federally Enforceable Through Title V Permit
39. Upon presentation of appropriate credentials, a permittee shall allow the EPA Regional Administrator, the head of the State Air Pollution Control Agency, the head of the District, and/or their authorized representative to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4; PSD SJ 76-44, V.D] Federally Enforceable Through Title V Permit
40. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (11/15/01). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101] Federally Enforceable Through Title V Permit
41. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
42. Should the facility, as defined in 40 CFR section 68.3 become subject to part 68, then the owner or operator shall submit a risk management plan (RMP) by the date specified in 40 CFR section 68.10. The facility shall certify compliance as part of the annual certification as required by 40 CFR part 70. [40 CFR 68] Federally Enforceable Through Title V Permit
43. At all times, including periods of startup, shutdown and malfunction, Permittee shall, to the extent practicable, maintain and operate the facility including associated air pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information available to the EPA which may include, but is not limited to, monitoring results, opacity observations, review of operating maintenance procedures and inspection of the source. [PSD SJ 76-44, III] Federally Enforceable Through Title V Permit
44. In the event of any changes in control or ownership of the facilities to be constructed, the PSD Permit shall be binding on all subsequent owners and operators. Permittee shall notify the succeeding owner and operator of the existence of the PSD Permit and its conditions by letter, a copy of which shall be forwarded to EPA Region IX, the State Air Resources Board, and District. [PSD SJ 76-44, VI] Federally Enforceable Through Title V Permit
45. Permittee shall construct and operate this project in compliance with the PSD permit and all other applicable federal, state, and local air quality regulations. The PSD permit does not release the Permittee from any liability for compliance with other applicable federal, state and local environmental laws and regulations, including the Clean Air Act. [PSD SJ 76-44, VIII] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

46. All correspondence as required by the PSD permit shall be forwarded to EPA at the following: Mailing address - Director, Air Division (Attn: Air-5), U. S. Environmental Protection Agency, Region IX, 75 Hawthorne Street San Francisco, CA 94105-3901; Email: R9.AEO@epa.gov; Facsimile: (415) 947-3579. [PSD SJ 76-44, XI] Federally Enforceable Through Title V Permit
47. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report begin January 14 of each year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-1-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

1,115 HP CUMMINS MODEL 7421 DIESEL-FUELED I.C. ENGINE #1, POWERING A 750 KW EMERGENCY GENERATOR

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rule 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
4. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
5. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
6. On and after May 3, 2013, the engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
7. On and after May 3, 2013, the permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
8. On and after May 3, 2013, the engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
9. On and after May 3, 2013, the engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. On and after May 3, 2013, the engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. This engine shall be operated only for maintenance, testing, and required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 20 hours per calendar year. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
14. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
15. The permittee shall maintain monthly records that include the type of fuel purchased, the amount of fuel purchased, and the date of fuel purchase. [District Rules 4702 and 2520, 9.4 and 17 CCR 93115] Federally Enforceable Through Title V Permit
16. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.), and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rules 4702 and 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
17. On and after May 3, 2013, the permittee shall maintain monthly records of all performance tests, opacity and visible emissions observations and required maintenance performed on the air pollution control and monitoring equipment. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
18. On and after May 3, 2013, the permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
19. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4702, 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-2-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

1,115 HP CUMMINS MODEL 7421 DIESEL-FUELED I.C. ENGINE #2, POWERING A 750 KW EMERGENCY GENERATOR

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rule 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
4. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
5. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
6. On and after May 3, 2013, the engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
7. On and after May 3, 2013, the permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
8. On and after May 3, 2013, the engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
9. On and after May 3, 2013, the engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. On and after May 3, 2013, the engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. This engine shall be operated only for maintenance, testing, and required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 20 hours per calendar year. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
14. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
15. The permittee shall maintain monthly records that include the type of fuel purchased, the amount of fuel purchased, and the date of fuel purchase. [District Rules 4702 and 2520, 9.4 and 17 CCR 93115] Federally Enforceable Through Title V Permit
16. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.), and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rules 4702 and 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
17. On and after May 3, 2013, the permittee shall maintain monthly records of all performance tests, opacity and visible emissions observations and required maintenance performed on the air pollution control and monitoring equipment. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
18. On and after May 3, 2013, the permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
19. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4702, 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-3-4

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

1,115 HP CUMMINS MODEL 7421 DIESEL-FUELED I.C. ENGINE #3, POWERING A 750 KW EMERGENCY GENERATOR

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rule 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
4. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
5. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
6. On and after May 3, 2013, the engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
7. On and after May 3, 2013, the permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
8. On and after May 3, 2013, the engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
9. On and after May 3, 2013, the engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. On and after May 3, 2013, the engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

12. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. This engine shall be operated only for maintenance, testing, and required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 20 hours per calendar year. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
14. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
15. The permittee shall maintain monthly records that include the type of fuel purchased, the amount of fuel purchased, and the date of fuel purchase. [District Rules 4702 and 2520, 9.4 and 17 CCR 93115] Federally Enforceable Through Title V Permit
16. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.), and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rules 4702 and 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
17. On and after May 3, 2013, the permittee shall maintain monthly records of all performance tests, opacity and visible emissions observations and required maintenance performed on the air pollution control and monitoring equipment. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
18. On and after May 3, 2013, the permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
19. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4702, 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-4-9

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

212.0 MMBTU/HR FLOAT GLASS MANUFACTURING LINE THAT INCLUDES: A REGENERATIVE GLASS MELTING FURNACE CONTROLLED BY A HIGH TEMPERATURE SCRUBBER (C/U1), AN ELECTROSTATIC PRECIPITATOR (C/U2), AND A SELECTIVE CATALYTIC REDUCTION (SCR) SYSTEM WITH AMMONIA INJECTION (C/U3), TIN FLOAT BATH, ANNEALING LEHR, AND A CONTINUOUS EMISSIONS MONITOR (CEMS)

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The exhaust stack shall be equipped with permanent provisions to allow collection of stack gas samples consistent with 40 CFR 60.8(e) and EPA test methods and shall be equipped with safe permanent provisions to sample stack gases. The sampling ports shall be located in accordance with the CARB regulation titled California Air Resources Board Air Monitoring Quality Assurance Volume VI, Standard Operating Procedures for Stationary Source Emission Monitoring and Testing. [District Rule 1081; PSD SJ 76-44, X.F.4] Federally Enforceable Through Title V Permit
3. The applicant shall install, maintain, and operate a continuous emissions monitoring system (CEMS) to measure stack gas NO_x, SO_x, CO and O₂ concentration and stack gas volumetric flow rate and shall meet the performance specification requirements in 40 CFR, Part 60, Appendix B, Performance Specifications 2 and 3 or shall meet equivalent specifications established by mutual agreement of the District, the ARB, and the EPA. The CEM systems shall also be operated, maintained, and calibrated pursuant to the requirements of 40 CFR 60.7(c) and 40 CFR 60.13. [District Rules 1080, 6.5 and 6.6, 2201, and 4354, 5.9 and 6.6; 40 CFR Part 64; PSD SJ 76-44, X.C.1 and X.C.2] Federally Enforceable Through Title V Permit
4. The applicant shall install, maintain, and operate a continuous opacity monitor (COM) and shall meet the performance specification requirements in 40 CFR, Part 60, Appendix B, or shall meet equivalent specifications established by mutual agreement of the District, the ARB, and the EPA. [District Rules 1080, 6.7 and 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
5. Permittee shall comply with the applicable requirements for quality assurance testing and maintenance of the continuous emission monitor equipment in accordance with the procedures and guidance specified in 40 CFR Part 60, Appendix F, Procedure I. [District Rules 1080 and 4354, 6.6; 40 CFR Part 64; PSD SJ 76-44, X.C.2 and X.C.5] Federally Enforceable Through Title V Permit
6. The facility shall install and maintain equipment, facilities, and systems compatible with the District's CEM data polling software system and shall make CEM data available to the District's automated polling system on a daily basis. [District Rule 1080 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
7. Upon notice by the District that the facility's CEM system is not providing polling data, the facility may continue to operate without providing automated data for a maximum of 30 days per calendar year provided the CEM data is sent to the District by a District-approved alternative method. [District Rule 1080 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
8. Permittee shall comply with all requirements of Section 5.5 of District Rule 4354 (5/19/11) during startup. Startup exemption time shall not exceed 208 days, beginning from the time of primary combustion system activation. [District Rule 4354, 5.5; PSD SJ 76-44, X.E.4] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

9. During startup, the stoichiometric ratio of the primary furnace combustion system shall not exceed 5% oxygen as calculated from the actual fuel and oxidant flow measurements for combustion in the furnace. [District Rule 4354, 5.5] Federally Enforceable Through Title V Permit
10. The emission control systems (ECS), C/Us 1, 2, and 3 shall be in operation at all times during normal operations, and whenever technologically feasible including during startup, idling and shutdown conditions. [District Rule 4354, 5.5, 5.6, 5.7; PSD SJ 76-44, X.E.7] Federally Enforceable Through Title V Permit
11. The furnace shall be in compliance with all applicable requirements of District Rule 4354 (5/19/11) by the end of startup. [District Rule 4354, 7.0] Federally Enforceable Through Title V Permit
12. Furnace shutdown shall not exceed 20 days, measured from the time furnace operations drop below the idle threshold specified in Section 3.9 of District Rule 4354 (2/21/02) to when all emissions from the furnace cease. [District Rule 4354, 5.6] Federally Enforceable Through Title V Permit
13. NO_x, SO_x, and PM₁₀ emissions during idling shall not exceed the emissions limits as calculated using the following equation: NO_x, SO_x, and PM₁₀ (lb/day) = (Applicable Emission limit (in lbs/ton)) x (Furnace permitted production capacity (in tons/day)). CO and VOC emissions during idling shall not exceed the emissions limits as calculated using the following equation: CO and VOC (lb/day) = (Applicable Emission limit (in lb/MMBtu)) x (Furnace Maximum Heat Input (in MMBtu/hr) x (24 hrs/day)). [District Rule 4354, 5.7; PSD SJ 76-44, X.E.2] Federally Enforceable Through Title V Permit
14. All emissions from the furnace shall be ducted to the high temperature (dry) scrubber (C/U1), the electrostatic precipitator (C/U2), and the selective catalytic reduction (SCR) system (C/U3), prior to exhausting into the atmosphere. [District Rule 2201; PSD SJ 76-44, X.B.2] Federally Enforceable Through Title V Permit
15. The facility shall not use commercial arsenic as a raw material in the production process. [40 CFR 61, Subpart N] Federally Enforceable Through Title V Permit
16. The furnace shall be fired exclusively on PUC quality natural gas or LPG as a backup fuel. [District Rule 2201; PSD SJ 76-44, X.I.1] Federally Enforceable Through Title V Permit
17. The glass pull rate shall not exceed 700 tons per day. [District Rules 2201 and 4354, 6.1; PSD SJ 76-44, X.D.1] Federally Enforceable Through Title V Permit
18. Start-up is defined as the period of time, after initial construction or a furnace rebuild, during which a glass melting furnace is heated to operating temperature by the primary furnace combustion system and instrumentation are brought to stabilization. Shutdown is defined as the period of time during which a glass melting furnace is purposely allowed to cool from operating temperature and molten glass is removed from the tank for the purpose of a furnace rebuild. Idling is defined as the operation of the furnace at less than 25 percent of the permitted production capacity or fuel use capacity as stated on the Permit to Operate. [District Rule 4354, 3.0; PSD SJ 76-44, X.E.4, X.E.5, and X.E.6] Federally Enforceable Through Title V Permit
19. NO_x emissions from the glass melting furnace, except during periods of start-up, shutdown, and idling, shall not exceed any of the following limits: 107.92 lb/hr or 3.70 lb/ton of glass pulled, based on a block 24-hour average; or 3.25 lb/ton of glass pulled, based on a rolling 30-day average. [District Rules 2201 and 4354, 5.1; PSD SJ 76-44, X.D.2] Federally Enforceable Through Title V Permit
20. SO_x emissions from the glass melting furnace, except during periods of start-up, shutdown, and idling, shall not exceed any of the following limits: 49.58 lb/hr or 1.7 lb/ton of glass pulled, based on a block 24-hour average; or 1.2 lb/ton of glass pulled, based on a rolling 30-day average. [District Rules 2201 and 4354, 5.3; PSD SJ 76-44, X.D.3] Federally Enforceable Through Title V Permit
21. PM₁₀ emissions from the glass melting furnace, except during periods of start-up, shutdown, and idling, shall not exceed either of the following limits: 20.42 lb/hr or 0.7 lb/ton of glass pulled. [District Rules 2201, 4202, and 4354, 5.4; PSD SJ 76-44, X.D.4] Federally Enforceable Through Title V Permit
22. CO emissions from the glass melting furnace, except during periods of start-up, shutdown, and idling, shall not exceed either of the following limits: 22.05 lb/hr or 101 ppmv @ 8% O₂ (equivalent to 0.104 lb/MMBtu), based on a 3-hour rolling average. [District Rules 2201 and 4354, 5.2] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. VOC emissions from the glass melting furnace, except during periods of start-up, shutdown, and idling, shall not exceed either of the following limits: 0.83 lb/hr or 6.6 ppmv VOC @ 8% O₂ (equivalent to 0.0039 lb/MMBtu), based on a 3-hour rolling average. [District Rules 2201 and 4354, 5.2] Federally Enforceable Through Title V Permit
24. CO emissions from the glass melting furnace exhaust shall not exceed 100 tons per year, based on a 12-month rolling average [District Rule 2201 and PSD SJ 76-44 X.D.5] Federally Enforceable Through Title V Permit
25. Ammonia (NH₃) emissions shall not exceed either of the following limits: 1.27 lb/hr or 10 ppmvd @ 8% O₂, based on a 24 hour rolling average. [District Rules 2201 and 4102] Federally Enforceable Through Title V Permit
26. Each one hour period will commence on the hour. The three hour average will be compiled from the three most recent one-hour periods. The block 24-four hour average will be compiled of 24 one-hour periods, daily, starting from 12:00 AM to 11:59 PM, excluding periods of system calibration. [District Rules 2201 and 4354, 3.3] Federally Enforceable Through Title V Permit
27. Compliance with the ammonia emission limits shall be demonstrated utilizing one of the following procedures: 1) calculate the daily ammonia emissions using the following equation: $(\text{ppmvd @ 8\% O}_2) = ((a - (b \times c / 1,000,000)) \times (1,000,000 / b)) \times d$, where a = ammonia injection rate (lb/hr) / (17 lb/lb mol), b = dry exhaust flow rate (lb/hr) / (29 lb/lb mol), c = change in measured NO_x concentration ppmvd @ 8% O₂ across the catalyst, and d = correction factor. The correction factor shall be derived annually during compliance testing by comparing the measured and calculated ammonia slip; 2.) Utilize another District-approved calculation method using measured surrogate parameters to determine the daily ammonia emissions in ppmvd @ 8% O₂. If this option is chosen, the permittee shall submit a detailed calculation protocol for District approval at least 60 days prior to commencement of operation; 3.) Alternatively, the permittee may utilize a continuous in-stack ammonia monitor to verify compliance with the ammonia emissions limit. If this option is chosen, the permittee shall submit a monitoring plan for District approval at least 60 days prior to commencement of operation. [District Rule 4102]
28. Source testing to measure the NO_x, SO_x, and PM₁₀ emission rates (lb/hr and lb/ton of glass pulled) shall be conducted annually (within 60 days of the initial performance test anniversary). [District Rules 1081, 2520, and 4354, 6.4; PSD SJ 76-44, X.F.1] Federally Enforceable Through Title V Permit
29. Source testing to measure the CO emission rates (lb/hr and either lb/MMBtu or ppmvd @ 8% O₂) shall be conducted annually (within 60 days of the initial performance test anniversary). [District Rules 1081, 2520, and 4354, 6.4; PSD SJ 76-44, X.F.1] Federally Enforceable Through Title V Permit
30. Source testing to measure the VOC and Ammonia emission rates (lb/hr and either lb/MMBtu or ppmvd @ 8% O₂) shall be conducted annually (within 60 days of the initial performance test anniversary). [District Rules 1081, 2520, and 4354, 6.4] Federally Enforceable Through Title V Permit
31. Source tests shall be conducted at a minimum glass production pull rate equivalent to 90% of the maximum glass production pull rate achieved during the last year, unless otherwise approved by EPA. In no case less than 420 tons glass pulled per day or 127.2 MMBtu/hr. [District Rule 4354, 6.4, 6.5; PSD SJ 76-44, X.F.6] Federally Enforceable Through Title V Permit
32. Upon written request from the Permittee, and adequate justification, EPA may waive a specific annual test and/or allow for testing to be done at less than 90% of maximum glass production pull rate achieved during the last year. [PSD SJ 76-44, X.F.7] Federally Enforceable Through Title V Permit
33. Compliance demonstration (source testing) shall be District witnessed or authorized and samples shall be collected by a certified testing laboratory. Source testing shall be conducted using the test methods and procedures specified in this permit. The District must be notified 30 days prior to any compliance source test, and a source test plan must be submitted for approval 15 days prior to testing. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081; PSD SJ 76-44, X.F.2 and X.F.5] Federally Enforceable Through Title V Permit
34. Source testing to measure oxides of nitrogen (as NO₂) (ppmv) shall be conducted using EPA Method 7E, or ARB Method 100, or oxides of nitrogen (as NO₂) (heat input basis) shall be conducted using EPA Method 19 and in accordance with Rule 1081, section 6.0 (12/16/93). [District Rules 1081 and 4354, 6.5; PSD SJ 76-44, X.F.3.a and X.F.3.b] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

35. The initial performance test conducted after furnace startup shall use the test procedures for a 'high NO₂ emission site,' as specified in San Diego Test Method 100, to measure NO₂ emissions. The source shall be classified as either a 'low' or 'high' NO₂ emission site based on these test results. If the emission source is classified as a: a) 'high NO₂ emission site,' then each subsequent performance test shall use the test procedures for a 'high NO₂ emission site,' as specified in San Diego Test Method 100. b) 'low NO₂ emission site,' then the test procedures for a 'high NO₂ emission site,' as specified in San Diego Test Method 100, shall be performed once every five years to verify the source's classification as a 'low NO₂ emission site. [PSD SJ 76-44, X.F.3.a and X.F.3.b] Federally Enforceable Through Title V Permit
36. Source testing to measure oxides of sulfur (as SO₂) shall be conducted using EPA Method 8 or EPA Method 6C, and in accordance with Rule 1081, section 6.0 (12/16/93). [District Rules 1081, 4801, and 4354, 6.5; PSD SJ 76-44, X.F.3.c] Federally Enforceable Through Title V Permit
37. Source testing to measure PM₁₀ including condensables, shall be conducted using EPA Method 5, EPA Method 201, or EPA Method 201A in combination with EPA Method 202 (Condensables), and in accordance with Rule 1081, section 6.0 (12/16/93). An operator choosing EPA Method 5 for filterable PM shall count all PM collected as PM₁₀. [District Rules 1081 and 4354, 6.5; PSD SJ 76-44, X.F.3.d] Federally Enforceable Through Title V Permit
38. Source testing to measure CO (ppmv) shall be conducted using EPA Method 10 or ARB Method 100, and in accordance with Rule 1081, section 6.0 (12/16/93). [District Rules 1081 and 4354, 6.5; PSD SJ 76-44, X.F.3.e] Federally Enforceable Through Title V Permit
39. Source testing to measure VOCs (ppmv) shall be conducted using EPA Method 25A, expressed in terms of carbon or other SIP approved Rule 4354 test methods, and in accordance with District Rule 1081, Section 6.0 (12/16/93). [District Rules 1081 and 4354, 6.5] Federally Enforceable Through Title V Permit
40. Source testing to measure stack gas oxygen shall be conducted using EPA Method 3 or 3A or ARB Method 100. [District Rules 1081 and 4354, 6.5; PSD SJ 76-44, X.F.3] Federally Enforceable Through Title V Permit
41. Source testing to measure ammonia shall be conducted using BAAQMD ST-1B. [District Rule 1081] Federally Enforceable Through Title V Permit
42. The owner or operator shall, upon written notice from the APCO, provide a summary of the data obtained from the CEM systems. This summary of data shall be in the form and the manner prescribed by the APCO. [District Rule 1080, 7.1] Federally Enforceable Through Title V Permit
43. Results of the CEM system shall be averaged over a three hour period, using consecutive 15-minute sampling periods in accordance with all applicable requirements of CFR 60.13, or by other methods deemed equivalent by mutual agreement with the District, the ARB, and the EPA. [District Rule 1080, 7.2 and 40 CFR 60.13; PSD SJ 76-44, X.C.4] Federally Enforceable Through Title V Permit
44. Cylinder Gas Audits of continuous emission monitors shall be conducted quarterly, except during quarters in which relative accuracy and compliance source testing are performed, in accordance with EPA guidelines. The District shall be notified prior to completion of the audits. Audit reports shall be submitted along with quarterly compliance reports to the District. [District Rule 1080 and 40 CFR 60 Appendix F; PSD SJ 76-44, X.F.8] Federally Enforceable Through Title V Permit
45. Any violation of an emission standard, as shown by the stack-monitoring system, shall be reported to the APCO within 96 hours of detection. [District Rule 1080, 9.0; PSD SJ 76-44, X.G.5] Federally Enforceable Through Title V Permit
46. Any breakdown in the continuous emission monitors shall be reported as soon as reasonably possible, but no later than eight hours after detection, unless the owner or operator demonstrates to the APCO's satisfaction that a longer reporting period was necessary, and shall initiate repairs. The Owner/operator shall inform the APCO of the intent to shut down the CEM at least 24 hours prior to the event. [District Rule 1080, 10.0] Federally Enforceable Through Title V Permit
47. Permittee shall maintain CEMS records that contain the following: the occurrence and duration of any or malfunction, performance testing, evaluations, calibrations, checks, adjustments, maintenance, duration of any periods during which a continuous monitoring system or monitoring device is inoperative, and emission measurements. [District Rule 1080, 8.0; 40 CFR Part 64; PSD SJ 76-44, X.G.1] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

48. Permittee shall submit a written report to the APCO for each calendar quarter, within 30 days of the end of the quarter, including: time intervals, data and magnitude of excess emissions; nature and cause of excess (averaging period used for data reporting shall correspond to the averaging period for each respective emission standard); corrective actions taken and preventive measures adopted; applicable time and date of each period during a CEM was inoperative (except for zero and span checks) and the nature of system repairs and adjustments; and a negative declaration when no excess emissions occurred or when the CEMS has not been inoperative, repaired, or adjusted. [District Rule 1080, 8.0; 40 CFR Part 64; PSD SJ 76-44, X.G.2] Federally Enforceable Through Title V Permit
49. Permittee shall establish parameters for primary and secondary voltage and current, which provides a reasonable assurance of ongoing compliance with emission limitations stated in this permit. The initial parameters shall be established using at least 6 months of historical operating data and manufacturer/supplier recommendations. These parameters shall be reviewed annually and revised if necessary based on PM10 source test result data, historical operating data and manufacturer/supplier recommendations. [40 CFR Part 64; PSD SJ 76-44, X.G.9] Federally Enforceable Through Title V Permit
50. During each day of operation, the permittee shall record electrostatic precipitator voltage and current readings and compare the readings with the acceptable range of current and voltage levels established. Upon detecting any excursion from the acceptable range of current or voltage readings, the permittee shall investigate the excursion and take corrective action to minimize excessive emissions and prevent recurrence of the excursion as expeditiously as practicable [40 CFR Part 64; PSD SJ 76-44, X.G.10] Federally Enforceable Through Title V Permit
51. Permittee shall maintain daily records of the total hours of operation, type and quantity of fuel used, and the quantity of glass pulled. The permittee shall also maintain records of all source tests, operating parameters established during source testing, all maintenance and repair performed, any periods of malfunction, and all periods of startup, idling, and shutdown. This information shall be made available on site during normal business hours from Monday through Friday, and submitted to the APCO upon request. [District Rules 1070 and 4354, 6.3; PSD SJ 76-44, X.E.3, X.G.7, and X.I.2] Federally Enforceable Through Title V Permit
52. Permittee shall maintain daily records of NO_x and SO_x emission rates in lb/ton of glass pulled to demonstrate compliance with the NO_x and SO_x emission limits. [District Rules 1070, 2201, and 4354, 6.3; PSD SJ 76-44, X.G.8] Federally Enforceable Through Title V Permit
53. Permittee shall maintain records of NO_x and SO_x emission rates in lb/ton of glass pulled on a "30-day rolling average" to demonstrate compliance with the NO_x and SO_x emission limits. [District Rules 1070, 2201, and 4354, 6.3] Federally Enforceable Through Title V Permit
54. Permittee shall maintain records of the CO emission rates in ppmvd referenced at 8% O₂ on a "3-hour rolling average" to demonstrate compliance with the CO emission limits. [District Rules 1070 and 4354, 6.3] Federally Enforceable Through Title V Permit
55. Permittee shall maintain records of the PM10 emission rate in lb/ton of glass pulled on a "block 24-hour average" to demonstrate compliance with the PM10 emission limit. [District Rules 1070 and 4354, 6.3] Federally Enforceable Through Title V Permit
56. Permittee shall maintain records of the VOC emissions using an approved parametric monitoring arrangement, and shall record the operating values of the key system operating parameters at the approved recording frequency. [District Rules 1070 and 4354, 6.3] Federally Enforceable Through Title V Permit
57. Permittee shall maintain records of the following items: 1) source tests and source test results, 2) the acceptable range each approved key system operating parameter, as established during source test, 3) maintenance and repair, and 4) malfunctions. [District Rule 4354, 6.3] Federally Enforceable Through Title V Permit
58. Records shall be maintained and shall contain: the occurrence and duration of any malfunction, performance testing, calibrations, checks, adjustments, or any periods during which the CEM is inoperative; and the CEM emission measurements. [District Rules 1080, 7.3 and 4354, 6.3; 40 CFR Part 64; PSD SJ 76-44, X.G.1] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

59. All records required by this permit shall be maintained, retained on-site for a period of at least five years and shall be made readily available for District inspection upon request. [District Rules 1070, 2201, and 4354, 6.3; PSD SJ 76-44, X.G.6] Federally Enforceable Through Title V Permit
60. The EPA shall be notified by facsimile or electronic mail transmission within two (2) working days following any failure of air pollution control equipment, process equipment, or of a process to operate in a normal manner, which results in an increase in emissions above any allowable emission limit stated in the PSD permit. In addition, the EPA shall be notified in writing within fifteen (15) days of any such failure. The notification shall include a description of the malfunctioning equipment or abnormal operation, the date of the initial malfunction, the period of time over which emissions were increased due to the failure, the cause of the failure, the estimated resultant emissions in excess of those allowed in the PSD permit, and the methods utilized to mitigate emissions and restore normal operations. Compliance with this malfunction notification provision shall not excuse or otherwise constitute a defense to any violation of this permit or of any law or regulation that such malfunction may cause, except as provided for in Section IV.B of the PSD permit. [PSD SJ 76-44, IV.A, IV.B, and IV.C] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-5-3

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

140.0 HP RAW MATERIAL UNLOADING AND STORAGE TO INCLUDE: TRUCK HOPPER; RAW MATERIAL CONVEYOR; BUCKET ELEVATOR; AND BINS FOR SAND, SODA ASH, CULLET, DOLOMITE, SALTCAKE, AND LIMESTONE SERVED BY VARIOUS FLEX-KLEEN BV SERIES FABRIC COLLECTORS.

PERMIT UNIT REQUIREMENTS

1. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
3. PM concentration shall not exceed 0.05 grains/scf. [District NSR Rule and District Rule 4201] Federally Enforceable Through Title V Permit
4. PM10 emissions shall not exceed 5.0 lbs/day. [District NSR Rule and District Rule 4202] Federally Enforceable Through Title V Permit
5. Records of the daily process throughput shall be maintained. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Dust collector filters shall be inspected at least once every two weeks while not in operation for any tears, holes, abrasions, and scuffs which might interfere with the PM collection efficiency and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
7. Records of dust collector inspection, maintenance, and repair shall be maintained. These records shall include identification of the dust collector, date of inspection, any corrective action taken as a result of inspection, and initials of the personnel performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
8. Dust collectors shall be inspected weekly while in operation for visible emissions. If excessive visible emissions are observed, appropriate action shall be taken, such as baghouse maintenance, cleaning, or replacement of bags as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
9. The facility shall conduct weekly visual inspections to determine whether visible emissions are present. If visible emissions are present, the facility will conduct a USEPA Method 9 test within 72 hours to determine if visible emissions are in excess of Ringelmann #1 or 20% opacity. If visible emissions can not be eliminated, the facility will conduct a EPA Method 5 test within 30 days of detection of visible emissions to demonstrate compliance with the particulate matter emission limit. [District Rule 2520, 9.3.2 and District Rule 1081] Federally Enforceable Through Title V Permit
10. The results of each source test shall be submitted to District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
11. Compliance with the PM10 daily emission limit (DEL) for this unit shall be determined using arithmetic mean, pursuant to District Rule 1081 (amended December 16, 1993) of 3-one hour test runs for PM10. This shall be multiplied by the appropriate factor to determine compliance. [District Rule 2520, 9.3.2 and District Rule 1081] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-6-3

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

213.0 HP RAW MATERIAL WEIGHTING, MIXING, AND DELIVERY TO INCLUDE: ROUGE AND CHARCOAL HOPPERS, SCALES, CONVEYORS, AND CRUSHER SURGE HOPPER SERVED BY AIR VENT DUST BAGS AND VARIOUS FLEX-KLEEN BV SERIES FABRIC COLLECTORS.

PERMIT UNIT REQUIREMENTS

1. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
3. PM concentration shall not exceed 0.05 grains/scf. [District NSR Rule and District Rule 4201] Federally Enforceable Through Title V Permit
4. PM10 emissions shall not exceed 5.0 lbs/day. [District NSR Rule and District Rule 4202] Federally Enforceable Through Title V Permit
5. Records of the daily process throughput shall be maintained. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Dust collector filters shall be inspected at least once every two weeks while not in operation for any tears, holes, abrasions, and scuffs which might interfere with the PM collection efficiency and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
7. Records of dust collector inspection, maintenance, and repair shall be maintained. These records shall include identification of the dust collector, date of inspection, any corrective action taken as a result of inspection, and initials of the personnel performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
8. Dust collectors shall be inspected weekly while in operation for visible emissions. If excessive visible emissions are observed, appropriate action shall be taken, such as baghouse maintenance, cleaning, or replacement of bags as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
9. The facility shall conduct weekly visual inspections to determine whether visible emissions are present. If visible emissions are present, the facility will conduct a USEPA Method 9 test within 72 hours to determine if visible emissions are in excess of Ringelmann #1 or 20% opacity. If visible emissions can not be eliminated, the facility will conduct a EPA Method 5 test within 30 days of detection of visible emissions to demonstrate compliance with the particulate matter emission limit. [District Rule 2520, 9.3.2 and District Rule 1081] Federally Enforceable Through Title V Permit
10. The results of each source test shall be submitted to District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
11. Compliance with the PM10 daily emission limit (DEL) for this unit shall be determined using arithmetic mean, pursuant to District Rule 1081 (amended December 16, 1993) of 3-one hour test runs for PM10. This shall be multiplied by the appropriate factor to determine compliance. [District Rule 2520, 9.3.2 and District Rule 1081] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-7-3

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

30 HP SHEET GLASS SEAMER SERVED BY AN INDUSTRIAL CLEAN AIR PULSE CLEAN 500 SERIES MODULAR IV FABRIC COLLECTOR.

PERMIT UNIT REQUIREMENTS

1. Material removed from dust collector(s) shall be disposed of in a manner preventing entrainment into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
2. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District NSR Rule] Federally Enforceable Through Title V Permit
3. PM concentration shall not exceed 0.05 grains/scf. [District NSR Rule and District Rule 4201] Federally Enforceable Through Title V Permit
4. PM10 emissions shall not exceed 5.0 lbs/day. [District NSR Rule and District Rule 4202] Federally Enforceable Through Title V Permit
5. Records of the daily process throughput shall be maintained. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
6. Dust collector filters shall be inspected at least once every two weeks while not in operation for any tears, holes, abrasions, and scuffs which might interfere with the PM collection efficiency and shall be replaced as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
7. Records of dust collector inspection, maintenance, and repair shall be maintained. These records shall include identification of the dust collector, date of inspection, any corrective action taken as a result of inspection, and initials of the personnel performing the inspection. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
8. Dust collectors shall be inspected weekly while in operation for visible emissions. If excessive visible emissions are observed, appropriate action shall be taken, such as baghouse maintenance, cleaning, or replacement of bags as needed. [District Rule 2520, 9.3.2] Federally Enforceable Through Title V Permit
9. The facility shall conduct weekly visual inspections to determine whether visible emissions are present. If visible emissions are present, the facility will conduct a USEPA Method 9 test within 72 hours to determine if visible emissions are in excess of Ringelmann #1 or 20% opacity. If visible emissions can not be eliminated, the facility will conduct a EPA Method 5 test within 30 days of detection of visible emissions to demonstrate compliance with the particulate matter emission limit. [District Rule 2520, 9.3.2 and District Rule 1081] Federally Enforceable Through Title V Permit
10. The results of each source test shall be submitted to District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
11. Compliance with the PM10 daily emission limit (DEL) for this unit shall be determined using arithmetic mean, pursuant to District Rule 1081 (amended December 16, 1993) of 3-one hour test runs for PM10. This shall be multiplied by the appropriate factor to determine compliance. [District Rule 2520, 9.3.2 and District Rule 1081] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-8-3

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

ONE 157 HP CUMMINS MODEL V-504-F2 DIESEL-FUELED I.C. ENGINE POWERING A WATER PUMP FOR FIRE PROTECTION

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rule 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
4. On and after May 3, 2013, the engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
5. On and after May 3, 2013, the permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
6. On and after May 3, 2013, the engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
7. On and after May 3, 2013, the engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
8. On and after May 3, 2013, the engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
9. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

11. This engine shall be operated only for maintenance, testing, and required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems", 1998 edition. Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
13. The permittee shall maintain monthly records that include the type of fuel purchased, the amount of fuel purchased, and the date of fuel purchase. [District Rules 4702 and 2520, 9.4 and 17 CCR 93115] Federally Enforceable Through Title V Permit
14. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.), and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rules 4702 and 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. On and after May 3, 2013, the permittee shall maintain monthly records of all performance tests, opacity and visible emissions observations and required maintenance performed on the air pollution control and monitoring equipment. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
16. On and after May 3, 2013, the permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
17. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4702, 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-9-1

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

474.5 HP CATERPILLAR MODEL #XQ350-3406 DIESEL-FIRED EMERGENCY STANDBY IC ENGINE POWERING AN ELECTRICAL GENERATOR

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
4. This engine shall be equipped with either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201, 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
6. Emissions from this engine shall not exceed any of the following limits 6.12 g-NO_x/hp-hr, 0.76 g-CO/hp-hr, or 0.05 g-VOC/hp-hr. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The PM₁₀ emissions rate shall not exceed 0.08 g/hp-hr based on US EPA certification using ISO 8178 test procedure. [District Rule 2201] Federally Enforceable Through Title V Permit
8. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
9. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
10. On and after May 3, 2013, the engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. On and after May 3, 2013, the permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. On and after May 3, 2013, the engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

13. On and after May 3, 2013, the engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
14. On and after May 3, 2013, the engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
16. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
17. This engine shall be operated only for maintenance, testing, and required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rules 2201, 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
18. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
19. The permittee shall maintain monthly records that include the type of fuel purchased, the amount of fuel purchased, and the date of fuel purchase. [District Rules 4702 and 2520, 9.4 and 17 CCR 93115] Federally Enforceable Through Title V Permit
20. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.), and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rules 4702 and 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
21. On and after May 3, 2013, the permittee shall maintain monthly records of all performance tests, opacity and visible emissions observations and required maintenance performed on the air pollution control and monitoring equipment. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
22. On and after May 3, 2013, the permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
23. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4702, 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-598-10-2

EXPIRATION DATE: 01/31/2016

EQUIPMENT DESCRIPTION:

168 BHP CATERPILLAR MODEL C6.6 ACERT TIER 3 CERTIFIED DIESEL-FIRED EMERGENCY STANDBY IC ENGINE
POWERING A WATER PUMP

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
3. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
4. This engine shall be equipped with either a positive crankcase ventilation (PCV) system that recirculates crankcase emissions into the air intake system for combustion, or a crankcase emissions control device of at least 90% control efficiency. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rules 2201, 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
6. Emissions from this IC engine shall not exceed any of the following limits: 2.51 g-NOx/bhp-hr, 1.34 g-CO/bhp-hr, or 0.18 g-VOC/bhp-hr. [District Rule 2201 and 13 CCR 2423 and 17 CCR 93115] Federally Enforceable Through Title V Permit
7. Emissions from this IC engine shall not exceed 0.112 g-PM10/bhp-hr based on USEPA certification using ISO 8178 test procedure. [District Rules 2201 and 4102 and 13 CCR 2423 and 17 CCR 93115] Federally Enforceable Through Title V Permit
8. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
9. This engine shall not be used to produce power for the electrical distribution system, as part of a voluntary utility demand reduction program, or for an interruptible power contract. [District Rule 4702] Federally Enforceable Through Title V Permit
10. On and after May 3, 2013, the engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. On and after May 3, 2013, the permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. On and after May 3, 2013, the engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. On and after May 3, 2013, the engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
14. On and after May 3, 2013, the engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
16. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
17. This engine shall be operated only for maintenance, testing, and required regulatory purposes, and during emergency situations. Operation of the engine for maintenance, testing, and required regulatory purposes shall not exceed 50 hours per calendar year. [District Rules 2201, 4702, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
18. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
19. The permittee shall maintain monthly records that include the type of fuel purchased, the amount of fuel purchased, and the date of fuel purchase. [District Rules 4702 and 2520, 9.4 and 17 CCR 93115] Federally Enforceable Through Title V Permit
20. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.), and records of operational characteristics monitoring. For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rules 4702 and 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
21. On and after May 3, 2013, the permittee shall maintain monthly records of all performance tests, opacity and visible emissions observations and required maintenance performed on the air pollution control and monitoring equipment. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
22. On and after May 3, 2013, the permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070, 2520, 9.4 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
23. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4702, 2520, 9.4, 17 CCR 93115, and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.