



MAY 16 2012

Mr. Matt Towers
O'Neill Beverages Company LLC
8418 S Lac Jac Ave
Parlier, CA 93648

Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # C-629
Project # C-1113210

Dear Mr. Towers:

The Air Pollution Control Officer has issued Authorities to Construct (ATC # C-629-436-1, '437-1, '438-1, '439-1, '440-1, '441-1, '442-1, '443-1) with Certificates of Conformity to O'Neill Beverages Company LLC at 8418 S. Lac Jac Ave in Parlier. The applicant proposes to install eight distilled spirits storage tanks.

Enclosed are the Authorities to Construct. The application and proposal were sent to US EPA Region IX on April 2, 2012. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Prior to operating with modifications authorized by the Authority to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,

David Warner
Director of Permit Services

Enclosures
st

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



MAY 16 2012

Gerardo C. Rios, Chief
Permits Office
Air Division
U.S. EPA - Region IX
75 Hawthorne St
San Francisco, CA 94105

**Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # C-629
Project # C-1113210**

Dear Mr. Rios:

The Air Pollution Control Officer has issued Authorities to Construct (ATC # C-629-436-1, '437-1, '438-1, '439-1, '440-1, '441-1, '442-1, '443-1) with Certificates of Conformity to O'Neill Beverages Company LLC at 8418 S. Lac Jac Ave in Parlier. The applicant proposes to install eight distilled spirits storage tanks.


Enclosed is a copy of the Authorities to Construct. The application and proposal were sent to US EPA Region IX on April 2, 2012. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



 David Warner
Director of Permit Services

Enclosures
st

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



MAY 16 2012

Mike Tollstrup, Chief
Project Assessment Branch
Air Resources Board
P O Box 2815
Sacramento, CA 95812-2815

**Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # C-629
Project # C-1113210**

Dear Mr. Tollstrup:


The Air Pollution Control Officer has issued Authorities to Construct (ATC # C-629-436-1, '437-1, '438-1, '439-1, '440-1, '441-1, '442-1, '443-1) with Certificates of Conformity to O'Neill Beverages Company LLC at 8418 S. Lac Jac Ave in Parlier. The applicant proposes to install eight distilled spirits storage tanks.

Enclosed is a copy of the Authorities to Construct. The application and proposal were sent to US EPA Region IX on April 2, 2012. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900.

Sincerely,



David Warner
Director of Permit Services

Enclosures
st

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

Fresno Bee

**NOTICE OF FINAL DECISION
FOR THE ISSUANCE OF AUTHORITY TO CONSTRUCT AND
THE PROPOSED SIGNIFICANT MODIFICATION OF FEDERALLY
MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District has made its final decision to issue Authorities to Construct to O'Neill Beverages Company LLC for its winery located at 8418 S. Lac Jac Ave in Parlier, California. The applicant proposes to install eight distilled spirits storage tanks.

The District's analysis of the legal and factual basis for this proposed action, project #C-1113210, is available for public inspection at the District office at the address below. For additional information regarding this matter, please contact Mr. Jim Swaney, Permit Services Manager, at (559) 230-5900, or contact David Warner, Director of Permit Services, in writing at SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 E. GETTYSBURG AVE, FRESNO, CA 93726-0244.



AUTHORITY TO CONSTRUCT

PERMIT NO: C-629-436-1

ISSUANCE DATE: 05/14/2012

LEGAL OWNER OR OPERATOR: O'NEILL BEVERAGES CO LLC

MAILING ADDRESS: 8418 S LAC JAC AVE
PARLIER, CA 93648-9708

LOCATION: 8418 S LAC JAC AVE
PARLIER, CA 93648

EQUIPMENT DESCRIPTION:

44,800 GALLON DISTILLED SPIRITS STORAGE TANK (TANK # R0013) WITH PRESSURE/VACUUM VALVE, LOCATED IN A COMPLETELY ENCLOSED BUILDING


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), ATC C-629-436-0 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services

7. The maximum distilled spirits storage throughput in this tank shall not exceed 89,600 gallons per day [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from all storage operations under permit units C-629-432 through C-629-493 shall not exceed 9,333 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The annual VOC distilled spirits storage emission factor for each distilled spirits ethanol content shall be calculated using the following equation: $EF = a * P^2 + b * P + c$; where EF is the VOC emission factor in pounds of VOC per 1000 gallons of distilled spirits throughput; and P is the volume percent ethanol of the distilled spirits being transferred. For concentrations up to and including 24 volume %, $a = -0.52083E-4$, $b = 1.1625E-2$ and $c = 0$. For concentrations greater than 24 volume % up to and including 66 volume%, $a = -0.49990E-4$, $b = 1.0589E-2$ and $c = 0.02133$. For concentrations greater than 66 volume % up to and including 92 volume %, $a = 1.60589E-4$, $b = -1.83207E-2$ and $c = 1.016774$. For concentrations greater than 92 volume % up to and including 100 volume %, $a = 9.64286E-4$, $b = -16.1943E-2$ and $c = 7.43214$. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Combined annual VOC emissions from storage operations under permit units C-629-432 through C-629-493 shall be determined as the sum of the emissions for each individual wine and distilled spirits movement based on the volume transferred in each wine and distilled spirits movement and the batch-specific wine and distilled spirits storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The permittee shall maintain records of the combined annual VOC emissions for permit units C-629-432 through C-629-493. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: C-629-437-1

ISSUANCE DATE: 05/14/2012

LEGAL OWNER OR OPERATOR: O'NEILL BEVERAGES CO LLC
MAILING ADDRESS: 8418 S LAC JAC AVE
PARLIER, CA 93648-9708

LOCATION: 8418 S LAC JAC AVE
PARLIER, CA 93648

EQUIPMENT DESCRIPTION:

44,800 GALLON DISTILLED SPIRITS STORAGE TANK (TANK # R0014) WITH PRESSURE/VACUUM VALVE, LOCATED IN A COMPLETELY ENCLOSED BUILDING


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), ATC C-629-437-0 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
C-629-437-1 : May 14 2012 11:14AM -- TOMS Joint Inspection NOT Required

7. The maximum distilled spirits storage throughput in this tank shall not exceed 89,600 gallons per day [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from all storage operations under permit units C-629-432 through C-629-493 shall not exceed 9,333 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The annual VOC distilled spirits storage emission factor for each distilled spirits ethanol content shall be calculated using the following equation: $EF = a * P^2 + b * P + c$; where EF is the VOC emission factor in pounds of VOC per 1000 gallons of distilled spirits throughput; and P is the volume percent ethanol of the distilled spirits being transferred. For concentrations up to and including 24 volume %, $a = -0.52083E-4$, $b = 1.1625E-2$ and $c = 0$. For concentrations greater than 24 volume % up to and including 66 volume%, $a = -0.49990E-4$, $b = 1.0589E-2$ and $c = 0.02133$. For concentrations greater than 66 volume % up to and including 92 volume %, $a = 1.60589E-4$, $b = -1.83207E-2$ and $c = 1.016774$. For concentrations greater than 92 volume % up to and including 100 volume %, $a = 9.64286E-4$, $b = -16.1943E-2$ and $c = 7.43214$. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Combined annual VOC emissions from storage operations under permit units C-629-432 through C-629-493 shall be determined as the sum of the emissions for each individual wine and distilled spirits movement based on the volume transferred in each wine and distilled spirits movement and the batch-specific wine and distilled spirits storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The permittee shall maintain records of the combined annual VOC emissions for permit units C-629-432 through C-629-493. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: C-629-438-1

ISSUANCE DATE: 05/14/2012

LEGAL OWNER OR OPERATOR: O'NEILL BEVERAGES CO LLC

MAILING ADDRESS: 8418 S LAC JAC AVE
PARLIER, CA 93648-9708

LOCATION: 8418 S LAC JAC AVE
PARLIER, CA 93648

EQUIPMENT DESCRIPTION:

44,800 GALLON DISTILLED SPIRITS STORAGE TANK (TANK # R0015) WITH PRESSURE/VACUUM VALVE, LOCATED IN A COMPLETELY ENCLOSED BUILDING

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), ATC C-629-438-0 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
C-629-438-1 May 14 2012 11:14AM - TOMS : Joint Inspection NOT Required

7. The maximum distilled spirits storage throughput in this tank shall not exceed 89,600 gallons per day [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from all storage operations under permit units C-629-432 through C-629-493 shall not exceed 9,333 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The annual VOC distilled spirits storage emission factor for each distilled spirits ethanol content shall be calculated using the following equation: $EF = a * P^2 + b * P + c$; where EF is the VOC emission factor in pounds of VOC per 1000 gallons of distilled spirits throughput; and P is the volume percent ethanol of the distilled spirits being transferred. For concentrations up to and including 24 volume %, $a = -0.52083E-4$, $b = 1.1625E-2$ and $c = 0$. For concentrations greater than 24 volume % up to and including 66 volume% , $a = -0.49990E-4$, $b = 1.0589E-2$ and $c = 0.02133$. For concentrations greater than 66 volume % up to and including 92 volume %, $a = 1.60589E-4$, $b = -1.83207E-2$ and $c = 1.016774$. For concentrations greater than 92 volume % up to and including 100 volume %, $a = 9.64286E-4$, $b = -16.1943E-2$ and $c = 7.43214$. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Combined annual VOC emissions from storage operations under permit units C-629-432 through C-629-493 shall be determined as the sum of the emissions for each individual wine and distilled spirits movement based on the volume transferred in each wine and distilled spirits movement and the batch-specific wine and distilled spirits storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The permittee shall maintain records of the combined annual VOC emissions for permit units C-629-432 through C-629-493. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: C-629-439-1

ISSUANCE DATE: 05/14/2012

LEGAL OWNER OR OPERATOR: O'NEILL BEVERAGES CO LLC

MAILING ADDRESS: 8418 S LAC JAC AVE
PARLIER, CA 93648-9708

LOCATION: 8418 S LAC JAC AVE
PARLIER, CA 93648

EQUIPMENT DESCRIPTION:

44,800 GALLON DISTILLED SPIRITS STORAGE TANK (TANK # R0016) WITH PRESSURE/VACUUM VALVE, LOCATED IN A COMPLETELY ENCLOSED BUILDING

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), ATC C-629-439-0 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadradin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
C-629-439-1: May 14 2012 11:14AM -- TOMS : Joint Inspection NOT Required

7. The maximum distilled spirits storage throughput in this tank shall not exceed 89,600 gallons per day [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from all storage operations under permit units C-629-432 through C-629-493 shall not exceed 9,333 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The annual VOC distilled spirits storage emission factor for each distilled spirits ethanol content shall be calculated using the following equation: $EF = a * P^2 + b * P + c$; where EF is the VOC emission factor in pounds of VOC per 1000 gallons of distilled spirits throughput; and P is the volume percent ethanol of the distilled spirits being transferred. For concentrations up to and including 24 volume %, $a = -0.52083E-4$, $b = 1.1625E-2$ and $c = 0$. For concentrations greater than 24 volume % up to and including 66 volume%, $a = -0.49990E-4$, $b = 1.0589E-2$ and $c = 0.02133$. For concentrations greater than 66 volume % up to and including 92 volume %, $a = 1.60589E-4$, $b = -1.83207E-2$ and $c = 1.016774$. For concentrations greater than 92 volume % up to and including 100 volume %, $a = 9.64286E-4$, $b = -16.1943E-2$ and $c = 7.43214$. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Combined annual VOC emissions from storage operations under permit units C-629-432 through C-629-493 shall be determined as the sum of the emissions for each individual wine and distilled spirits movement based on the volume transferred in each wine and distilled spirits movement and the batch-specific wine and distilled spirits storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The permittee shall maintain records of the combined annual VOC emissions for permit units C-629-432 through C-629-493. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: C-629-440-1

ISSUANCE DATE: 05/14/2012

LEGAL OWNER OR OPERATOR: O'NEILL BEVERAGES CO LLC

MAILING ADDRESS: 8418 S LAC JAC AVE
PARLIER, CA 93648-9708

LOCATION: 8418 S LAC JAC AVE
PARLIER, CA 93648

EQUIPMENT DESCRIPTION:

37,500 GALLON DISTILLED SPIRITS STORAGE TANK (TANK # R0023) WITH PRESSURE/VACUUM VALVE, LOCATED IN A COMPLETELY ENCLOSED BUILDING


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), ATC C-629-440-0 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
C-629-440-1 May 14 2012 11:14AM - TOMS : Joint Inspection NOT Required

7. The maximum distilled spirits storage throughput in this tank shall not exceed 75,000 gallons per day [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from all storage operations under permit units C-629-432 through C-629-493 shall not exceed 9,333 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The annual VOC distilled spirits storage emission factor for each distilled spirits ethanol content shall be calculated using the following equation: $EF = a * P^2 + b * P + c$; where EF is the VOC emission factor in pounds of VOC per 1000 gallons of distilled spirits throughput; and P is the volume percent ethanol of the distilled spirits being transferred. For concentrations up to and including 24 volume %, $a = -0.52083E-4$, $b = 1.1625E-2$ and $c = 0$. For concentrations greater than 24 volume % up to and including 66 volume% , $a = -0.49990E-4$, $b = 1.0589E-2$ and $c = 0.02133$. For concentrations greater than 66 volume % up to and including 92 volume %, $a = 1.60589E-4$, $b = -1.83207E-2$ and $c = 1.016774$. For concentrations greater than 92 volume % up to and including 100 volume %, $a = 9.64286E-4$, $b = -16.1943E-2$ and $c = 7.43214$. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Combined annual VOC emissions from storage operations under permit units C-629-432 through C-629-493 shall be determined as the sum of the emissions for each individual wine and distilled spirits movement based on the volume transferred in each wine and distilled spirits movement and the batch-specific wine and distilled spirits storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The permittee shall maintain records of the combined annual VOC emissions for permit units C-629-432 through C-629-493. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: C-629-441-1

ISSUANCE DATE: 05/14/2012

LEGAL OWNER OR OPERATOR: O'NEILL BEVERAGES CO LLC

MAILING ADDRESS: 8418 S LAC JAC AVE
PARLIER, CA 93648-9708

LOCATION: 8418 S LAC JAC AVE
PARLIER, CA 93648

EQUIPMENT DESCRIPTION:

37,500 GALLON DISTILLED SPIRITS STORAGE TANK (TANK # R0024) WITH PRESSURE/VACUUM VALVE, LOCATED IN A COMPLETELY ENCLOSED BUILDING

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), ATC C-629-441-0 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
C-629-441-1 May 14 2012 11:14AM -- TOMS : Joint Inspection NOT Required

7. The maximum distilled spirits storage throughput in this tank shall not exceed 75,000 gallons per day [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from all storage operations under permit units C-629-432 through C-629-493 shall not exceed 9,333 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The annual VOC distilled spirits storage emission factor for each distilled spirits ethanol content shall be calculated using the following equation: $EF = a * P^2 + b * P + c$; where EF is the VOC emission factor in pounds of VOC per 1000 gallons of distilled spirits throughput; and P is the volume percent ethanol of the distilled spirits being transferred. For concentrations up to and including 24 volume %, $a = -0.52083E-4$, $b = 1.1625E-2$ and $c = 0$. For concentrations greater than 24 volume % up to and including 66 volume%, $a = -0.49990E-4$, $b = 1.0589E-2$ and $c = 0.02133$. For concentrations greater than 66 volume % up to and including 92 volume %, $a = 1.60589E-4$, $b = -1.83207E-2$ and $c = 1.016774$. For concentrations greater than 92 volume % up to and including 100 volume %, $a = 9.64286E-4$, $b = -16.1943E-2$ and $c = 7.43214$. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Combined annual VOC emissions from storage operations under permit units C-629-432 through C-629-493 shall be determined as the sum of the emissions for each individual wine and distilled spirits movement based on the volume transferred in each wine and distilled spirits movement and the batch-specific wine and distilled spirits storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The permittee shall maintain records of the combined annual VOC emissions for permit units C-629-432 through C-629-493. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: C-629-442-1

ISSUANCE DATE: 05/14/2012

LEGAL OWNER OR OPERATOR: O'NEILL BEVERAGES CO LLC
MAILING ADDRESS: 8418 S LAC JAC AVE
PARLIER, CA 93648-9708

LOCATION: 8418 S LAC JAC AVE
PARLIER, CA 93648

EQUIPMENT DESCRIPTION:
37,500 GALLON DISTILLED SPIRITS STORAGE TANK (TANK # R0025) WITH PRESSURE/VACUUM VALVE, LOCATED IN A COMPLETELY ENCLOSED BUILDING


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), ATC C-629-442-0 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
C-629-442-1 May 14 2012 11:14AM - TOMS : Joint Inspection NOT Required

7. The maximum distilled spirits storage throughput in this tank shall not exceed 75,000 gallons per day [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from all storage operations under permit units C-629-432 through C-629-493 shall not exceed 9,333 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The annual VOC distilled spirits storage emission factor for each distilled spirits ethanol content shall be calculated using the following equation: $EF = a * P^2 + b * P + c$; where EF is the VOC emission factor in pounds of VOC per 1000 gallons of distilled spirits throughput; and P is the volume percent ethanol of the distilled spirits being transferred. For concentrations up to and including 24 volume %, $a = -0.52083E-4$, $b = 1.1625E-2$ and $c = 0$. For concentrations greater than 24 volume % up to and including 66 volume% , $a = -0.49990E-4$, $b = 1.0589E-2$ and $c = 0.02133$. For concentrations greater than 66 volume % up to and including 92 volume %, $a = 1.60589E-4$, $b = -1.83207E-2$ and $c = 1.016774$. For concentrations greater than 92 volume % up to and including 100 volume %, $a = 9.64286E-4$, $b = -16.1943E-2$ and $c = 7.43214$. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Combined annual VOC emissions from storage operations under permit units C-629-432 through C-629-493 shall be determined as the sum of the emissions for each individual wine and distilled spirits movement based on the volume transferred in each wine and distilled spirits movement and the batch-specific wine and distilled spirits storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The permittee shall maintain records of the combined annual VOC emissions for permit units C-629-432 through C-629-493. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: C-629-443-1

ISSUANCE DATE: 05/14/2012

LEGAL OWNER OR OPERATOR: O'NEILL BEVERAGES CO LLC

MAILING ADDRESS: 8418 S LAC JAC AVE
PARLIER, CA 93648-9708

LOCATION: 8418 S LAC JAC AVE
PARLIER, CA 93648

EQUIPMENT DESCRIPTION:

37,500 GALLON DISTILLED SPIRITS STORAGE TANK (TANK # R0026) WITH PRESSURE/VACUUM VALVE, LOCATED IN A COMPLETELY ENCLOSED BUILDING

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Upon implementation of the modification and startup of the equipment authorized by this Authority to Construct (ATC), ATC C-629-443-0 shall be cancelled. [District Rule 2201] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


DAVID WARNER, Director of Permit Services
C-629-443-1 May 14 2012 11:14AM - TOMS Joint Inspection NO1 Required
 Central Regional Office • 1990 E. Gettysburg Ave. • Fresno, CA 93726 • (559) 230-5900 • Fax (559) 230-6061

7. The maximum distilled spirits storage throughput in this tank shall not exceed 75,000 gallons per day [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from all storage operations under permit units C-629-432 through C-629-493 shall not exceed 9,333 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The annual VOC distilled spirits storage emission factor for each distilled spirits ethanol content shall be calculated using the following equation: $EF = a * P^2 + b * P + c$; where EF is the VOC emission factor in pounds of VOC per 1000 gallons of distilled spirits throughput; and P is the volume percent ethanol of the distilled spirits being transferred. For concentrations up to and including 24 volume %, $a = -0.52083E-4$, $b = 1.1625E-2$ and $c = 0$. For concentrations greater than 24 volume % up to and including 66 volume%, $a = -0.49990E-4$, $b = 1.0589E-2$ and $c = 0.02133$. For concentrations greater than 66 volume % up to and including 92 volume %, $a = 1.60589E-4$, $b = -1.83207E-2$ and $c = 1.016774$. For concentrations greater than 92 volume % up to and including 100 volume %, $a = 9.64286E-4$, $b = -16.1943E-2$ and $c = 7.43214$. [District Rule 2201] Federally Enforceable Through Title V Permit
10. Combined annual VOC emissions from storage operations under permit units C-629-432 through C-629-493 shall be determined as the sum of the emissions for each individual wine and distilled spirits movement based on the volume transferred in each wine and distilled spirits movement and the batch-specific wine and distilled spirits storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the maximum temperature of the stored distilled spirits, the volume percent ethanol in the batch, and the volume of distilled spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The permittee shall maintain records of the combined annual VOC emissions for permit units C-629-432 through C-629-493. [District Rule 2201] Federally Enforceable Through Title V Permit
13. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit