



SEP 13 2012

Mr. Chris Savage
E&J Gallo Winery - Brandy
200 Yosemite Blvd.
Modesto, CA 95353

**Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # N-7478
Project # N-1121092**

Dear Mr. Savage:

The Air Pollution Control Officer has issued Authorities to Construct (N-7478-26-1 to '32-1) with Certificates of Conformity to E&J Gallo Winery - Brandy at 200 Yosemite Blvd., Modesto. This project is to install seven distilled spirits storage tanks


Enclosed are the copies of Authorities to Construct and a copy of the invoice. The application and proposal were sent to US EPA Region IX on July 27, 2012. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Prior to operating with modifications authorized by the Authority to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Rupi Gill, Permit Services Manager, at (209) 557-6400.

Sincerely,



for
David Warner
Director of Permit Services

DW:JK/st

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



SEP 13 2012

Mike Tollstrup, Chief
Project Assessment Branch
Air Resources Board
P O Box 2815
Sacramento, CA 95812-2815

**Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # N-7478
Project # N-1121092**

Dear Mr. Tollstrup:

The Air Pollution Control Officer has issued Authorities to Construct (N-7478-26-1 to '32-1) with Certificates of Conformity to E&J Gallo Winery - Brandy at 200 Yosemite Blvd., Modesto. This project is to install seven distilled spirits storage tanks

Enclosed is a copy of the Authorities to Construct. The application and proposal were sent to US EPA Region IX on July 27, 2012. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Rupi Gill, Permit Services Manager, at (209) 557-6400.

Sincerely,

David Warner
Director of Permit Services

DW:JK/st

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



SEP 13 2012

Gerardo C. Rios, Chief
Permits Office
Air Division
U.S. EPA - Region IX
75 Hawthorne St
San Francisco, CA 94105

Re: Final - Authority to Construct / COC (Significant Mod)
District Facility # N-7478
Project # N-1121092

Dear Mr. Rios:

The Air Pollution Control Officer has issued Authorities to Construct (N-7478-26-1 to '32-1) with Certificates of Conformity to E&J Gallo Winery - Brandy at 200 Yosemite Blvd., Modesto. This project is to install seven distilled spirits storage tanks

Enclosed is a copy of the Authorities to Construct. The application and proposal were sent to US EPA Region IX on July 27, 2012. No comments were received following the District's preliminary decision on this project.

The notice of final decision for this project will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Rupj Gill, Permit Services Manager, at (209) 557-6400.

Sincerely,

David Warner
Director of Permit Services

DW:JK/st

Enclosures

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

Modesto Bee

**NOTICE OF FINAL DECISION
FOR THE ISSUANCE OF AUTHORITY TO CONSTRUCT AND
THE PROPOSED SIGNIFICANT MODIFICATION OF FEDERALLY
MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District has made its final decision to issue Authorities to Construct to E&J Gallo Winery - Brandy for winery located at 200 Yosemite Blvd., Modesto, California. This project is to install seven distilled spirits storage tanks

The District's analysis of the legal and factual basis for this proposed action, project #N-1121092, is available for public inspection at the District office at the address below. For additional information regarding this matter, please contact Mr. Rupi Gill, Permit Services Manager, at (209) 557-6400, or contact David Warner, Director of Permit Services, in writing at SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 4800 ENTERPRISE WAY, MODESTO, CA 95356-8718.



AUTHORITY TO CONSTRUCT

PERMIT NO: N-7478-26-1

ISSUANCE DATE: 09/10/2012

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY - BRANDY
MAILING ADDRESS: PO BOX 1130
MODESTO, CA 95353

LOCATION: 200 YOSEMITE AVE
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:
105,000 GALLON STAINLESS STEEL DISTILLED SPIRITS STORAGE TANK #113 WITH INSULATION AND EQUIPPED WITH PRESSURE/VACUUM VALVE

CONDITIONS

1. This Authority to Construct cancels and replaces the Authority to Construct N-7478-26-0. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 616 lb, 2nd quarter - 616 lb, 3rd quarter - 616 lb, and 4th quarter - 617 lb. Offsets shall be provided at an offset ratio 1.5 to 1. [District Rule 2201] Federally Enforceable Through Title V Permit
5. ERC certificate S-3714-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director, APCO

DAVID WARNER, Director of Permit Services
N-7478-26-1: Sep 10 2012 10:34AM - KAHLOUJ : Joint Inspection NOT Required

6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
7. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
8. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions for distilled spirits storage shall not exceed 132.2 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The daily distilled spirits storage throughput of this tank shall not exceed 105,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The maximum ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. The annual distilled spirits storage throughput of this tank shall not exceed 3,000,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
14. The maximum average annual ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintained the following records: a) the maximum ethanol concentration in volume percent of the distilled spirits stored, b) the maximum average annual ethanol concentration in volume percent of the distilled spirits stored, c) the daily throughout, and d) the cumulative annual throughput. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-7478-27-1

ISSUANCE DATE: 09/10/2012

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY - BRANDY

MAILING ADDRESS: PO BOX 1130
MODESTO, CA 95353

LOCATION: 200 YOSEMITE AVE
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:

105,000 GALLON STAINLESS STEEL DISTILLED SPIRITS STORAGE TANK #114 WITH INSULATION AND EQUIPPED WITH PRESSURE/VACUUM VALVE

CONDITIONS

1. This Authority to Construct cancels and replaces the Authority to Construct N-7478-27-0. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 616 lb, 2nd quarter - 616 lb, 3rd quarter - 616 lb, and 4th quarter - 617 lb. Offsets shall be provided at an offset ratio 1.5 to 1. [District Rule 2201] Federally Enforceable Through Title V Permit
5. ERC certificate S-3714-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Sayed Sadreedin, Executive Director / APCO

DAVID WARNER, Director of Permit Services

N-7478-27-1 : Sep 10 2012 10:34AM - KAH/LONJ : Joint Inspection NOT Required

6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
7. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
8. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions for distilled spirits storage shall not exceed 132.2 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The daily distilled spirits storage throughput of this tank shall not exceed 105,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The maximum ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. The annual distilled spirits storage throughput of this tank shall not exceed 3,000,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
14. The maximum average annual ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintained the following records: a) the maximum ethanol concentration in volume percent of the distilled spirits stored, b) the maximum average annual ethanol concentration in volume percent of the distilled spirits stored, c) the daily throughout, and d) the cumulative annual throughout. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-7478-28-1

ISSUANCE DATE: 09/10/2012

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY - BRANDY
MAILING ADDRESS: PO BOX 1130
MODESTO, CA 95353

LOCATION: 200 YOSEMITE AVE
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:
2,500 GALLON STAINLESS STEEL DISTILLED SPIRITS STORAGE TANK #24 WITH INSULATION AND EQUIPPED WITH PRESSURE/VACUUM VALVE

CONDITIONS

1. This Authority to Construct cancels and replaces the Authority to Construct N-7478-28-0. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 18 lb, 2nd quarter - 18 lb, 3rd quarter - 19 lb, and 4th quarter - 19 lb. Offsets shall be provided at an offset ratio 1.5 to 1. [District Rule 2201] Federally Enforceable Through Title V Permit
5. ERC certificate S-3714-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit


CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadreidin, Executive Director / APCO

DAVID WARNER, Director of Permit Services

N-7478-28-1 : Sep 10 2012 10:34AM - KAH/LONJ : Joint Inspection NOT Required



6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
7. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
8. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions for distilled spirits storage shall not exceed 3.6 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The daily distilled spirits storage throughput of this tank shall not exceed 3,225 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The maximum ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. The annual distilled spirits storage throughput of this tank shall not exceed 100,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
14. The maximum average annual ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintained the following records: a) the maximum ethanol concentration in volume percent of the distilled spirits stored, b) the maximum average annual ethanol concentration in volume percent of the distilled spirits stored, c) the daily throughout, and d) the cumulative annual throughput. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-7478-29-1

ISSUANCE DATE: 09/10/2012

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY - BRANDY

MAILING ADDRESS: PO BOX 1130
MODESTO, CA 95353

LOCATION: 200 YOSEMITE AVE
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:

2,500 GALLON STAINLESS STEEL DISTILLED SPIRITS STORAGE TANK #25 WITH INSULATION AND EQUIPPED WITH PRESSURE/VACUUM VALVE


CONDITIONS

1. This Authority to Construct cancels and replaces the Authority to Construct N-7478-29-0. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 18 lb, 2nd quarter - 18 lb, 3rd quarter - 19 lb, and 4th quarter - 19 lb. Offsets shall be provided at an offset ratio 1.5 to 1. [District Rule 2201] Federally Enforceable Through Title V Permit
5. ERC certificate S-3714-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



DAVID WARNER, Director of Permit Services

N-7478-29-1 : Sep 10 2012 10:34AM - KAHLONJ : Joint Inspection NOT Required

6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
7. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
8. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions for distilled spirits storage shall not exceed 3.6 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The daily distilled spirits storage throughput of this tank shall not exceed 3,225 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The maximum ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. The annual distilled spirits storage throughput of this tank shall not exceed 100,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
14. The maximum average annual ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintained the following records: a) the maximum ethanol concentration in volume percent of the distilled spirits stored, b) the maximum average annual ethanol concentration in volume percent of the distilled spirits stored, c) the daily throughout, and d) the cumulative annual throughout. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-7478-30-1

ISSUANCE DATE: 09/10/2012

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY - BRANDY

MAILING ADDRESS: PO BOX 1130
MODESTO, CA 95353

LOCATION: 200 YOSEMITE AVE
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:

2,500 GALLON STAINLESS STEEL DISTILLED SPIRITS STORAGE TANK #26 WITH INSULATION AND EQUIPPED WITH PRESSURE/VACUUM VALVE


CONDITIONS

1. This Authority to Construct cancels and replaces the Authority to Construct N-7478-30-0. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 18 lb, 2nd quarter - 18 lb, 3rd quarter - 19 lb, and 4th quarter - 19 lb. Offsets shall be provided at an offset ratio 1.5 to 1. [District Rule 2201] Federally Enforceable Through Title V Permit
5. ERC certificate S-3714-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadreddin, Executive Director, APCO



DAVID WARNER, Director of Permit Services

N-7478-30-1 : Sep 10 2012 10:24AM - KAHLONU : Joint Inspection NOT Required

6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
7. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
8. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions for distilled spirits storage shall not exceed 3.6 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The daily distilled spirits storage throughput of this tank shall not exceed 3,225 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The maximum ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. The annual distilled spirits storage throughput of this tank shall not exceed 100,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
14. The maximum average annual ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintained the following records: a) the maximum ethanol concentration in volume percent of the distilled spirits stored, b) the maximum average annual ethanol concentration in volume percent of the distilled spirits stored, c) the daily throughout, and d) the cumulative annual throughout. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-7478-31-1

ISSUANCE DATE: 09/10/2012

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY - BRANDY

MAILING ADDRESS: PO BOX 1130
MODESTO, CA 95353

LOCATION: 200 YOSEMITE AVE
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:

2,500 GALLON STAINLESS STEEL DISTILLED SPIRITS STORAGE TANK #27 WITH INSULATION AND EQUIPPED WITH PRESSURE/VACUUM VALVE


CONDITIONS

1. This Authority to Construct cancels and replaces the Authority to Construct N-7478-31-0. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 18 lb, 2nd quarter - 18 lb, 3rd quarter - 19 lb, and 4th quarter - 19 lb. Offsets shall be provided at an offset ratio 1.5 to 1. [District Rule 2201] Federally Enforceable Through Title V Permit
5. ERC certificate S-3714-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Saadudin, Executive Director, APCO


DAVID WARNER, Director of Permit Services

N-7478-31-1/SEP 10 2012 10 34AM - KAHLONJ - Joint Inspection NOT Required

6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
7. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
8. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions for distilled spirits storage shall not exceed 3.6 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The daily distilled spirits storage throughput of this tank shall not exceed 3,225 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The maximum ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. The annual distilled spirits storage throughput of this tank shall not exceed 100,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
14. The maximum average annual ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintained the following records: a) the maximum ethanol concentration in volume percent of the distilled spirits stored, b) the maximum average annual ethanol concentration in volume percent of the distilled spirits stored, c) the daily throughout, and d) the cumulative annual throughout. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-7478-32-1

ISSUANCE DATE: 09/10/2012

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY - BRANDY

MAILING ADDRESS: PO BOX 1130
MODESTO, CA 95353

LOCATION: 200 YOSEMITE AVE
MODESTO, CA 95353

EQUIPMENT DESCRIPTION:

2,500 GALLON STAINLESS STEEL DISTILLED SPIRITS STORAGE TANK #28 WITH INSULATION AND EQUIPPED WITH PRESSURE/VACUUM VALVE


CONDITIONS

1. This Authority to Construct cancels and replaces the Authority to Construct N-7478-32-0. [District Rule 2201] Federally Enforceable Through Title V Permit
2. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
3. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
4. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 18 lb, 2nd quarter - 18 lb, 3rd quarter - 19 lb, and 4th quarter - 19 lb. Offsets shall be provided at an offset ratio 1.5 to 1. [District Rule 2201] Federally Enforceable Through Title V Permit
5. ERC certificate S-3714-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadroddin, Executive Director, APCO



DAVID WARNER, Director of Permit Services

N-7478-32-1: Sep 10 2012 10:34AM - KAH/LONJ : Joint Inspection NOT Required

6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
7. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
8. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The daily VOC emissions for distilled spirits storage shall not exceed 3.6 pounds. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The daily distilled spirits storage throughput of this tank shall not exceed 3,225 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The maximum ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
13. The annual distilled spirits storage throughput of this tank shall not exceed 100,000 gallons. [District Rule 2201] Federally Enforceable Through Title V Permit
14. The maximum average annual ethanol concentration of the distilled spirits stored in this tank shall not exceed 99.9 percent of volume. [District Rule 2201] Federally Enforceable Through Title V Permit
15. The permittee shall maintained the following records: a) the maximum ethanol concentration in volume percent of the distilled spirits stored, b) the maximum average annual ethanol concentration in volume percent of the distilled spirits stored, c) the daily throughout, and d) the cumulative annual throughput. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit