



MAR 11 2016

Mr. Paul Bement
Golden State Vintners/Franzia-McFarland
31795 Whisler Rd
McFarland, CA 93250

**Re: Final - Authority to Construct / Certificate of Conformity (Significant Mod)
District Facility # S-882
Project # S-1151242**

Dear Mr. Bement:

The Air Pollution Control Officer has issued Authorities to Construct (ATC #s S-882-111-2, -112-2, and -113-2) with Certificates of Conformity to Golden State Vintners/Franzia-McFarland at 31795 Whisler Rd., McFarland. Permit units S-882-111, -112, and -113 are being modified to insulate the three storage tanks; and to allow for the storage of distilled spirits in addition to wine storage. Enclosed are the Authorities to Construct and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue the Authority to Construct permit was published on January 14, 2016. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on January 11, 2016. No comments were received following the District's preliminary decision on this project.

Also enclosed is an invoice for the engineering evaluation fees pursuant to District Rule 3010. Please remit the amount owed, along with a copy of the attached invoice, within 60 days.

Prior to operating with the modifications authorized by the Authority to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5. Application forms have been enclosed for your use. These forms may also be found on the District's website at www.valleyair.org.

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475


Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

Mr. Paul Bement
Page 2

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Errol Villegas, Permit Services Manager, at (559) 230-5900.

Sincerely,



Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Tung Le, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via email



Facility # S-882
GOLDEN STATE VINTNERS/FRANZIA-MCFARLAND
ATTN: A/P 2846
PO BOX 90
TRACY, CA 95378-0090

AUTHORITY TO CONSTRUCT (ATC)

QUICK START GUIDE

1. **Pay Invoice:** Please pay enclosed invoice before due date.
2. **Modify Your Title V Permit.** Prior to operating the equipment authorized under this ATC, submit an application to modify your Title V permit. See application forms at <http://www.valleyair.org/busind/pto/ptoforms/1ptoformidx.htm>.
3. **Fully Understand ATC:** Make sure you understand ALL conditions in the ATC prior to construction, modification and/or operation.
4. **Follow ATC:** You must construct, modify and/or operate your equipment as specified on the ATC. Any unspecified changes may require a new ATC.
5. **Notify District:** You must notify the District's Compliance Department, at the telephone numbers below, upon start-up and/or operation under the ATC. Please record the date construction or modification commenced and the date the equipment began operation under the ATC. You may NOT operate your equipment until you have notified the District's Compliance Department. A startup inspection may be required prior to receiving your Permit to Operate.
6. **Source Test:** Schedule and perform any required source testing. See http://www.valleyair.org/busind/comply/source_testing.htm for source testing resources.
7. **Maintain Records:** Maintain all records required by ATC. Records are reviewed during every inspection (or upon request) and must be retained for at least 5 years.

By operating in compliance, you are doing your part to improve air quality for all Valley residents.

**For assistance, please contact District Compliance staff at
any of the telephone numbers listed below.**

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT

Due Date
5/2/2016

Amount Due
\$ 4,398.00

Amount Enclosed

ENGTIME S1151242
882 S125776 3/1/2016

RETURN THIS TOP PORTION ONLY, WITH REMITTANCE TO:

GOLDEN STATE VINTNERS/FRANZIA-MCFARLAND
ATTN: A/P 2846
PO BOX 90
TRACY, CA 95378-0090

SJVAPCD
34946 Flyover Court
Bakersfield, CA 93308

Thank You!



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT

SJVAPCD Tax ID: 77-0262563

Facility ID
S882

Invoice Date
3/1/2016

Invoice Number
S125776

Invoice Type
Project: S1151242

GOLDEN STATE VINTNERS/FRANZIA-MCFARLAND
31795 WHISLER RD
MCFARLAND, CA 93250

PROJECT NUMBER: 1151242

ENGINEERING TIME FEES	\$ 4,398.00
LESS PREVIOUSLY PAID PROJECT FEES APPLIED TO THIS INVOICE	\$ 0.00
PROJECT FEES DUE (Enclosed is a detailed statement outlining the fees for each item.)	\$ 4,398.00

Late Payment (see Rule 3010, Section 11.0 Late Fees)	
Postmarked	Total Due
After 5/2/2016 through 5/12/2016	\$ 4,837.80
After 5/12/2016	\$ 6,597.00
After 6/1/2016	Permits To Operate MAY BE SUSPENDED

San Joaquin Valley Air Pollution Control District
34946 Flyover Court, Bakersfield, CA 93308, (661) 392-5500, Fax (661) 392-5585

Invoice Detail


Facility ID: S882

GOLDEN STATE VINTNERS/Franzia-MCFARLAND
31795 WHISLER RD
MCFARLAND, CA 93250

Invoice Nbr: S125776
Invoice Date: 3/1/2016
Page: 1

Engineering Time Fees

Project Nbr	Quantity	Rate	Description	Fee
S1151242	43.5 hours	\$ 106.00 /h	Standard Engineering Time	\$ 4,611.00
			Less Credit For Application Filing Fees	(\$ 213.00)
			Standard Engineering Time SubTotal	\$ 4,398.00
Total Engineering Time Fees:				\$ 4,398.00



AUTHORITY TO CONSTRUCT

PERMIT NO: S-882-111-2

ISSUANCE DATE: 03/01/2016

LEGAL OWNER OR OPERATOR: GOLDEN STATE VINTNERS/FRANZIA-MCFARLAND

MAILING ADDRESS: ATTN: A/P 2846
PO BOX 90
TRACY, CA 95378-0090

LOCATION: 31795 WHISLER RD
MCFARLAND, CA 93250

EQUIPMENT DESCRIPTION:

MODIFICATION OF 106,314 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #P2) WITH PRESSURE VACUUM VALVE: INSULATE TANK AND ALLOW THE ABILITY TO STORE DISTILLED SPIRITS

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 250 lb, 2nd quarter - 250 lb, 3rd quarter - 249 lb, and fourth quarter - 249 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 4/21/11) for the ERC specified below. [District Rule 2201] Federally Enforceable Through Title V Permit
4. ERC Certificate Number S-4147-2 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

for

Arnaud Marjollet, Director of Permit Services

S-882-111-2 Mar 1 2016 1:26PM -- GONZALEZ Joint Inspection NOT Required

5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The ethanol content of wine stored in this tank shall not exceed 16 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The ethanol content of distilled spirits stored in this tank shall not exceed 98 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The maximum wine storage throughput for tanks S-882-111, -112, and -113 shall not exceed 3,264,150 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The maximum distilled spirits storage throughput in this tank shall not exceed 212,628 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The maximum distilled spirits storage throughput for tanks S-882-111, -112, and -113 shall not exceed 637,884 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the volume percent ethanol in the batch, and the volume of wine or spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
15. Annual throughput records of the volume of wine and volume of spirits transferred shall be maintained in gallons per 12 month rolling period, calculated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: S-882-112-2

ISSUANCE DATE: 03/01/2016

LEGAL OWNER OR OPERATOR: GOLDEN STATE VINTNERS/FRANZIA-MCFARLAND

MAILING ADDRESS:
ATTN: A/P 2846
PO BOX 90
TRACY, CA 95378-0090

LOCATION:
31795 WHISLER RD
MCFARLAND, CA 93250

EQUIPMENT DESCRIPTION:

MODIFICATION OF 106,314 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #P3) WITH PRESSURE VACUUM VALVE: INSULATE TANK AND ALLOW THE ABILITY TO STORE DISTILLED SPIRITS

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 250 lb, 2nd quarter - 250 lb, 3rd quarter - 249 lb, and fourth quarter - 249 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 4/21/11) for the ERC specified below. [District Rule 2201] Federally Enforceable Through Title V Permit
4. ERC Certificate Number S-4147-2 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

for

Arnaud Marjollet, Director of Permit Services

S-882-112-2 : Mar 1 2016 1:28PM - GONZALEV : Joint Inspection NOT Required

5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The ethanol content of wine stored in this tank shall not exceed 16 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The ethanol content of distilled spirits stored in this tank shall not exceed 98 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The maximum wine storage throughput for tanks S-882-111, -112, and -113 shall not exceed 3,264,150 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The maximum distilled spirits storage throughput in this tank shall not exceed 212,628 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The maximum distilled spirits storage throughput for tanks S-882-111, -112, and -113 shall not exceed 637,884 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the volume percent ethanol in the batch, and the volume of wine or spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
15. Annual throughput records of the volume of wine and volume of spirits transferred shall be maintained in gallons per 12 month rolling period, calculated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: S-882-113-2

ISSUANCE DATE: 03/01/2016

LEGAL OWNER OR OPERATOR: GOLDEN STATE VINTNERS/FRANZIA-MCFARLAND

MAILING ADDRESS:
ATTN: A/P 2846
PO BOX 90
TRACY, CA 95378-0090

LOCATION:
31795 WHISLER RD
MCFARLAND, CA 93250

EQUIPMENT DESCRIPTION:

MODIFICATION OF 106,314 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK #P4) WITH PRESSURE VACUUM VALVE: INSULATE TANK AND ALLOW THE ABILITY TO STORE DISTILLED SPIRITS

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 250 lb, 2nd quarter - 250 lb, 3rd quarter - 249 lb, and fourth quarter - 249 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 4/21/11) for the ERC specified below. [District Rule 2201] Federally Enforceable Through Title V Permit
4. ERC Certificate Number S-4147-2 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

S-882-113-2 : Mar 1 2016 1:28PM - GONZALEV : Joint Inspection NOT Required

5. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
6. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
7. The ethanol content of wine stored in this tank shall not exceed 16 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
8. The ethanol content of distilled spirits stored in this tank shall not exceed 98 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
9. The maximum wine storage throughput for tanks S-882-111, -112, and -113 shall not exceed 3,264,150 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The maximum distilled spirits storage throughput in this tank shall not exceed 212,628 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. The maximum distilled spirits storage throughput for tanks S-882-111, -112, and -113 shall not exceed 637,884 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, the volume percent ethanol in the batch, and the volume of wine or spirits transferred, shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
15. Annual throughput records of the volume of wine and volume of spirits transferred shall be maintained in gallons per 12 month rolling period, calculated monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
16. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit

Newspaper notice for publication in Bakersfield Californian and for posting on valleyair.org

**NOTICE OF FINAL DECISION
FOR THE ISSUANCE OF AUTHORITY TO CONSTRUCT AND
SIGNIFICANT MODIFICATION OF FEDERALLY
MANDATED OPERATING PERMIT**

NOTICE IS HEREBY GIVEN that the San Joaquin Valley Air Pollution Control District has made its final decision to issue Authorities to Construct to Golden State Vintners/Franzia-McFarland at 31795 Whisler Rd., McFarland, California. Permit units S-882-111, -112, and -113 are being modified to insulate the three storage tanks; and to allow for the storage of distilled spirits in addition to wine storage.

No comments were received following the District's preliminary decision on this project.

The application review, project #S-1151242, is available for public inspection at http://www.valleyair.org/notices/public_notices_idx.htm, the SAN JOAQUIN VALLEY AIR POLLUTION CONTROL DISTRICT, 1990 EAST GETTYSBURG AVENUE, FRESNO, CA 93726, and at any other District office. For additional information, please contact the District at (559) 230-6000.

**AVISO DE UNA DECISIÓN FINAL
PARA LA OTORGACIÓN DE UNA AUTORIDAD PARA CONSTRUIR Y
MODIFICACIÓN SIGNIFICANTIVA DE UN PERMISO MANDATORIO FEDERAL PARA
OPERAR**

POR EL PRESENTE SE NOTIFICA que el Distrito para el Control de la Contaminación del Aire del Valle de San Joaquín ha tomado la decisión final para otorgar una Autoridad para Construir a Golden State Vintners/Franzia-McFarland en 31795 Whisler Rd., McFarland, CA, California. Las unidades bajo los permisos S-882-111, -112, y -113 serán modificadas para insular tres tanques de almacenamiento y permitir el almacenamiento de licor destilado en adición del almacenamiento de vino.

El Distrito no recibió comentarios durante la decisión preliminar en este proyecto.

El análisis del Distrito para el Proyecto #S-1151242, está disponible para la inspección del público en http://www.valleyair.org/notices/public_notices_idx.htm, el DISTRITO PARA EL CONTROL DE LA CONTAMINACIÓN DEL AIRE DEL VALLE DE SAN JOAQUÍN, 1990 EAST GETTYSBURG AVENUE, FRESNO, CA 93726, y en cualquiera de las oficinas del Distrito. Para más información en Español, por favor comuníquese con el Distrito al (559) 230-6000.