



JUL 06 2016

Mr. Benjamin Gray
Avenal Regional Landfill
1200 Skyline Blvd
Avenal, CA 93204

**Re: Notice of Preliminary Decision – Title V Permit Renewal
District Facility # C-3839
Project # C-1143234**

Dear Mr. Gray:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for Avenal Regional Landfill at 201 Hydril Rd, Avenal, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. After addressing all comments made during the 30-day public notice and the 45-day EPA comment periods, the District intends to issue the renewed Federally Mandated Operating Permit. Please submit your written comments on this project within the 30-day public comment period, as specified in the enclosed public notice.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Errol Villegas, Permit Services Manager, at (559) 230-5900.

Sincerely,

for Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Tung Le, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

**SAN JOAQUIN VALLEY
AIR POLLUTION CONTROL DISTRICT**

Proposed Title V Permit Renewal Evaluation
Avenal Regional Landfill
C-3839

TABLE OF CONTENTS

I.	PROPOSAL.....	2
II.	FACILITY LOCATION	2
III.	EQUIPMENT LISTING	3
IV.	GENERAL PERMIT TEMPLATE USAGE	3
V.	SCOPE OF EPA AND PUBLIC REVIEW	3
VI.	FEDERALLY ENFORCEABLE REQUIREMENTS	3
VII.	REQUIREMENTS NOT FEDERALLY ENFORCEABLE.....	5
VIII.	PERMIT REQUIREMENTS	7
IX.	PERMIT SHIELD	11
X.	PERMIT CONDITIONS.....	11
XI.	ATTACHMENTS.....	11
A.	DRAFT RENEWED TITLE V OPERATING PERMIT	
B.	PREVIOUS TITLE V OPERATING PERMIT	
C.	DETAILED FACILITY LIST	

TITLE V PERMIT RENEWAL EVALUATION
Landfill Operation

Engineer: Manuel Salinas
Date: June 3, 2016

Facility Number: C-3839
Facility Name: Avenal Regional Landfill
Mailing Address: PO BOX 189
Avenal, CA 93204

Contact Name: Benjamin Gray, District Mgr.
Phone: (559) 386-5844

Responsible Official: Benjamin Gray
Title: District Manager

Project # : C-1143234
Deemed Complete: January 28, 2015

I. PROPOSAL

Avenal Regional Landfill was issued a Title V permit on June 30, 2010. As required by District Rule 2520, the applicant is requesting a permit renewal. The existing Title V permit shall be reviewed and modified to reflect all applicable District and federal rules updated, removed, or added since the issuance of the initial Title V permit.

The purpose of this evaluation is to provide the legal and factual basis for all updated applicable requirements and to determine if the facility will comply with these updated requirements. It also specifically identifies all additions, deletions, and/or changes made to permit conditions or equipment descriptions.

II. FACILITY LOCATION

Avenal Regional Landfill is located at 201 Hydril Rd, Avenal, CA.

III. EQUIPMENT LISTING

A detailed facility printout listing all permitted equipment at the facility is included as Attachment C.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant does not propose to use any model general permit templates.

V. SCOPE OF EPA AND PUBLIC REVIEW

The applicant is not requesting any model general permit templates. Therefore, all federally enforceable conditions in this current Title V permit will be subject to EPA and public review.

VI. FEDERALLY ENFORCEABLE REQUIREMENTS

A. Rules Updated or Evaluated

- District Rule 2020 - Exemptions (amended August 18, 2011 (SIP version of the Rule) ⇒ amended December 18, 2014)
- District Rule 2201 - New and Modified Stationary Source Review Rule (amended August 18, 2011 (SIP version of the Rule) ⇒ amended February 18, 2016)
- District Rule 2410, Prevention of Significant Deterioration (adopted June 16, 2011)
- District Rule 2520, Federally Mandated Operating Permits (amended June 21, 2001)
- 40 CFR Part 82, Subpart B Stratospheric Ozone (amended June 25, 2013)
- 40 CFR Part 82, Subpart F Stratospheric Ozone (amended April 10, 2015)

- 40 CFR Part 64, Compliance Assurance Monitoring (adopted October 22, 1997)

B. Rules Removed

No federally enforceable rules were removed.

C. Rules Added

No federally enforceable rules were added.

D. Rules Not Updated

- District Rule 1100 - Equipment Breakdown (amended December 17, 1992) (Non SIP replacement for Fresno County Rule 110)
- District Rule 1160 - Emission Statements (adopted November 18, 1992)
- District Rule 2010 - Permits Required (amended December 17, 1992)
- District Rule 2031 - Transfer of Permits (amended December 17, 1992)
- District Rule 2070 - Standards for Granting Applications (amended December 17, 1992)
- District Rule 2080 - Conditional Approval (amended December 17, 1992)
- District Rule 2520 - Federally Mandated Operating Permits (amended June 21, 2001)
- District Rule 4101 - Visible Emissions (amended February 17, 2005)
- District Rule 4102, Nuisance (amended December 17, 1992)
- District Rule 4311 - Flares (amended June 18, 2009) (Facility is exempt per Section 4.2)
- District Rule 4601 - Architectural Coatings (amended December 17, 2009)
- District Rule 4642 - Solid Waste Disposal Sites (amended April 16, 1998) (Facility is exempt per Section 4.1)
- District Rule 4651 - Soil Decontamination Operations (amended September 20, 2007)

- District Rule 4801 - Sulfur Compounds (amended December 17, 1992) (Non SIP replacement for Fresno County Rule 406)
- District Rule 8011 - General Requirements (amended August 19, 2004)
- District Rule 8021 - Construction, Demolition, Excavation, extraction, and Other Earthmoving Activities (amended August 19, 2004)
- District Rule 8031 - Bulk Materials (amended August 19, 2004)
- District Rule 8041 - Carryout and Trackout (amended August 19, 2004)
- District Rule 8051 - Open Areas (amended August 19, 2004)
- District Rule 8061 - Paved and Unpaved Roads (amended August 19, 2004)
- District Rule 8071 - Unpaved Vehicle/Equipment Traffic Areas (amended September 16, 2004)
- 40 CFR Part 60, Subpart Cc, Emission Guidelines and Compliance Times for Municipal Solid Waste Landfills (amended February 24, 1999)
- 40 CFR Part 60, Subpart WWW, Standards of Performance for Municipal Solid Waste Landfills (amended September 21, 2006)
- 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos (amended July 20, 2004)
- 40 CFR Part 62, Subpart GGG, Federal Plan Requirements for Municipal Solid Waste Landfills (adopted November 8, 1999)
- 40 CFR Part 63, Subpart AAAA, National Emission Standards for Hazardous Air Pollutants; Municipal Solid Waste Landfills (amended April 20, 2006)

VII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits.

The terms and conditions that are part of the facility's Title V permit are designated as "Federally Enforceable Through Title V Permit".

For this facility, the following are not federally enforceable and will not be discussed in further detail:

A. Rules Added

California Code of Regulations (CCR) Title 17, Subchapter 10, Article 4, Sub-article 6, Sections 95460 through 95476, Methane Emissions from Municipal Solid Waste Landfills (California Air Resources Board (ARB) regulation)

C-3839-1-6: MUNICIPAL SOLID WASTE LANDFILL, 28.8 MILLION CUBIC YARD CAPACITY (123 ACRES) WITH GAS COLLECTION AND CONTROL SYSTEM SERVED BY TWO (2) BAKER FILTRATION MODEL KLEEN AIR 55 200 LB CANISTERS CONNECTED IN SERIES

Conditions 98 and 100 - 107 of the requirements for this permit unit are based only on this regulation and therefore will not be discussed any further. Condition 99 is based on this regulation and also on requirements from Rule 4642 which is Federally Enforceable. The inclusion of a Federally Enforceable rule reference in the condition makes the condition Federally Enforceable. Any updates to Rule 4642 will be discussed as necessary.

B. Rules Not Updated

District Rule 2040, Applications (amended December 17, 1992 ⇒ removed from SIP December 16, 2004)

C-3839-0-2: Facility-Wide Requirements

- Condition 7 of the facility-wide requirements C-3839-0-2 is based on the rule listed above and is not Federally Enforceable through Title V

District Rule 4102, Nuisance (amended December 17, 1992)

C-3839-0-2: Facility-Wide Requirements

- Condition 42 of the facility-wide requirements C-3839-0-2 is based on the rule listed above and is not Federally Enforceable through Title V

VIII. PERMIT REQUIREMENTS

The purpose of this evaluation is to review changes to federally enforceable requirements; therefore, this compliance section will only address rules that have been amended or added since the issuance of the initial Title V permit or most recent renewal of the Title V permit.

A. District Rule 2020 - Exemptions

District Rule 2020 lists equipment which is specifically exempt from obtaining permits and specifies recordkeeping requirements to verify such exemptions.

District Rule 2020 was last amended on December 18, 2014. The primary purpose of the amendments was to: clarify alignment of District Rule 2020 with the California Air Resources Board's (ARB) Portable Equipment Registration Program (PERP); to exempt certain oil field tanks with insignificant emissions; and to update standardized testing provisions. Prior to the December 18, 2014 amendments, District Rule 2020 was previously amended on August 18, 2011. On September 17, 2014, EPA approved the August 18, 2011 version of District Rule 2020 for inclusion into the SIP (79 FR 55637).

The amendments to this rule do not have any effect on current permit requirements and will therefore not be addressed further in this evaluation.

C-3839-0-2: Facility-Wide Requirements

- Condition 4 of the requirements of the draft renewed facility-wide permit is a mechanism to ensure compliance with this rule.

B. District Rule 2201 - New and Modified Stationary Source Review Rule

District Rule 2201 has been amended since this facility's initial Title V permit was issued. This Title V permit renewal does not constitute a modification per section 3.26, defined as an action including at least one of the following items:

- 1) Any change in hours of operation, production rate, or method of operation of an existing emissions unit, which would necessitate a change in permit conditions.
- 2) Any structural change or addition to an existing emissions unit which would necessitate a change in permit conditions. Routine replacement shall not be considered to be a structural change.

- 3) An increase in emissions from an emissions unit caused by a modification of the Stationary Source when the emissions unit is not subject to a daily emissions limitation.
- 4) Addition of any new emissions unit which is subject to District permitting requirements.
- 5) A change in a permit term or condition proposed by an applicant to obtain an exemption from an applicable requirement to which the source would otherwise be subject.

Therefore, the updated requirements of this rule are not applicable at this time.

However, the following changes have been made to the other requirements of the permit unit to update the permit language.

C-3839-1-6: MUNICIPAL SOLID WASTE LANDFILL, 28.8 MILLION CUBIC YARD CAPACITY (123 ACRES) WITH GAS COLLECTION AND CONTROL SYSTEM SERVED BY TWO (2) BAKER FILTRATION MODEL KLEEN AIR 55 200 LB CANISTERS CONNECTED IN SERIES

- Conditions 15 and 16 of the permit requirements have been removed. These conditions included initial inspection and compliance requirements that have been met.
- Conditions 26 – 29 and 56 of the permit requirements have been revised to remove reference to initial, commissioning, and commissioned. The remainder of each condition requirements are included as conditions 24 – 27 and 54 of the draft permit requirements.

C. District Rule 2410 – Prevention of Significant Deterioration

The prevention of significant deterioration (PSD) program is a preconstruction permitting program for new major stationary sources and major modifications to existing major stationary sources located in areas classified as attainment or in areas that are unclassifiable for any criteria air pollutant. The provisions of this rule apply to any source and the owner or operator of any source subject to any requirement under Title 40 Code of Federal Regulations (40 CFR) Part 52.21 as incorporated into this rule.

The requirements of this rule cannot be triggered by the renewal of a Title V permit, since permit renewal does not involve any construction or modification of the stationary source. A detailed analysis or applicability determination is therefore not required.

D. District Rule 2520 - Federally Mandated Operating Permits

The purpose of this rule is to provide for the following: an administrative mechanism for issuing operating permits for new and modified sources of air contaminants in accordance with requirements of 40 CFR Part 70; an administrative mechanism for issuing renewed operating permits for sources of air contaminants in accordance with requirements of 40 CFR Part 70; an administrative mechanism for revising, reopening, revoking, and terminating operating permits for sources of air contaminants in accordance with requirements of 40 CFR Part 70; an administrative mechanism for incorporating requirements authorized by preconstruction permits issued under District Rule 2201 (New and Modified Stationary Source Review) in a Part 70 permit as administrative amendments, provided that such permits meet the necessary procedural and compliance requirements. District Rule 2520 has not been amended since this facility's Title V permit was issued.

Greenhouse Gas Requirements

There are no federally applicable Greenhouse Gas (GHG) requirements for this source. It should be noted that the Mandatory Greenhouse Gas Reporting rule (40CFR Part 98) is not included in the definition of an applicable requirement within Title V (per 40CFR 71.2). Therefore, there will be no further discussion of GHG in this evaluation.

E. 40 CFR Part 82, Subpart B – Stratospheric Ozone

The purpose of 40 CFR Part 82 Subpart B is to implement section 609 of the Clean Air Act, as amended regarding the servicing of motor vehicle air conditioners (MVACs), and to implement section 608 of the Clean Air Act regarding certain servicing, maintenance, repair and disposal of air conditioners in MVACs and MVAC-like appliances.

These regulations apply to any person performing service on a motor vehicle for consideration when this service involves the refrigerant in the motor vehicle air conditioner.

The amendments to this rule do not have any effect on current permit requirements and will therefore not be addressed further in this evaluation.

C-3839-0-2: Facility-Wide Requirements

- Condition 28 of the requirements of the draft renewed facility-wide permit is a mechanism to ensure compliance with this rule.

F. 40 CFR Part 82, Subpart F – Stratospheric Ozone

The purpose of 40 CFR Part 82 Subpart F is to reduce emissions of class I and class II refrigerants and their substitutes to the lowest achievable level by maximizing the recapture and recycling of such refrigerants during the service, maintenance, repair, and disposal of appliances and restricting the sale of refrigerants consisting in whole or in part of a class I and class II ODS in accordance with Title VI of the Clean Air Act.

These regulations apply to any person servicing, maintaining, or repairing appliances. This subpart also applies to persons disposing of appliances, including small appliances and motor vehicle air conditioners. In addition, this subpart applies to refrigerant reclaimers, technician certifying programs, appliance owners and operators, manufacturers of appliances, manufacturers of recycling and recovery equipment, approved recycling and recovery equipment testing organizations, persons selling class I or class II refrigerants or offering class I or class II refrigerants for sale, and persons purchasing class I or class II refrigerants.

The amendments to this rule do not have any effect on current permit requirements and will therefore not be addressed further in this evaluation.

C-3839-0-2: Facility-Wide Requirements

- Condition 27 of the requirements of the draft renewed facility-wide permit is a mechanism to ensure compliance with this rule.

G. 40 CFR Part 64 - Compliance Assurance Monitoring (CAM)

40 CFR Part 64 requires Compliance Assurance Monitoring (CAM) for units that meet the following three criteria:

- 1) the unit must have an emission limit for the pollutant;
- 2) the unit must have add-on controls for the pollutant; these are devices such as flue gas recirculation (FGR), baghouses, and catalytic oxidizers; and
- 3) the unit must have a pre-control potential to emit of greater than the major source thresholds.

The facility is subject to 40 CFR 60 Subpart WWW, Municipal Solid Waste Landfills, and 40 CFR 63 Subpart AAAA, National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills. Since both standards were proposed after November 15, 1990, this permit unit is exempt from CAM.

IX. PERMIT SHIELD

A permit shield legally protects a facility from enforcement of the shielded regulations when a source is in compliance with the terms and conditions of the Title V permit. Compliance with the terms and conditions of the Operating Permit is considered compliance with all applicable requirements upon which those conditions are based, including those that have been subsumed.

A. Requirements Addressed by Model General Permit Templates

The applicant does not propose to use any model general permit templates.

B. Obsolete Permit Shields From Existing Permit Requirements

Obsolete permit shields for existing permit units have been removed because the referenced rules have been superseded by the adoption of newer rules or amendments to existing rules and/or the referenced rules have been removed from the SIP.

X. PERMIT CONDITIONS

See Attachment A – Draft Renewed Title V Operating Permit.

XI. ATTACHMENTS

- A. Draft Renewed Title V Operating Permit
- B. Previous Title V Operating Permit
- C. Detailed Facility List

ATTACHMENT A

Draft Renewed Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: C-3839-0-2

EXPIRATION DATE: 06/30/2015

FACILITY-WIDE REQUIREMENTS

1. {2285} The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. {2286} The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. {2287} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rules 2010, 3.0 and 4.0, and 2020] Federally Enforceable Through Title V Permit
5. {2289} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.12.1] Federally Enforceable Through Title V Permit
6. {2290} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. {2291} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. {2292} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. {2293} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: AVENAL REGIONAL LANDFILL
Location: 201 HYDRIL RD, AVENAL, CA 93204

C-3839-0-2 : Jul 5 2015 11:08AM - SALINAS

10. {2294} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. {2295} Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. {2296} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. {2297} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. {2298} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. {2299} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. {2300} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. {2301} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. {2302} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. {2303} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. {2304} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. {2305} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (2/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in the Table of Standards of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials for architectural coatings subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. {2310} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. {2311} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. {2312} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR 82, Subpart B. [40 CFR 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/04) or Rule 8011 (8/19/04). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/04) or Rule 8011 (8/19/04). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/04) or Rule 8011 (8/19/04). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/04) or Rule 8011 (8/19/04). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/04) or Rule 8011 (8/19/04). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 75 vehicle trips per day shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 100 vehicle trips per day shall comply with the requirements of Section 5.1.2 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/04) or Rule 8011 (8/19/04). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit
35. {2319} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

36. {2320} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. {2321} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. {2322} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. {2323} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), and Rule 111 (Kern, Tulare, Kings). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601, sections 5.1, 5.2, 5.3 and 5.8 (12/17/09); 8021 (8/19/04); 8031 (8/19/04); 8041 (8/19/04); 8051 (8/19/04); 8061 (8/19/04); and 8071 (9/16/04). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. On June 30, 2010, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report are based upon this initial permit issuance date, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
42. {98} No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-3839-1-6

EXPIRATION DATE: 06/30/2015

EQUIPMENT DESCRIPTION:

MUNICIPAL SOLID WASTE LANDFILL, 28.8 MILLION CUBIC YARD CAPACITY (123 ACRES) WITH GAS COLLECTION AND CONTROL SYSTEM SERVED BY TWO (2) BAKER FILTRATION MODEL KLEEN AIR 55 200 LB CANISTERS CONNECTED IN SERIES

PERMIT UNIT REQUIREMENTS

1. All new off-road equipment at the landfill shall meet USEPA Tier 3 emission standards and be equipped with CARB certified add-on controls for diesel particulate matter with a control efficiency of at least 82% or shall meet USEPA Tier 4 emission standards. On and after the USEPA Tier 4 compliance deadline, all new off-road equipment at the landfill shall meet the appropriate USEPA Tier 4 emission standard in effect at that time. [California Environmental Quality Act]
2. The landfill facility, associated equipment, and surrounding Avenal Regional Landfill property shall be operated and maintained in such a manner as to prevent the generation of odors which may constitute a nuisance. [District Rule 4102]
3. Air pollution control equipment shall be maintained in good operating condition and shall be operated in accordance with the manufacturer's instructions. [District Rule 4102]
4. Equipment shall be operated in such a manner as to not constitute a nuisance or annoyance to a considerable number of people. [District Rule 4102]
5. Refuse delivery trucks shall be unloaded within a reasonable amount of time after entering the property. [District Rule 4102]
6. All refuse trucks shall be maintained in condition to prevent leakage of solid or liquid material. [District Rule 4102]
7. Refuse shall not be stockpiled anywhere outside of the designated refuse disposal areas. Trucks waiting their turn to unload within the 2 hour unload time limitation are not considered stockpiled outside the designated refuse disposal areas. [District Rule 4102]
8. All trucks delivering refuse shall not be leaking liquid or solid material prior to exiting the landfill site. Trucks shall be cleared of any debris to minimize nuisance emissions. [District Rule 4102]
9. The designated refuse disposal areas shall be covered at the end of each operating day and maintained as necessary to prevent the emission of nuisance odors. [District Rule 4102]
10. Permittee shall maintain an updated odor control plan detailing all methods of nuisance odor control as it applies to the facility. The odor control plan shall be made available to all employees and shall be used as a training aid for new employees. The odor control plan shall be made available for District inspection upon request. [District Rule 4102]
11. The District shall have authority to investigate possible odors alleged to originate from the facility and to make a determination of whether or not a nuisance exists, either in response to a complaint or on its own initiative. [District Rules 1070 and 4102] Federally Enforceable Through Title V Permit
12. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. A minimum of two carbon canisters which are connected in series shall be utilized. [District Rule 2201] Federally Enforceable Through Title V Permit
14. Sampling ports adequate for extraction of grab samples, measurement of gas flow rate, and use of an FID, PID, or other District-approved VOC detection device shall be provided for both the influent and the effluent gas streams. [District Rule 1081] Federally Enforceable Through Title V Permit
15. Sampling to demonstrate ongoing compliance with the control efficiency requirements shall be performed at least once per month by sampling both the influent and the effluent gas streams with an FID, PID, or other District-approved VOC detection device. [District Rule 1081] Federally Enforceable Through Title V Permit
16. The carbon canisters removed from the system shall be sealed vapor tight. [District Rule 2201] Federally Enforceable Through Title V Permit
17. Total Class III waste material rate shall not exceed 6,013 ton/day or 2,194,602 ton/year. [District Rule 2201] Federally Enforceable Through Title V Permit
18. VOC emissions (as hexane) from the landfill shall not exceed 47.5 lb/day or 17,341 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Permittee shall operate the carbon canisters at all times when the collected gas is routed to it. [District Rule 2201] Federally Enforceable Through Title V Permit
20. Carbon canisters shall reduce the inlet NMOC emissions by at least 98% by weight. [District Rule 2201] Federally Enforceable Through Title V Permit
21. NMOC collection efficiency shall be at least 85% by weight. [District Rule 2201] Federally Enforceable Through Title V Permit
22. Total soil cover usage rate shall not exceed 3,523 tons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
23. Total PM10 emissions from handling of soil cover shall not exceed 0.0023 lb-PM10 per ton of material handled. [District Rule 2201] Federally Enforceable Through Title V Permit
24. The permittee shall monitor the collectors at least once per quarter for static pressure, percent methane, percent oxygen, and temperature utilizing a District-approved portable landfill gas analyzer. [District Rule 2201] Federally Enforceable Through Title V Permit
25. Collectors shall be continually operated if all of the following parameters are met: (1) methane percent 45% or greater; (2) oxygen percent 5% or less; (3) temperature 131 degrees F; and (4) static pressure 5.0 in H₂O or greater. [District Rule 2201] Federally Enforceable Through Title V Permit
26. The permittee shall monitor the collectors monthly. [District Rule 2201] Federally Enforceable Through Title V Permit
27. For surface emissions monitoring surface emissions shall not exceed a methane concentration of 500 parts per million above background at the surface of the landfill. [District Rule 2201] Federally Enforceable Through Title V Permit
28. For surface emissions monitoring, surface monitoring for the landfill area shall be performed quarterly. If there are any exceedances during a quarterly event, monitoring will be required monthly until three consecutive months without exceedances, which would allow a return to quarterly monitoring. [District Rule 2201] Federally Enforceable Through Title V Permit
29. For surface emissions monitoring, after an exceedance, the permittee shall initiate correction action within five days and conduct remonitoring within ten days from the initial exceedance. If compliance is shown, an additional remonitoring event is required within one month of the initial exceedance. If the ten day event shows an exceedance, the permittee shall initiate correction action within five days and conduct remonitoring within ten days from the second exceedance. If compliance is shown, an additional remonitoring is required within one month of the initial exceedance. If the second ten day event shows an exceedance, the permittee shall permit and install additional landfill gas wells to correct the problem within 120 days of the initial exceedance. The permittee may utilize an alternative corrective action with prior approval from the APCO. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

30. For surface emissions monitoring, permittee shall conduct surface testing around the perimeter of the collection area and along a pattern that traverses the landfill at 30-meter intervals (or a site-specific established spacing) and where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover. The owner or operator may establish an alternative traversing pattern that ensures equivalent coverage. [District Rule 2201] Federally Enforceable Through Title V Permit
31. For surface emissions monitoring, surface testing shall be performed using an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specifications provided in 40 CFR 60.755(d). [District Rule 2201] Federally Enforceable Through Title V Permit
32. For surface emissions monitoring, the portable analyzer shall meet the instrument specifications of Method 21, section 3 (except that "methane" shall replace all references to VOC). The calibration gas shall be methane, diluted to a nominal concentration of 500 parts per million in air. To meet the performance evaluation requirements of Method 21, section 3.1.3, the instrument evaluation procedures of Method 21, section 4.4, the calibration procedures provided in Method 21, section 4.2 shall be followed immediately before commencing a surface monitoring survey. [District Rule 2201] Federally Enforceable Through Title V Permit
33. The provisions of this permit apply at all times, except during periods of start-up, shutdown, or malfunction (as defined in 40 CFR 60.755(e)). [District Rule 2201] Federally Enforceable Through Title V Permit
34. For site-wide VOC emissions monitoring, permittee shall perform site-wide VOC emissions monitoring on an annual basis. Samples shall be collected from the existing landfill and expansion areas per the LFG collection pipes, permanent LFG sampling wells, or Tier 2 procedures as described in this permit. Collected samples shall be analyzed using EPA Methods 25C and 3C. The results shall be submitted to the District quarterly for projected site-wide VOC emissions for the following year. If the projected site-wide VOC emissions exceeds the VOC offset threshold, the applicant shall submit an Authority to Construct application to install a GCCS one year prior to the site-wide VOC emissions projected to exceed the offset threshold for the following year. [District Rule 2201] Federally Enforceable Through Title V Permit
35. Permittee shall keep for at least 5 years up-to-date, readily accessible records of all collection and control system exceedances, the reading in the subsequent month whether or not the second reading is an exceedance, and the location of each exceedance. [District Rule 2201] Federally Enforceable Through Title V Permit
36. The NMOC emission rate shall be calculated using the equation in 40CFR60.754(a)(1)(i), if the actual year-to-year solid waste acceptance rate is known or the equation in 40CFR60.754(a)(1)(ii), if the actual year-to-year solid waste acceptance rate is unknown. The values for k, Lo, and CNMOC for both equations shall be taken from 40CFR60.754(a)(1), as appropriate. Both equations may be used if the actual year-to-year acceptance rate is known for a part of the landfill life, but unknown for another part of the landfill life. The mass of nondegradable solid waste may be subtracted from the average annual acceptance rate when calculating R, if documentation of the nature and amount of such wastes is maintained. (Tier 1 specifications) [40 CFR 60.754(a)(1)] Federally Enforceable Through Title V Permit
37. If the calculated NMOC emission rate is equal to or greater than 50 megagrams/year, then the landfill owner or operator shall either comply with the requirements of this permit to submit a collection and control design plan and install the system, or determine a site-specific NMOC concentration and recalculate the NMOC emission rate using Tier 2 specifications. [40 CFR 60.754(a)(2)(ii)] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

38. Tier 2 specifications to determine the site-specific NMOC concentration shall include the following: 1) For sampling, at least 2 sample probes shall be installed per hectare of landfill surface that has retained waste for at least 2 years, up to a maximum of 50 required probes. Probes should be located in known areas of degradable solid waste. One sample of landfill gas shall be collected from each probe to determine the NMOC concentration, using EPA Method 25, 25C, another method approved by the EPA, or 18, in accordance with 40 CFR 60.754(a)(3). If EPA Method 18 is used, the minimum list of compounds to be tested shall be those published in the most recent Compilation of AP-42. If composite sampling is used, equal sample volumes are required. All samples taken shall be used in the analysis. The NMOC concentration from Method 25 or 25C shall be divided by 6 to convert from C-NMOC, as carbon to as hexane. 2) For landfills equipped with active collection systems, samples may be collected from the common header pipe before gas moving or condensate removal equipment; a minimum of 3 samples must be collected. [40 CFR 60.754(a)(3), (a)(5)] Federally Enforceable Through Title V Permit
39. Tier 2 specifications to determine the site-specific NMOC concentration shall include the following: 1) The NMOC mass emission rate shall be recalculated using the average site-specific concentration, instead of the default value, 2) If the resulting calculated mass emission rate is equal to or greater than 50 megagrams/year, the landfill owner or operator shall either comply with 60.752(b)(2), or determine a site-specific methane generation rate constant and recalculate the NMOC emission rate using Tier 3 specifications. [40 CFR 60.754(a)(3)(i)&(ii)] Federally Enforceable Through Title V Permit
40. If the calculated NMOC mass emission rate, using the site-specific NMOC concentration, is less than 50 megagrams/year, then a periodic estimate of the emission rate report, pursuant to 60.757(b)(1) shall be submitted to the Administrator. The site-specific NMOC concentration shall be retested every 5 years, using Tier 2 specifications. [40 CFR 60.754(a)(3)(iii)] Federally Enforceable Through Title V Permit
41. Tier 3 specifications to determine the site-specific methane generation rate constant shall include the following: 1) EPA Method 2E or another method approved by the EPA shall be used, 2) The NMOC mass emission rate shall be recalculated using the average site-specific NMOC concentration and the site-specific methane generation rate constant k , instead of the default values in 40 CFR 60(a)(1), and 3) If the resulting calculated NMOC mass emission rate is equal to or greater than 50 megagrams/year, the landfill owner or operator shall comply with 60.752(b)(2). [40 CFR 60.754(a)(4), (a)(5) and (i)] Federally Enforceable Through Title V Permit
42. If Tier 3 specifications are used to determine the site-specific methane generation rate and the calculated NMOC mass emission rate is less than 50 megagrams/year, then a periodic emission rate report shall be submitted to the Administrator, pursuant to 60.757(b)(1) and the NMOC concentration shall be recalculated annually, pursuant to 60.757(b)(1), using the site-specific methane generation rate constant and the NMOC concentration obtained using Tier 2 specifications. Determination of the site-specific methane generation rate constant is performed once and used in all subsequent annual NMOC emission rate calculations. [40 CFR 60.754(a)(4)(ii)] Federally Enforceable Through Title V Permit
43. The NMOC emission rate shall be recalculated and reported to the APCO annually, except as otherwise provided in this permit, until such time as the calculated NMOC emission rate is equal to or greater than 50 megagrams/year and a collection and control system is installed or until the landfill is closed. [40 CFR 60.752(b)(1), 60.754(a), 60.757(b)] Federally Enforceable Through Title V Permit
44. If the NMOC emission rate, as reported in the annual report is less than 50 megagrams/year in each of the next 5 consecutive years, the owner or operator may elect to submit an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual reports for those 5 years. This estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years. All data and calculations upon which this estimate is based shall be provided to the APCO. This estimate shall be revised at least once every 5 years. [40 CFR 60.757(b)(1)(ii)] Federally Enforceable Through Title V Permit
45. If the actual waste acceptance rate exceeds the estimated rate used in any year reported in a 5-year estimate of the NMOC emission rate, then a revised 5-year estimate shall be submitted to the APCO. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated acceptance rate. [40 CFR 60.757(b)(1)(ii)] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

46. The NMOC emission rate report shall include all the data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions. [40 CFR 60.757(b)(2)] Federally Enforceable Through Title V Permit
47. If the owner or operator elects to recalculate the NMOC emission rate using Tier 2 specifications and the resulting NMOC emission rate is less than 50 megagrams/year, annual periodic reporting shall resume. The revised NMOC emission rate report, with the recalculated NMOC emission rate using Tier 2 specifications, shall be submitted within 180 days of the first Tier 1 calculated exceedance of 50 megagrams/year. [40 CFR 60.757(c)(1)] Federally Enforceable Through Title V Permit
48. If the owner or operator elects to recalculate the NMOC emission rate using Tier 3 specifications and the resulting NMOC emission rate is less than 50 megagrams/year, annual periodic reporting shall resume. The revised NMOC emission rate report, with the recalculated NMOC emission rate using Tier 3 specifications, shall be submitted within 1 year of the first Tier 1 calculated exceedance of 50 megagrams/year. [40 CFR 60.757(c)(2)] Federally Enforceable Through Title V Permit
49. Each owner or operator shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity, the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. [40 CFR 60.758(a)] Federally Enforceable Through Title V Permit
50. If the calculated NMOC is equal to or greater than 50 megagrams/year, the owner or operator shall install a collection and control system, that effectively captures the gas generated within the landfill, within 30 months of that determination. [40 CFR 60.752(b)(2)(ii), 60.753, 60.755, 60.756] Federally Enforceable Through Title V Permit
51. Gas collection system shall be operated in a manner which maximizes the amount of landfill gas extracted while preventing overdraw that can cause fires or damage the gas collection system. [District Rule 2201] Federally Enforceable Through Title V Permit
52. During maintenance of the gas collection system or incineration device, emissions of landfill gas shall be minimized during shutdown. [District Rule 2201] Federally Enforceable Through Title V Permit
53. Maintenance is defined as work performed on a gas collection system and/or control device in order to ensure continued compliance with District rules, regulations, and/or Permits to Operate, and to prevent its failure or malfunction. [District Rule 2201] Federally Enforceable Through Title V Permit
54. The permittee shall notify the APCO by telephone at least 24 hours before performing any maintenance work that requires the system to be shutdown. The notification shall include a description of work, the date work will be performed, and the amount of time needed to complete the maintenance work. [District Rule 2201] Federally Enforceable Through Title V Permit
55. Permittee shall maintain records of system inspections including: date, time, and inspection results. [District Rule 1070] Federally Enforceable Through Title V Permit
56. Permittee shall maintain records of maintenance related or other collection system and control device downtime, including individual well shutdown. [District Rule 1070] Federally Enforceable Through Title V Permit
57. The operator shall record emission control device source tests for VOC destruction/treatment efficiency. [District Rule 1081] Federally Enforceable Through Title V Permit
58. Daily records shall be maintained of the weight of materials received (cubic yards converted to tons) including Class II waste material and soil cover. [District Rule 1070] Federally Enforceable Through Title V Permit
59. The District shall be notified in writing ten days prior to the acceptance of new types of waste streams, or waste streams with significant malodorous qualities. [District Rules 2201 and 4102] Federally Enforceable Through Title V Permit
60. A District approved anemometer shall be continuously operated on site with permanent data available to the District. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

61. Wastes with the potential to release hazardous gases, mists, or vapors in excess of existing air quality standards shall not be exposed to the atmosphere, and combustion of flammable wastes in the landfill shall be prevented. [District Rule 2201] Federally Enforceable Through Title V Permit
62. Vehicle speeds on all on-site roads shall be limited to fifteen miles per hour. [District Rule 2201] Federally Enforceable Through Title V Permit
63. Materials handling operations associated with landfill construction and operation shall be curtailed when wind and moisture conditions make it likely that any resulting visible emissions will exceed 40% opacity at an elevation of 25 feet. [District Rule 2201] Federally Enforceable Through Title V Permit
64. The permittee shall comply with the following when excavating contaminated soil: 1) Submit a written notice according to Section 6.1 prior to commencement of excavation of known contaminated soil; 2) Monitor operation for VOC contamination at least once every 15 minutes unless the excavated soil is treated according to Section 5.2.1; 3) Excavated soil that has been detected as contaminated shall be placed in storage piles or handled as required by Section 5.2 and; 4) Excavated contaminated soil shall be decontaminated, recycled, disposed of in an approved facility, returned to excavation and permanently covered with at least six (6) inches of uncontaminated soil, or transported to a location outside of the SJVAB within thirty (30) calendar days from the time of excavation or as directed by an authorized health officer, agricultural commissioner, fire protection officer, or other authorized state or local government officer having jurisdiction. [District Rule 4651] Federally Enforceable Through Title V Permit
65. When handling excavated contaminated soil with VOC concentration measuring at 1,000 ppm or greater, the contaminated soil shall be sprayed with water or vapor suppressant and contaminated soil placed in sealed containers as soon as possible, but no more than 30 minutes after excavation, and handle pursuant to Section 5.1.4, or the contaminated soil loaded into trucks as soon as possible but no more than 30 minutes after excavation, moisten with additional water, cover as required in Section 5.3, and transport immediately to an approved facility, or implement other approved alternative storage methods and handle pursuant to Section 5.1.4. [District Rule 4651] Federally Enforceable Through Title V Permit
66. When handling storage piles of contaminated soil the piles shall be clearly isolated and identifiable from storage piles of uncontaminated soil according to Section 6.3.2. [District Rule 4651] Federally Enforceable Through Title V Permit
67. When handling storage piles of contaminated soil that have been inactive for more than 60 consecutive minutes, the piles shall be treated with water or a vapor suppressant and covered with heavy-duty plastic sheeting to reduce VOC emissions and the covering shall have at least a six-foot overlap of adjacent sheets, be securely anchored, and have minimal headspace where vapors may accumulate, or covered with a layer of uncontaminated soil no less than six (6) inches deep. [District Rule 4651] Federally Enforceable Through Title V Permit
68. When handling contaminated soil, a visual inspection of all storage piles of contaminated soil shall be conducted at least once every 24 hours, except when operators do not report to the facility for a given 24-hour period, to ensure the integrity of the covered surfaces and compliance with Section 5.2.5. [District Rule 4651] Federally Enforceable Through Title V Permit
69. When handling contaminated soil, aeration of contaminated soil shall not be allowed except that which occurs during removal or addition of contaminated soil to a storage pile and this includes the use of contaminated soil in daily, intermediate, or final cover operations at disposal sites. [District Rule 4651] Federally Enforceable Through Title V Permit
70. The permittee shall comply with the following when transporting contaminated soil: 1) Any truck or trailer transporting contaminated soil shall be filled such that contaminated soil does not extend above the sides or rear of the truck; 2) Contaminated soil shall be treated with water or vapor suppressant and covered with an continuous heavy duty plastic sheeting or other covering to prevent spillage of contaminated soil during transport, and; 3) Chain-of-custody records shall be maintained according to Section 6.3.1 by the operators to document transfer of the transported contaminated soil. [District Rule 4651] Federally Enforceable Through Title V Permit
71. When decontaminating soil, VOC emissions from the decontamination of contaminated soil shall be controlled by installation and operation of a VOC collection and control device with a VOC destruction or removal efficiency of at least 95%, or any other approved VOC control device demonstrated to be equivalent. [District Rule 4651] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

72. When decontaminating soil, permittee shall monitor temperature, pressure, and flow rates of VOC control device. [District Rule 4651] Federally Enforceable Through Title V Permit
73. When decontaminating soil, VOC control device shall be operated and maintained in accordance with the manufacturer's recommendations. [District Rule 4651] Federally Enforceable Through Title V Permit
74. When decontaminating soil, permittee shall monitor soil for contamination using the test method in Section 6.5.2 and record all VOC concentration readings according to Section 6.3.4. [District Rule 4651] Federally Enforceable Through Title V Permit
75. Permittee shall comply with one of the following regarding contaminated soil: 1) Return the contaminated soil to the excavation and permanently cover with six (6) inches or more of uncontaminated soil, or; 2) Decontaminate the contaminated soil to the extent that the soil is no longer considered contaminated as defined in Section 3.17, or; 3) Transport the contaminated soil to an approved disposal facility, or; 4) Transport the contaminated soil to a location outside of the SJVAB. [District Rule 4651] Federally Enforceable Through Title V Permit
76. When decontaminating soil, decontaminated soil that is to be treated as uncontaminated soil shall require soil samples to be obtained from each storage pile according to Section 6.6 and tested using the applicable test methods in Section 6.5.3 or Section 6.5.4. [District Rule 4651] Federally Enforceable Through Title V Permit
77. Permittee shall include the following information in the notice of excavation activities: names and addresses of operator(s) performing and responsible for excavation, location of site where excavation will occur, scheduled starting date of excavation (if the excavation does not commence on the start date, renotification is required), estimated volume of soil to be excavated, estimated volume (in gallons) of VOC liquid spilled in the soil, if known, and where emergency excavation is conducted at the direction of an authorized officer, pursuant to Section 4.3: name, title and contact information of the authorized officer, and a copy of the signed emergency declaration from the authorized officer. [District Rule 4651] Federally Enforceable Through Title V Permit
78. Permittee shall include the following information in the written notice when excavating contaminated soil as required by Section 5.1: names and addresses of operator(s) performing and responsible for excavation, address of site where excavation occurred, date(s) of excavation, estimated volume of contaminated soil excavated, estimated average VOC content of the contaminated soil or estimated volume of VOC contaminant, and final disposition of the contaminated soil. [District Rule 4651] Federally Enforceable Through Title V Permit
79. Permittee shall maintain the following records at the time custody is transferred: the identities and business addresses of the relevant parties such as the generator, transporter, and storage/treatment facilities, the volume of contaminated soil generated or received, all analytical data associated with the contaminated soil (this section does not apply to Section 4.3), the date and location of excavation of the contaminated soil, and the date and signatures of the operators at the time custody is transferred. [District Rule 4651] Federally Enforceable Through Title V Permit
80. Permittee shall identify each storage pile with the following information: location of storage pile, unique identification of storage pile, date that soil storage pile was excavated. [District Rule 4651] Federally Enforceable Through Title V Permit
81. Permittee shall maintain visual inspection records at least once every 24 hours except when operators do not report to the facility for that given 24 hours and the records shall include location and unique identification of each specific pile and name, date, and signature of operator inspecting the storage piles. [District Rule 4651] Federally Enforceable Through Title V Permit
82. Permittee shall maintain the following records for VOC concentration readings: the identities and business addresses of the relevant parties such as the generator or storage/treatment facilities, the volume of contaminated or decontaminated soil, date of contaminated or decontaminated soil, VOC concentration reading, and the origin of the contaminated or decontaminated soil. [District Rule 4651] Federally Enforceable Through Title V Permit
83. Permittee shall maintain records of calibrations for all approved monitoring instruments. [District Rule 4651] Federally Enforceable Through Title V Permit
84. The operator of a VOC control device used to decontaminate excavated soil shall demonstrate compliance with the requirements of Section 5.4.1 before operation of such system. [District Rule 4651] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

85. Source sampling to determine the compliance status of an emissions source shall be witnessed or authorized by District personnel. [District Rule 4651] Federally Enforceable Through Title V Permit
86. The operator of the facility shall maintain a copy of the source test protocol. A copy of the source test results must be maintained for at least five years and be readily available to the APCO upon written or oral request. [District Rule 4651] Federally Enforceable Through Title V Permit
87. The initial boiling point of a liquid from samples of contaminated soil shall be measured in accordance with ASTM D86 for soil contaminated with petroleum liquid or ASTM D-1078-93 for soil contaminated with a known organic chemical. [District Rule 4651] Federally Enforceable Through Title V Permit
88. The VOC concentration of soils shall be measured as hexane using an organic vapor analyzer, complying with EPA Reference Method 21. [District Rule 4651] Federally Enforceable Through Title V Permit
89. The VOC content of the soil that can be reasonably demonstrated to be contaminated only with petroleum shall be determined by using EPA Reference Method 8015 or EPA Test Method 25D. [District Rule 4651] Federally Enforceable Through Title V Permit
90. The VOC content of soil that is contaminated by unknown VOC-containing liquids, or that cannot be reasonably demonstrated to be contaminated only with petroleum, shall be determined by using EPA Reference Method 8015 or EPA Test Method 25D. In addition to one of the aforementioned methods, the operator shall use EPA Reference Method 8260B or the gas chromatographic method in the Leaking Underground Fuel Tank (LUFT) Manual (October 1989). [District Rule 4651] Federally Enforceable Through Title V Permit
91. An operator may use an equivalent alternative test method to those listed in Sections 6.5.1 through 6.5.4 for which APCO and EPA approval has been obtained. [District Rule 4651] Federally Enforceable Through Title V Permit
92. When more than one test method or set of test methods is specified for any testing, a violation of any requirement of this rule established by any one of the specified test methods or set of test methods shall constitute a violation of this rule. [District Rule 4651] Federally Enforceable Through Title V Permit
93. One composite sample shall be collected and analyzed for VOC for every 50 cubic yards of excavated soil that has been determined to be uncontaminated by the test method in Section 6.5.2. At least one (1) composite sample shall be collected from each storage pile within 12 hours of soil decontamination. [District Rule 4651] Federally Enforceable Through Title V Permit
94. A composite sample shall consist of one sample taken from the center of each of four (4) equal sectors using the procedures described in Section 6.6.3 or other approved methods. [District Rule 4651] Federally Enforceable Through Title V Permit
95. Samples shall be taken from at least twelve (12) inches below the surface of the pile using a driven-tube type sampler, capped and sealed with inert materials, and extruded in the lab in order to reduce the loss of volatile materials; or by using a clean brass or stainless steel tube (at least twelve (12) inches long) driven into the soil with a suitable instrument. The ends of the brass tube shall then be covered with aluminum foil, then plastic end caps, and finally wrapped with a suitable tape. The samples shall then be immediately placed on ice, or dry ice, for transport to a laboratory. [District Rule 4651] Federally Enforceable Through Title V Permit
96. Chain-of-custody records shall be kept by the operators to document possession of a sample from the time it is taken in the field until it is analyzed. [District Rule 4651] Federally Enforceable Through Title V Permit
97. Landfill collection and control system shall be operated such that landfill surface VOC emissions shall not exceed instantaneous surface emission limit of 200 ppmv as methane. [District Rule 4642, 17 CCR 95464, 95468] Federally Enforceable Through Title V Permit
98. Landfill collection and control system may be operated intermittently provided the methane emissions from the landfill do not exceed instantaneous limit requirements. [17 CCR 95468]
99. Instantaneous surface emissions measurements shall be done quarterly. If there are no exceedances after 4 consecutive quarterly measurements, the facility may measure annually. Any exceedances that can not be remediated within 10 days or any exceedances during compliance inspection will result in a return to quarterly monitoring. [District Rule 4642 and 17 CCR 95469] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

100. Permittee shall keep records of all instantaneous surface readings of 200 ppmv or greater; including the location of the leak, leak concentration in ppmv, date and time of measurement, the action taken to repair the leak, date of repair, any required re-monitoring and the re-monitored concentration in ppmv, and wind speed during surface sampling; and the installation date and location of each well installed as part of a gas collection system expansion. [17 CCR 95470, 95468]
101. Permittee shall keep records of delays encountered during repair of surface emission leaks. Documentation of delays shall be submitted with the annual report. [17 CCR 95468]
102. Permittee shall identify areas which are dangerous and unable to be inspected. Areas shall be clearly identified on a map of the facility. A copy of the map shall be kept onsite as well as submitted with the annual report. [17 CCR 95468]
103. Permittee shall conduct monitoring of the landfill surface within 3 inches of the surface. The facility may monitor surface emissions with the probe tip at the height of the vegetation if there is vegetation and it is impractical to monitor at 3 inches from the landfill surface. [17 CCR 95468]
104. Permittee shall terminate surface emission testing when the measured average wind speed is over 10 mph or the instantaneous wind speed is over 20 mph. [17 CCR 95468, 17 CCR 95471]
105. Permittee shall only conduct surface emission testing when precipitation has met the following requirements. It has been 24 hours since measured precipitation of 0.01 to 0.15 inches. It has been 48 hours since measured precipitation of 0.16 to 0.24 inches. It has been 72 hours since measured precipitation of 0.25 or more inches. [17 CCR 95468]
106. Permittee may comply with the CARB regulation for landfill methane control measures by using approved alternative compliance options. The permittee shall obtain written District approval for the use of any alternative compliance options not specifically approved by this permit. Changes to the approved alternate compliance options must be made and approved in writing. Documentation of approved alternative compliance options shall be available for inspection upon request. [17 CCR 95468]
107. Permittee shall submit the following reports as required in section 95470(b): Landfill gas heat input capacity report, Closure notification, Equipment removal report and Annual report. All reports must be accompanied by a certification of truth, accuracy, and completeness signed by a responsible official. [17 CCR 95470]
108. All records shall be retained for a minimum of five years, and shall be made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-3839-3-2

EXPIRATION DATE: 08/30/2015

EQUIPMENT DESCRIPTION:

VADOSE ZONE GAS COLLECTION SYSTEM SERVED BY TWO 1,000 LB ENVIROSUPPLY, MODEL V-1,000 HP, CARBON CANISTERS CONNECTED IN SERIES

PERMIT UNIT REQUIREMENTS

1. The soil remediation system shall be maintained in proper operating condition at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
3. The VOC control device shall be at least 60% efficient in controlling the VOC from the vadose zone. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total VOC emissions from the vadose zone shall not exceed 1.4 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The carbon adsorption unit effluent gas flow rate shall not exceed 220 scfm. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The VOC concentration of the exhaust gas from the vadose zone served by the carbon adsorption unit shall not exceed 107 ppmv, as methane. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A minimum of two carbon canisters which are connected in series shall be utilized. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Sampling ports adequate for extraction of grab samples, measurement of gas flow rate, and use of an FID, PID, or other District-approved VOC detection device shall be provided for both the influent and the effluent gas streams. [District Rule 1081] Federally Enforceable Through Title V Permit
9. Sampling to demonstrate ongoing compliance with the VOC emission rate and control efficiency requirements shall be performed at least once per week by sampling both the influent and the effluent gas streams with an FID, PID, or other District-approved VOC detection device. [District Rule 1081] Federally Enforceable Through Title V Permit
10. The carbon canisters removed from the system shall be sealed vapor tight. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Records of the cumulative running time and the measured influent and effluent VOC concentrations shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained for a minimum of five years, and shall be made available for District inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT B

Previous Title V Operating Permit



Permit to Operate

FACILITY: C-3839

EXPIRATION DATE: 06/30/2015

LEGAL OWNER OR OPERATOR:

AVENAL REGIONAL LANDFILL

MAILING ADDRESS:

PO BOX 189
AVENAL, CA 93204

FACILITY LOCATION:

201 HYDRIL RD
AVENAL, CA 93204

FACILITY DESCRIPTION:

LANDFILL (EG SOURCE)

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

Seyed Sadredin
Executive Director / APCO

Arnaud Marjollet
Director of Permit Services

San Joaquin Valley Air Pollution Control District

FACILITY: C-3839-0-1

EXPIRATION DATE: 06/30/2015

FACILITY-WIDE REQUIREMENTS

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.12.1] Federally Enforceable Through Title V Permit
6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: AVENAL REGIONAL LANDFILL
Location: 201 HYDRIL RD, AVENAL, CA 93204
C-3839-0-1 : May 10 2016 2:32PM - SALINAS

10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (2/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in the Table of Standards of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials for architectural coatings subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR 82, Subpart B. [40 CFR 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8021 and 8011] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8031 and 8011] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8041 and 8011] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8051 and 8011] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/04) or Rule 8011 (8/19/04). [District Rule 8061 and Rule 8011] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 75 vehicle trips per day shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 100 vehicle trips per day shall comply with the requirements of Section 5.1.2 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/04) or Rule 8011 (8/19/04). [District Rule 8071 and Rule 8011] Federally Enforceable Through Title V Permit
35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), and Rule 111 (Kern, Tulare, Kings). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601, sections 5.1, 5.2, 5.3 and 5.8 (12/17/09); 8021 (8/19/04); 8031 (8/19/04); 8041 (8/19/04); 8051 (8/19/04); 8061 (8/19/04); and 8071 (9/16/04). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. On June 30, 2010, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report are based upon this initial permit issuance date, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
42. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-3839-1-4

EXPIRATION DATE: 06/30/2015

EQUIPMENT DESCRIPTION:

MUNICIPAL SOLID WASTE LANDFILL, 28.8 MILLION CUBIC YARD CAPACITY (123 ACRES) WITH GAS COLLECTION AND CONTROL SYSTEM SERVED BY TWO (2) BAKER FILTRATION MODEL KLEEN AIR 55 200 LB CANISTERS CONNECTED IN SERIES

PERMIT UNIT REQUIREMENTS

1. All new off-road equipment at the landfill shall meet USEPA Tier 3 emission standards and be equipped with CARB certified add-on controls for diesel particulate matter with a control efficiency of at least 82% or shall meet USEPA Tier 4 emission standards. On and after the USEPA Tier 4 compliance deadline, all new off-road equipment at the landfill shall meet the appropriate USEPA Tier 4 emission standard in effect at that time. [California Environmental Quality Act]
2. The landfill facility, associated equipment, and surrounding Avenal Regional Landfill property shall be operated and maintained in such a manner as to prevent the generation of odors which may constitute a nuisance. [District Rule 4102]
3. Air pollution control equipment shall be maintained in good operating condition and shall be operated in accordance with the manufacturer's instructions. [District Rule 4102]
4. Equipment shall be operated in such a manner as to not constitute a nuisance or annoyance to a considerable number of people. [District Rule 4102]
5. Refuse delivery trucks shall be unloaded within a reasonable amount of time after entering the property. [District Rule 4102]
6. All refuse trucks shall be maintained in condition to prevent leakage of solid or liquid material. [District Rule 4102]
7. Refuse shall not be stockpiled anywhere outside of the designated refuse disposal areas. Trucks waiting their turn to unload within the 2 hour unload time limitation are not considered stockpiled outside the designated refuse disposal areas. [District Rule 4102]
8. All trucks delivering refuse shall not be leaking liquid or solid material prior to exiting the landfill site. Trucks shall be cleared of any debris to minimize nuisance emissions. [District Rule 4102]
9. The designated refuse disposal areas shall be covered at the end of each operating day and maintained as necessary to prevent the emission of nuisance odors. [District Rule 4102]
10. Permittee shall maintain an updated odor control plan detailing all methods of nuisance odor control as it applies to the facility. The odor control plan shall be made available to all employees and shall be used as a training aid for new employees. The odor control plan shall be made available for District inspection upon request. [District Rule 4102]
11. The District shall have authority to investigate possible odors alleged to originate from the facility and to make a determination of whether or not a nuisance exists, either in response to a complaint or on its own initiative. [District Rules 1070 and 4102] Federally Enforceable Through Title V Permit
12. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. A minimum of two carbon canisters which are connected in series shall be utilized. [District Rule 2201] Federally Enforceable Through Title V Permit
14. Sampling ports adequate for extraction of grab samples, measurement of gas flow rate, and use of an FID, PID, or other District-approved VOC detection device shall be provided for both the influent and the effluent gas streams. [District Rule 1081] Federally Enforceable Through Title V Permit
15. After commissioning of the collection devices, laboratory samples shall be taken at the initial inspection, under the supervision of the APCD Inspector. Samples shall be taken from both the influent and the effluent gas stream sampling ports. [District Rule 1081] Federally Enforceable Through Title V Permit
16. Initial compliance with VOC emission rate and control efficiency requirements shall be demonstrated by the results of the laboratory sample analysis. The results shall be submitted to the District within 60 days of the test. [District Rule 1081] Federally Enforceable Through Title V Permit
17. Sampling to demonstrate ongoing compliance with the control efficiency requirements shall be performed at least once per month by sampling both the influent and the effluent gas streams with an FID, PID, or other District-approved VOC detection device. [District Rule 1081] Federally Enforceable Through Title V Permit
18. The carbon canisters removed from the system shall be sealed vapor tight. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Total Class III waste material rate shall not exceed 6,013 tons per day or 2,194,602 ton/year. [District Rule 2201] Federally Enforceable Through Title V Permit
20. VOC emissions (as hexane) from the landfill shall not exceed 47.5 lb/day or 17,341 lb/year. [District Rule 2201] Federally Enforceable Through Title V Permit
21. Permittee shall operate the carbon canisters at all times when the collected gas is routed to it. [District Rule 2201] Federally Enforceable Through Title V Permit
22. Carbon canisters shall reduce the inlet NMOC emissions by at least 98% by weight. [District Rule 2201] Federally Enforceable Through Title V Permit
23. NMOC collection efficiency shall be at least 85% by weight. [District Rule 2201] Federally Enforceable Through Title V Permit
24. Total soil cover usage rate shall not exceed 3,523 tons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
25. Total PM10 emissions from handling of soil cover shall not exceed 0.0023 lb-PM10 per ton of material handled. [District Rule 2201] Federally Enforceable Through Title V Permit
26. For initial monitoring of collection devices, prior to initial operation, the permittee shall monitor the collectors at least once per quarter for static pressure, percent methane, percent oxygen, and temperature utilizing a District-approved portable landfill gas analyzer. [District Rule 2201] Federally Enforceable Through Title V Permit
27. For commissioning of collection devices, collectors shall be commissioned and continually operated if all of the following parameters are met: (1) methane percent 45% or greater; (2) oxygen percent 5% or less; (3) temperature 131 degrees F; and (4) static pressure 5.0 in H₂O or greater. [District Rule 2201] Federally Enforceable Through Title V Permit
28. For operation of collection devices, once the collectors are commissioned, the permittee shall monitor the collectors weekly for the first six months of operation and may switch to monthly monitoring thereafter. [District Rule 2201] Federally Enforceable Through Title V Permit
29. For surface emissions monitoring, once an area has reached final grade or within 90 days when the LFG system in the area is commissioned, whichever comes first, surface emissions shall not exceed a methane concentration of 500 parts per million above background at the surface of the landfill. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

30. For surface emissions monitoring, surface monitoring for the landfill area shall be performed quarterly. If there are any exceedances during a quarterly event, monitoring will be required monthly until three consecutive months without exceedances, which would allow a return to quarterly monitoring. [District Rule 2201] Federally Enforceable Through Title V Permit
31. For surface emissions monitoring, after an exceedance, the permittee shall initiate correction action within five days and conduct remonitoring within ten days from the initial exceedance. If compliance is shown, an additional remonitoring event is required within one month of the initial exceedance. If the ten day event shows an exceedance, the permittee shall initiate correction action within five days and conduct remonitoring within ten days from the second exceedance. If compliance is shown, an additional remonitoring is required within one month of the initial exceedance. If the second ten day event shows an exceedance, the permittee shall permit and install additional landfill gas wells to correct the problem within 120 days of the initial exceedance. The permittee may utilize an alternative corrective action with prior approval from the APCO. [District Rule 2201] Federally Enforceable Through Title V Permit
32. For surface emissions monitoring, permittee shall conduct surface testing around the perimeter of the collection area and along a pattern that traverses the landfill at 30-meter intervals (or a site-specific established spacing) and where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover. The owner or operator may establish an alternative traversing pattern that ensures equivalent coverage. [District Rule 2201] Federally Enforceable Through Title V Permit
33. For surface emissions monitoring, surface testing shall be performed using an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specifications provided in 40 CFR 60.755(d). [District Rule 2201] Federally Enforceable Through Title V Permit
34. For surface emissions monitoring, the portable analyzer shall meet the instrument specifications of Method 21, section 3 (except that "methane" shall replace all references to VOC). The calibration gas shall be methane, diluted to a nominal concentration of 500 parts per million in air. To meet the performance evaluation requirements of Method 21, section 3.1.3, the instrument evaluation procedures of Method 21, section 4.4. The calibration procedures provided in Method 21, section 4.2 shall be followed immediately before commencing a surface monitoring survey. [District Rule 2201] Federally Enforceable Through Title V Permit
35. The provisions of this permit apply at all times, except during periods of start-up, shutdown, or malfunction (as defined in 40 CFR 60.755(e)). [District Rule 2201] Federally Enforceable Through Title V Permit
36. For site-wide VOC emissions monitoring, permittee shall perform site-wide VOC emissions monitoring on an annual basis. Samples shall be collected from the existing landfill and expansion areas per the LFG collection pipes, permanent LFG sampling wells, or Tier 2 procedures as described in this permit. Collected samples shall be analyzed using EPA Methods 25C and 3C. The results shall be submitted to the District quarterly for projected site-wide VOC emissions for the following year. If the projected site-wide VOC emissions exceeds the VOC offset threshold, the applicant shall submit an Authority to Construct application to install a GCCS one year prior to the site-wide VOC emissions projected to exceed the offset threshold for the following year. [District Rule 2201] Federally Enforceable Through Title V Permit
37. Permittee shall keep for at least 5 years up-to-date, readily accessible records of all collection and control system exceedances, the reading in the subsequent month whether or not the second reading is an exceedance, and the location of each exceedance. [District Rule 2201] Federally Enforceable Through Title V Permit
38. The NMOC emission rate shall be calculated using the equation in 40CFR60.754(a)(1)(i), if the actual year-to-year solid waste acceptance rate is known or the equation in 40CFR60.754(a)(1)(ii), if the actual year-to-year solid waste acceptance rate is unknown. The values for k, Lo, and CNMOC for both equations shall be taken from 40CFR60.754(a)(1), as appropriate. Both equations may be used if the actual year-to-year acceptance rate is known for a part of the landfill life, but unknown for another part of the landfill life. The mass of nondegradable solid waste may be subtracted from the average annual acceptance rate when calculating R, if documentation of the nature and amount of such wastes is maintained. (Tier 1 specifications) [40 CFR 60.754(a)(1)] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

39. If the calculated NMOC emission rate is equal to or greater than 50 megagrams/year, then the landfill owner or operator shall either comply with the requirements of this permit to submit a collection and control design plan and install the system, or determine a site-specific NMOC concentration and recalculate the NMOC emission rate using Tier 2 specifications. [40 CFR 60.754(a)(2)(ii)] Federally Enforceable Through Title V Permit
40. Tier 2 specifications to determine the site-specific NMOC concentration shall include the following: 1) For sampling, at least 2 sample probes shall be installed per hectare of landfill surface that has retained waste for at least 2 years, up to a maximum of 50 required probes. Probes should be located in known areas of degradable solid waste. One sample of landfill gas shall be collected from each probe to determine the NMOC concentration, using EPA Method 25, 25C, another method approved by the EPA, or 18, in accordance with 40 CFR 60.754(a)(3). If EPA Method 18 is used, the minimum list of compounds to be tested shall be those published in the most recent Compilation of AP-42. If composite sampling is used, equal sample volumes are required. All samples taken shall be used in the analysis. The NMOC concentration from Method 25 or 25C shall be divided by 6 to convert from C-NMOC, as carbon to as hexane. 2) For landfills equipped with active collection systems, samples may be collected from the common header pipe before gas moving or condensate removal equipment; a minimum of 3 samples must be collected. [40 CFR 60.754(a)(3), (a)(5)] Federally Enforceable Through Title V Permit
41. Tier 2 specifications to determine the site-specific NMOC concentration shall include the following: 1) The NMOC mass emission rate shall be recalculated using the average site-specific concentration, instead of the default value, 2) If the resulting calculated mass emission rate is equal to or greater than 50 megagrams/year, the landfill owner or operator shall either comply with 60.752(b)(2), or determine a site-specific methane generation rate constant and recalculate the NMOC emission rate using Tier 3 specifications. [40 CFR 60.754(a)(3)(i)&(ii)] Federally Enforceable Through Title V Permit
42. If the calculated NMOC mass emission rate, using the site-specific NMOC concentration, is less than 50 megagrams/year, then a periodic estimate of the emission rate report, pursuant to 60.757(b)(1) shall be submitted to the Administrator. The site-specific NMOC concentration shall be retested every 5 years, using Tier 2 specifications. [40 CFR 60.754(a)(3)(iii)] Federally Enforceable Through Title V Permit
43. Tier 3 specifications to determine the site-specific methane generation rate constant shall include the following: 1) EPA Method 2E or another method approved by the EPA shall be used, 2) The NMOC mass emission rate shall be recalculated using the average site-specific NMOC concentration and the site-specific methane generation rate constant k, instead of the default values in 40 CFR 60(a)(1), and 3) If the resulting calculated NMOC mass emission rate is equal to or greater than 50 megagrams/year, the landfill owner or operator shall comply with 60.752(b)(2). [40 CFR 60.754(a)(4), (a)(5) and (i)] Federally Enforceable Through Title V Permit
44. If Tier 3 specifications are used to determine the site-specific methane generation rate and the calculated NMOC mass emission rate is less than 50 megagrams/year, then a periodic emission rate report shall be submitted to the Administrator, pursuant to 60.757(b)(1) and the NMOC concentration shall be recalculated annually, pursuant to 60.757(b)(1), using the site-specific methane generation rate constant and the NMOC concentration obtained using Tier 2 specifications. Determination of the site-specific methane generation rate constant is performed once and used in all subsequent annual NMOC emission rate calculations. [40 CFR 60.754(a)(4)(ii)] Federally Enforceable Through Title V Permit
45. The NMOC emission rate shall be recalculated and reported to the APCO annually, except as otherwise provided in this permit, until such time as the calculated NMOC emission rate is equal to or greater than 50 megagrams/year and a collection and control system is installed or until the landfill is closed. [40 CFR 60.752(b)(1), 60.754(a), 60.757(b)] Federally Enforceable Through Title V Permit
46. If the NMOC emission rate, as reported in the annual report is less than 50 megagrams/year in each of the next 5 consecutive years, the owner or operator may elect to submit an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual reports for those 5 years. This estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years. All data and calculations upon which this estimate is based shall be provided to the APCO. This estimate shall be revised at least once every 5 years. [40 CFR 60.757(b)(1)(ii)] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

47. If the actual waste acceptance rate exceeds the estimated rate used in any year reported in a 5-year estimate of the NMOC emission rate, then a revised 5-year estimate shall be submitted to the APCO. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated acceptance rate. [40 CFR 60.757(b)(1)(ii)] Federally Enforceable Through Title V Permit
48. The NMOC emission rate report shall include all the data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions. [40 CFR 60.757(b)(2)] Federally Enforceable Through Title V Permit
49. If the owner or operator elects to recalculate the NMOC emission rate using Tier 2 specifications and the resulting NMOC emission rate is less than 50 megagrams/year, annual periodic reporting shall resume. The revised NMOC emission rate report, with the recalculated NMOC emission rate using Tier 2 specifications, shall be submitted within 180 days of the first Tier 1 calculated exceedance of 50 megagrams/year. [40 CFR 60.757(c)(1)] Federally Enforceable Through Title V Permit
50. If the owner or operator elects to recalculate the NMOC emission rate using Tier 3 specifications and the resulting NMOC emission rate is less than 50 megagrams/year, annual periodic reporting shall resume. The revised NMOC emission rate report, with the recalculated NMOC emission rate using Tier 3 specifications, shall be submitted within 1 year of the first Tier 1 calculated exceedance of 50 megagrams/year. [40 CFR 60.757(c)(2)] Federally Enforceable Through Title V Permit
51. Each owner or operator shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity, the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. [40 CFR 60.758(a)] Federally Enforceable Through Title V Permit
52. If the calculated NMOC is equal to or greater than 50 megagrams/year, the owner or operator shall install a collection and control system, that effectively captures the gas generated within the landfill, within 30 months of that determination. [40 CFR 60.752(b)(2)(ii), 60.753, 60.755, 60.756] Federally Enforceable Through Title V Permit
53. Gas collection system shall be operated in a manner which maximizes the amount of landfill gas extracted while preventing overdraw that can cause fires or damage the gas collection system. [District Rule 2201] Federally Enforceable Through Title V Permit
54. During maintenance of the gas collection system or incineration device, emissions of landfill gas shall be minimized during shutdown. [District Rule 2201] Federally Enforceable Through Title V Permit
55. Maintenance is defined as work performed on a gas collection system and/or control device in order to ensure continued compliance with District rules, regulations, and/or Permits to Operate, and to prevent its failure or malfunction. [District Rule 2201] Federally Enforceable Through Title V Permit
56. The permittee shall notify the APCO by telephone at least 24 hours before performing any maintenance work that requires the system to be shutdown. The notification shall include a description of work, the date work will be performed and the amount of time needed to complete the maintenance work. Shutdown of the system due to commissioning criteria not being met does not constitute maintenance work. [District Rule 2201] Federally Enforceable Through Title V Permit
57. Permittee shall maintain records of system inspections including: date, time and inspection results. [District Rule 1070] Federally Enforceable Through Title V Permit
58. Permittee shall maintain records of maintenance related or other collection system and control device downtime, including individual well shutdown. [District Rule 1070] Federally Enforceable Through Title V Permit
59. The operator shall record emission control device source tests for VOC destruction/treatment efficiency. [District Rule 1081] Federally Enforceable Through Title V Permit
60. Daily records of the weight of materials received (cubic yards converted to tons) including Class II waste material and soil cover. [District Rule 1070] Federally Enforceable Through Title V Permit
61. The District shall be notified in writing ten days prior to the acceptance of new types of waste streams, or waste streams with significant malodorous qualities. [District Rules 2201 and 4102] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

62. A District approved anemometer shall be continuously operated on site with permanent data available to the District. [District Rule 2201] Federally Enforceable Through Title V Permit
63. Wastes with the potential to release hazardous gases, mists, or vapors in excess of existing air quality standards shall not be exposed to the atmosphere, and combustion of flammable wastes in the landfill shall be prevented. [District Rule 2201] Federally Enforceable Through Title V Permit
64. Vehicle speeds on all on-site roads shall be limited to fifteen miles per hour. [District Rule 2201] Federally Enforceable Through Title V Permit
65. Materials handling operations associated with landfill construction and operation shall be curtailed when wind and moisture conditions make it likely that any resulting visible emissions will exceed 40% opacity at an elevation of 25 feet. [District Rule 2201] Federally Enforceable Through Title V Permit
66. The permittee shall comply with the following when excavating contaminated soil: 1) Submit a written notice according to Section 6.1 prior to commencement of excavation of known contaminated soil; 2) Monitor operation for VOC contamination at least once every 15 minutes unless the excavated soil is treated according to Section 5.2.1; 3) Excavated soil that has been detected as contaminated shall be placed in storage piles or handled as required by Section 5.2 and; 4) Excavated contaminated soil shall be decontaminated, recycled, disposed of in an approved facility, returned to excavation and permanently covered with at least six (6) inches of uncontaminated soil, or transported to a location outside of the SJVAB within thirty (30) calendar days from the time of excavation or as directed by an authorized health officer, agricultural commissioner, fire protection officer, or other authorized state or local government officer having jurisdiction. [District Rule 4651] Federally Enforceable Through Title V Permit
67. When handling excavated contaminated soil with VOC concentration measuring at 1,000 ppm or greater, the contaminated soil shall be sprayed with water or vapor suppressant and contaminated soil placed in sealed containers as soon as possible, but no more than 30 minutes after excavation, and handle pursuant to Section 5.1.4, or the contaminated soil loaded into trucks as soon as possible but no more than 30 minutes after excavation, moisten with additional water, cover as required in Section 5.3, and transport immediately to an approved facility, or implement other approved alternative storage methods and handle pursuant to Section 5.1.4. [District Rule 4651] Federally Enforceable Through Title V Permit
68. When handling storage piles of contaminated soil the piles shall be clearly isolated and identifiable from storage piles of uncontaminated soil according to Section 6.3.2. [District Rule 4651] Federally Enforceable Through Title V Permit
69. When handling storage piles of contaminated soil that have been inactive for more than 60 consecutive minutes, the piles shall be treated with water or a vapor suppressant and cover with heavy-duty plastic sheeting to reduce VOC emissions and the covering shall have at least a six-foot overlap of adjacent sheets, be securely anchored, and have minimal headspace where vapors may accumulate, or covered with a layer of uncontaminated soil no less than six (6) inches deep. [District Rule 4651] Federally Enforceable Through Title V Permit
70. When handling contaminated soil, a visual inspection of all storage piles of contaminated soil shall be conducted at least once every 24 hours, except when operators do not report to the facility for a given 24-hour period, to ensure the integrity of the covered surfaces and compliance with Section 5.2.5. [District Rule 4651] Federally Enforceable Through Title V Permit
71. When handling contaminated soil, aeration of contaminated soil shall not be allowed except that which occurs during removal or addition of contaminated soil to a storage pile and this includes the use of contaminated soil in daily, intermediate, or final cover operations at disposal sites. [District Rule 4651] Federally Enforceable Through Title V Permit
72. The permittee shall comply with the following when transporting contaminated soil: 1) Any truck or trailer transporting contaminated soil shall be filled such that contaminated soil does not extend above the sides or rear of the truck; 2) Contaminated soil shall be treated with water or vapor suppressant and covered with an continuous heavy duty plastic sheeting or other covering to prevent spillage of contaminated soil during transport, and; 3) Chain-of-custody records shall be maintained according to Section 6.3.1 by the operators to document transfer of the transported contaminated soil. [District Rule 4651] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

73. When decontaminating soil, VOC emissions from the decontamination of contaminated soil shall be controlled by installation and operation of a VOC collection and control device with a VOC destruction or removal efficiency of at least 95%, or any other approved VOC control device demonstrated to be equivalent. [District Rule 4651] Federally Enforceable Through Title V Permit
74. When decontaminating soil, permittee shall monitor temperature, pressure, and flow rates of VOC control device. [District Rule 4651] Federally Enforceable Through Title V Permit
75. When decontaminating soil, VOC control device shall be operated and maintained in accordance with the manufacturer's recommendations. [District Rule 4651] Federally Enforceable Through Title V Permit
76. When decontaminating soil, permittee shall monitor soil for contamination using the test method in Section 6.5.2 and record all VOC concentration readings according to Section 6.3.4. [District Rule 4651] Federally Enforceable Through Title V Permit
77. Permittee shall comply with one of the following regarding contaminated soil: 1) Return the contaminated soil to the excavation and permanently cover with six (6) inches or more of uncontaminated soil, or; 2) Decontaminate the contaminated soil to the extent that the soil is no longer considered contaminated as defined in Section 3.17, or; 3) Transport the contaminated soil to an approved disposal facility, or; 4) Transport the contaminated soil to a location outside of the SJVAB. [District Rule 4651] Federally Enforceable Through Title V Permit
78. When decontaminating soil, decontaminated soil that is to be treated as uncontaminated soil shall required soil samples to be obtained from each storage pile of according to Section 6.6 and tested using the applicable test methods in Section 6.5.3 or Section 6.5.4. [District Rule 4651] Federally Enforceable Through Title V Permit
79. Permittee shall include the following information in the notice of excavation activities: names and addresses of operator(s) performing and responsible for excavation, location of site where excavation will occur, scheduled starting date of excavation (if the excavation does not commence on the start date, renotification is required), estimated volume of soil to be excavated, estimated volume (in gallons) of VOC liquid spilled in the soil, if known, and where emergency excavation is conducted at the direction of an authorized officer, pursuant to Section 4.3: name, title and contact information of the authorized officer, and a copy of the signed emergency declaration from the authorized officer. [District Rule 4651] Federally Enforceable Through Title V Permit
80. Permittee shall include the following information in the written notice when excavating contaminated soil as required by Section 5.1: names and addresses of operator(s) performing and responsible for excavation, address of site where excavation occurred, date(s) of excavation, estimated volume of contaminated soil excavated, estimated average VOC content of the contaminated soil or estimated volume of VOC contaminant, and final disposition of the contaminated soil. [District Rule 4651] Federally Enforceable Through Title V Permit
81. Permittee shall maintain the following records at the time custody is transferred: the identities and business addresses of the relevant parties such as the generator, transporter, and storage/treatment facilities, the volume of contaminated soil generated or received, all analytical data associated with the contaminated soil (this section does not apply to Section 4.3), the date and location of excavation of the contaminated soil, and the date and signatures of the operators at the time custody is transferred. [District Rule 4651] Federally Enforceable Through Title V Permit
82. Permittee shall identify each storage pile with the following information: location of storage pile, unique identification of storage pile, date that soil storage pile was excavated. [District Rule 4651] Federally Enforceable Through Title V Permit
83. Permittee shall maintain visual inspection records at least once every 24 hours except when operators do not report to the facility for that given 24 hours and the records shall include location and unique identification of each specific pile and name, date, and signature of operator inspecting the storage piles. [District Rule 4651] Federally Enforceable Through Title V Permit
84. Permittee shall maintain the following records for VOC concentration readings: the identities and business addresses of the relevant parties such as the generator or storage/treatment facilities, the volume of contaminated or decontaminated soil, date of contaminated or decontaminated soil, VOC concentration reading, and the origin of the contaminated or decontaminated soil. [District Rule 4651] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

85. Permittee shall maintain records of calibrations for all approved monitoring instruments. [District Rule 4651] Federally Enforceable Through Title V Permit
86. The operator of a VOC control device used to decontaminate excavated soil shall demonstrated compliance with the requirements of Section 5.4.1 before operation of such system. [District Rule 4651] Federally Enforceable Through Title V Permit
87. Source sampling to determine the compliance status of an emissions source shall be witnessed or authorized by District personnel. [District Rule 4651] Federally Enforceable Through Title V Permit
88. The operator of the facility shall maintain a copy of the source test protocol. A copy of the source test results must be maintained for at least five years and be readily available to the APCO upon written or oral request. [District Rule 4651] Federally Enforceable Through Title V Permit
89. The initial boiling point of a liquid from samples of contaminated soil shall be measured in accordance with ASTM D86 for soil contaminated with petroleum liquid or ASTM D-1078-93 for soil contaminated with known organic chemical. [District Rule 4651] Federally Enforceable Through Title V Permit
90. The VOC concentration of soils shall be measured as hexane using an organic vapor analyzer, complying with EPA Reference Method 21. [District Rule 4651] Federally Enforceable Through Title V Permit
91. The VOC content of the soil that can be reasonably demonstrated to be contaminated only with petroleum shall be determined by using EPA Reference Method 8015 or EPA Test Method 25D. [District Rule 4651] Federally Enforceable Through Title V Permit
92. The VOC content of soil that is contaminated by unknown VOC-containing liquids, or that cannot be reasonably demonstrated to be contaminated only with petroleum, shall be determined by using EPA Reference Method 8015 or EPA Test Method 25D. In addition to one of the aforementioned methods, the operator shall use EPA Reference Method 8260B or the gas chromatographic method in the Leaking Underground Fuel Tank (LUFT) Manual (October 1989). [District Rule 4651] Federally Enforceable Through Title V Permit
93. An operator may use an equivalent alternative test method to those listed in Sections 6.5.1 through 6.5.4 for which APCO and EPA approval has been obtained. [District Rule 4651] Federally Enforceable Through Title V Permit
94. When more than one test method or set of test methods is specified for any testing, a violation of any requirement of this rule established by any one of the specified test methods or set of test methods shall constitute a violation of this rule. [District Rule 4651] Federally Enforceable Through Title V Permit
95. One composite sample shall be collected and analyzed for VOC for every 50 cubic yards of excavated soil that has been determined to be uncontaminated by the test method in Section 6.5.2. At least one (1) composite sample shall be collected from each storage pile within 12 hours of soil decontamination. [District Rule 4651] Federally Enforceable Through Title V Permit
96. A composite sample shall consist of one sample taken from the center of each of four (4) equal sectors using the procedures described in Section 6.6.3 or other approved methods. [District Rule 4651] Federally Enforceable Through Title V Permit
97. Samples shall be taken from at least twelve (12) inches below the surface of the pile using a driven-tube type sampler, capped and sealed with inert materials, and extruded in the lab in order to reduce the loss of volatile materials; or by using a clean brass or stainless steel tube (at least twelve (12) inches long) driven into the soil with a suitable instrument. The ends of the brass tube shall then be covered with aluminum foil, then plastic end caps, and finally wrapped with a suitable tape. The samples shall then be immediately placed on ice, or dry ice, for transport to a laboratory. [District Rule 4651] Federally Enforceable Through Title V Permit
98. Chain-of-custody records shall be kept by the operators to document possession of a sample from the time it is taken in the field until it is analyzed. [District Rule 4651] Federally Enforceable Through Title V Permit
99. Landfill collection and control system shall be operated such that landfill surface VOC emissions shall not exceed instantaneous surface emission limit of 200 ppmv as methane. [District Rule 4642, 17 CCR 95464, 95468]

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

100. Landfill collection and control system may be operated intermittently provided the methane emissions from the landfill do not exceed instantaneous limit requirements. [17 CCR 95468]
101. Instantaneous surface emissions measurements shall be done quarterly. If there are no exceedances after 4 consecutive quarterly measurements, the facility may measure annually. Any exceedances that can not be remediated within 10 days or any exceedances during compliance inspection will result in a return to quarterly monitoring. [District Rule 4642 and 17 CCR 95469]
102. Permittee shall keep records of all instantaneous surface readings of 200 ppmv or greater; including the location of the leak, leak concentration in ppmv, date and time of measurement, the action taken to repair the leak, date of repair, any required re-monitoring and the re-monitored concentration in ppmv, and wind speed during surface sampling; and the installation date and location of each well installed as part of a gas collection system expansion. [17 CCR 95470, 95468]
103. Permittee shall keep records of delays encountered during repair of surface emission leaks. Documentation of delays shall be submitted with the annual report. [17 CCR 95468]
104. Permittee shall identify areas which are dangerous and unable to be inspected. Areas shall be clearly identified on a map of the facility. A copy of the map shall be kept onsite as well as submitted with the annual report. [17 CCR 95468]
105. Permittee shall conduct monitoring of the landfill surface within 3 inches of the surface. The facility may monitor surface emissions with the probe tip at the height of the vegetation if there is vegetation and it is impractical to monitor at 3 inches from the landfill surface. [17 CCR 95468]
106. Permittee shall terminate surface emission testing when the measured average wind speed is over 10 mph or the instantaneous wind speed is over 20 mph. [17 CCR 95468, 17 CCR 95471]
107. Permittee shall only conduct surface emission testing when precipitation has met the following requirements. It has been 24 hours since measured precipitation of 0.01 to 0.15 inches. It has been 48 hours since measured precipitation of 0.16 to 0.24 inches. It has been 72 hours since measured precipitation of 0.25 or more inches. [17 CCR 95468]
108. Permittee may comply with the CARB regulation for landfill methane control measures by using approved alternative compliance options. The permittee shall obtain written District approval for the use of any alternative compliance options not specifically approved by this permit. Changes to the approved alternate compliance options must be made and approved in writing. Documentation of approved alternative compliance options shall be available for inspection upon request. [17 CCR 95468]
109. Permittee shall submit the following reports as required in section 95470(b): Landfill gas heat input capacity report, Closure notification, Equipment removal report and Annual report. All reports must be accompanied by a certification of truth, accuracy, and completeness signed by a responsible official. [17 CCR 95470]
110. All records shall be retained for a minimum of five years, and shall be made available for District inspection upon request. [District Rule 1070] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: C-3839-3-1

EXPIRATION DATE: 06/30/2015

EQUIPMENT DESCRIPTION:

VADOSE ZONE GAS COLLECTION SYSTEM SERVED BY TWO 1,000 LB ENVIROSUPPLY, MODEL V-1,000 HP, CARBON CANISTERS CONNECTED IN SERIES

PERMIT UNIT REQUIREMENTS

1. The soil remediation system shall be maintained in proper operating condition at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
2. The exhaust stack shall vent vertically upward. The vertical exhaust flow shall not be impeded by a rain cap (flapper ok), roof overhang, or any other obstruction. [District Rule 4102]
3. The VOC control device shall be at least 60% efficient in controlling the VOC from the vadose zone. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The total VOC emissions from the vadose zone shall not exceed 1.4 pounds in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
5. The carbon adsorption unit effluent gas flow rate shall not exceed 220 scfm. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The VOC concentration of the exhaust gas from the vadose zone served by the carbon adsorption unit shall not exceed 107 ppmv, as methane. [District Rule 2201] Federally Enforceable Through Title V Permit
7. A minimum of two carbon canisters which are connected in series shall be utilized. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Sampling ports adequate for extraction of grab samples, measurement of gas flow rate, and use of an FID, PID, or other District-approved VOC detection device shall be provided for both the influent and the effluent gas streams. [District Rule 1081] Federally Enforceable Through Title V Permit
9. Sampling to demonstrate ongoing compliance with the VOC emission rate and control efficiency requirements shall be performed at least once per week by sampling both the influent and the effluent gas streams with an FID, PID, or other District-approved VOC detection device. [District Rule 1081] Federally Enforceable Through Title V Permit
10. The carbon canisters removed from the system shall be sealed vapor tight. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Records of the cumulative running time and the measured influent and effluent VOC concentrations shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
12. All records shall be retained for a minimum of five years, and shall be made available for District inspection upon request. [District Rule 2201] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT C

Detailed Facility List

Detailed Facility Report
For Facility=3839 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

AVENAL REGIONAL LANDFILL
 201 HYDRIL RD
 AVENAL, CA 93204
 FAC # C-3839
 STATUS: A
 TELEPHONE: 5593865766
 TYPE: TOXIC ID:
 TITLE: V
 EXPIRE ON: 06/30/2015
 AREA: 6/
 INSP. DATE: 03/17

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
C-3839-1-4	123 acres	3020-12 U	123	104.00	2,986.00	A	MUNICIPAL SOLID WASTE LANDFILL, 28.8 MILLION CUBIC YARD CAPACITY (123 ACRES) WITH GAS COLLECTION AND CONTROL SYSTEM SERVED BY TWO (2) BAKER FILTRATION MODEL KLEEN AIR 55 200 LB CANISTERS CONNECTED IN SERIES
C-3839-3-1	7.5 hp	3020-01 A	1	92.00	92.00	A	VADOSE ZONE GAS COLLECTION SYSTEM SERVED BY TWO 1,000 LB ENVIROSUPPLY, MODEL V-1,000 HP, CARBON CANISTERS CONNECTED IN SERIES

Number of Facilities Reported: 1