



JUL 06 2016

Mr. Zachary Dranshoff  
California Resources Production Corp  
11109 River Run Blvd  
Bakersfield, CA 93311

**Re: Final - Authority to Construct / Certificate of Conformity (Significant Mod)  
District Facility # S-1327  
Project # 1154097**

Dear Mr. Dranshoff:

The Air Pollution Control Officer has issued Authorities to Construct (Authorities to Construct (ATCs) S-1327-255-0 and '-256-0) with Certificates of Conformity to California Resources Production Corp in western Kern County. The project authorizes two crude oil storage tanks. Enclosed are the Authorities to Construct and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue the Authority to Construct permit was published on March 24, 2016. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on March 21, 2016. No comments were received following the District's preliminary decision on this project.

Prior to operating with the modifications authorized by the Authority to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5. Application forms have been enclosed for your use. These forms may also be found on the District's website at [www.valleyair.org](http://www.valleyair.org).

**Seyed Sadredin**

Executive Director/Air Pollution Control Officer

**Northern Region**

4800 Enterprise Way  
Modesto, CA 95356-8718

Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**

1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244

Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**

34946 Flyover Court  
Bakersfield, CA 93308-9725

Tel: 661-392-5500 FAX: 661-392-5585

Mr. Zachary Dranshoff  
Page 2

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura, Permit Services Manager, at (661) 392-5500.

Sincerely,



Arnaud Marjollet  
Director of Permit Services

Enclosures

cc: Tung Le, CARB (w/enclosure) via email  
cc: Gerardo C. Rios, EPA (w/enclosure) via email

Facility # S-1327  
CALIFORNIA RESOURCES PRODUCTION CORP  
11109 RIVER RUN BLVD  
BAKERSFIELD, CA 93311

## **AUTHORITY TO CONSTRUCT (ATC)**

### **QUICK START GUIDE**

1. **Pay Invoice:** Please pay enclosed invoice before due date.
2. **Modify Your Title V Permit.** Prior to operating the equipment authorized under this ATC, submit an application to modify your Title V permit. See application forms at <http://www.valleyair.org/busind/pto/ptoforms/1ptoformidx.htm>.
3. **Fully Understand ATC:** Make sure you understand ALL conditions in the ATC prior to construction, modification and/or operation.
4. **Follow ATC:** You must construct, modify and/or operate your equipment as specified on the ATC. Any unspecified changes may require a new ATC.
5. **Notify District:** You must notify the District's Compliance Department, at the telephone numbers below, upon start-up and/or operation under the ATC. Please record the date construction or modification commenced and the date the equipment began operation under the ATC. You may NOT operate your equipment until you have notified the District's Compliance Department. A startup inspection may be required prior to receiving your Permit to Operate.
6. **Source Test:** Schedule and perform any required source testing. See [http://www.valleyair.org/busind/comply/source\\_testing.htm](http://www.valleyair.org/busind/comply/source_testing.htm) for source testing resources.
7. **Maintain Records:** Maintain all records required by ATC. Records are reviewed during every inspection (or upon request) and must be retained for at least 5 years.

By operating in compliance, you are doing your part to improve air quality for all Valley residents.

**For assistance, please contact District Compliance staff at  
any of the telephone numbers listed below.**

Seyed Sadredin

Executive Director/Air Pollution Control Officer

---

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585



## AUTHORITY TO CONSTRUCT

PERMIT NO: S-1327-255-0

ISSUANCE DATE: 06/02/2016

LEGAL OWNER OR OPERATOR: CALIFORNIA RESOURCES PRODUCTION CORP  
MAILING ADDRESS: 11109 RIVER RUN BLVD  
BAKERSFIELD, CA 93311

LOCATION: HEAVY OIL WESTERN STATIONARY SOURCE  
CA

SECTION: 1 TOWNSHIP: 29S RANGE: 20E

### EQUIPMENT DESCRIPTION:

TRANSPORTABLE 500 BBL CRUDE OIL STORAGE (BAKER STYLE) TANK TO BE OPERATED AT VARIOUS LOCATIONS WITHIN CALIFORNIA RESOURCE PRODUCTION CORPORATION'S HEAVY OIL WESTERN STATIONARY SOURCE

## CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 112 lb, 2nd quarter - 112 lb, 3rd quarter - 113 lb, and fourth quarter - 113 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 4/21/11) for the ERC specified below. [District Rule 2201] Federally Enforceable Through Title V Permit
4. ERC Certificate Number S-4258-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

S-1327-255-0 Jun 8 2016 2:09PM - EDGEHILR : Joint Inspection NOT Required

5. Tank shall be equipped with pressure/vacuum valve set to within 10 percent of the maximum working pressure of the tank. [District Rules 2201 and 4623] Federally Enforceable Through Title V Permit
6. Tank throughput shall not exceed 60 bbls per day based on a monthly average. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Tank shall only store, place, or hold organic liquid with a true vapor pressure (TVP) of less than 0.1 psia under all storage conditions. [District Rules 2201 and 4623] Federally Enforceable Through Title V Permit
8. Permittee shall maintain monthly records of average daily crude oil throughput and shall keep accurate records of each organic liquid stored in the tank, including its storage temperature, TVP, and API gravity. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
9. All records required to be maintained by this permit shall be maintained on site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 1070 and 4623] Federally Enforceable Through Title V Permit



## AUTHORITY TO CONSTRUCT

PERMIT NO: S-1327-256-0

ISSUANCE DATE: 06/02/2016

LEGAL OWNER OR OPERATOR: CALIFORNIA RESOURCES PRODUCTION CORP  
MAILING ADDRESS: 11109 RIVER RUN BLVD  
BAKERSFIELD, CA 93311

LOCATION: HEAVY OIL WESTERN STATIONARY SOURCE  
CA

SECTION: 1 TOWNSHIP: 29S RANGE: 20E

### EQUIPMENT DESCRIPTION:

TRANSPORTABLE 500 BBL CRUDE OIL STORAGE (BAKER STYLE) TANK TO BE OPERATED AT VARIOUS LOCATIONS WITHIN CALIFORNIA RESOURCE PRODUCTION CORPORATION'S HEAVY OIL WESTERN STATIONARY SOURCE

## CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 112 lb, 2nd quarter - 112 lb, 3rd quarter - 113 lb, and fourth quarter - 113 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 4/21/11) for the ERC specified below. [District Rule 2201] Federally Enforceable Through Title V Permit
4. ERC Certificate Number S-4258-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

S-1327-256-0 Jun 8 2016 2:09PM -- EDGEHILR Joint Inspection NOT Required

5. Tank shall be equipped with pressure/vacuum valve set to within 10 percent of the maximum working pressure of the tank. [District Rules 2201 and 4623] Federally Enforceable Through Title V Permit
6. Tank throughput shall not exceed 60 bbls per day based on a monthly average. [District Rule 2201] Federally Enforceable Through Title V Permit
7. Tank shall only store, place, or hold organic liquid with a true vapor pressure (TVP) of less than 0.1 psia under all storage conditions. [District Rules 2201 and 4623] Federally Enforceable Through Title V Permit
8. Permittee shall maintain monthly records of average daily crude oil throughput and shall keep accurate records of each organic liquid stored in the tank, including its storage temperature, TVP, and API gravity. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
9. All records required to be maintained by this permit shall be maintained on site for a period of at least five years and shall be made available for District inspection upon request. [District Rules 1070 and 4623] Federally Enforceable Through Title V Permit