



DEC 2 2 2016

Mr. Neil McDougald E & J Gallo Winery - Fresno 5610 E Olive Ave Fresno, CA 93727

Final - Authorities to Construct / Certificate of Conformity

(Significant Mod) District Facility # C-447 **Project # C-1133313**

Dear Mr. McDougald:

The Air Pollution Control Officer has issued Authorities to Construct (C-447-330-0 through '341-0) with Certificates of Conformity to E & J Gallo Winery - Fresno at 5610 E Olive Ave Fresno. This project is for the installation of twelve wine storage tanks. The ATCs are being reissued due to a proposed change in the offsetting proposal to identify additional Emission Reduction Credit (ERC) certificate numbers. Enclosed are the Authorities to Construct and a copy of the notice of final action to be published approximately three days from the date of this letter

Notice of the District's preliminary decision to issue the Authority to Construct permits was published on November 8, 2016. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on November 3, 2016. No comments were received following the District's preliminary decision on this project.

Prior to operating with the modifications authorized by the Authorities to Construct, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5. Application forms have been enclosed for your use. These forms may also be found on the District's website at www.valleyair.org.

> Seved Sadredin Executive Director/Air Pollution Control Officer

Northern Region 4800 Enterprise Way Modesto, CA 95356-8718 Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office) 1990 E. Gettysburg Avenue Fresno, CA 93726-0244 Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region 34946 Flyover Court Bakersfield, CA 93308-9725 Tel: 661-392-5500 FAX: 661-392-5585

Mr. Neil McDougald Page 2

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Errol Villegas, Permit Services Manager, at (559) 230-5900.

Sincerely,

Arnaud Marjollet
Director of Permit Services

Enclosures

CC:

Tung Le, CARB (w/enclosure) via email Gerardo C. Rios, EPA (w/enclosure) via email CC:





PERMIT NO: C-447-330-0 **ISSUANCE DATE: 09/03/2014**

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY MAILING ADDRESS:

5610 E OLIVE AVE

FRESNO, CA 93727

LOCATION:

5610 E OLIVE AVE FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3015) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 1. 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter - 379 lb, 2nd quarter - 379 lb, 3rd quarter - 380 lb, and fourth quarter - 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-331-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY **MAILING ADDRESS:** 5610 E OLIVE AVE

FRESNO, CA 93727

LOCATION: 5610 E OLIVE AVE FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3016) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services C-447-331-0; Dec 20 2016 8:43AM - GILLESR: Joint Inspection NOT Required

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-332-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY

5610 E OLIVE AVE

MAILING ADDRESS:

FRESNO, CA 93727

LOCATION:

5610 E OLIVE AVE FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3017) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-333-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY **MAILING ADDRESS:** 5610 E OLIVE AVE

FRESNO, CA 93727

LOCATION: 5610 E OLIVE AVE

FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3018) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

Central Regional Office • 1990 E. Gettysburg Ave. • Fresno, CA 93726 • (559) 230-5900 • Fax (559) 230-6061

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-334-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY **MAILING ADDRESS:** 5610 E OLIVE AVE

FRESNO, CA 93727

LOCATION: 5610 E OLIVE AVE

FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3019) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

Central Regional Office • 1990 E. Gettysburg Ave. • Fresno, CA 93726 • (559) 230-5900 • Fax (559) 230-6061

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-335-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY

MAILING ADDRESS:

5610 E OLIVE AVE FRESNO, CA 93727

LOCATION:

5610 E OLIVE AVE FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3020) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-336-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY **MAILING ADDRESS:** 5610 E OLIVE AVE

FRESNO. CA 93727

LOCATION: 5610 E OLIVE AVE

FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3021) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-337-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY **MAILING ADDRESS:** 5610 E OLIVE AVE

FRESNO, CA 93727

LOCATION: 5610 E OLIVE AVE

FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3022) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services
C-447-337-0: Dec 20 2016 8-43AM - GILLESR : Joint Mercetion NOT Required

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-338-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY **MAILING ADDRESS:** 5610 E OLIVE AVE

FRESNO, CA 93727

LOCATION: 5610 E OLIVE AVE

FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3023) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-339-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY **MAILING ADDRESS:** 5610 E OLIVE AVE

FRESNO, CA 93727

LOCATION: 5610 E OLIVE AVE

FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3024) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-340-0

ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY

e.

5610 E OLIVE AVE

MAILING ADDRESS:

FRESNO, CA 93727

LOCATION:

5610 E OLIVE AVE FRESNO. CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3025) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/16)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit





PERMIT NO: C-447-341-0 ISSUANCE DATE: 09/03/2014

LEGAL OWNER OR OPERATOR: E & J GALLO WINERY **MAILING ADDRESS:** 5610 E OLIVE AVE

FRESNO, CA 93727

LOCATION: 5610 E OLIVE AVE

FRESNO, CA 93727

EQUIPMENT DESCRIPTION:

350,000 GALLON (OR EQUIVALENT) INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 3026) WITH PRESSURE/VACUUM VALVE (RENEWED ONE TIME - 7/21/16 DB) (REISSUED 10/24/2016)

CONDITIONS

- 1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- 2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- 3. Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantities of emissions: 1st quarter 379 lb, 2nd quarter 379 lb, 3rd quarter 380 lb, and fourth quarter 380 lb. Offsets shall be provided at the applicable offset ratio specified in Table 4-2 of Rule 2201 (as amended 4/21/11). [District Rule 2201] Federally Enforceable Through Title V Permit
- 4. ERC Certificate Numbers S-4601-1, C-1229-1, S-4354-1, S-4442-1, S-4381-1, S-4480-1, C-1071-1, S-4414-1, N-0002-1, S-4727-1, and S-4744-1 (or a certificate split from these certificates) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (559) 230-5950 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

- 5. The nominal tank dimensions are 39 feet in diameter and 40 feet in height with a proposed volume of 350,000 gallons. The permittee shall submit to the District the gauge volume of the tank within 30 days of the actual tank capacity measurement. [District Rule 2201] Federally Enforceable Through Title V Permit
- 6. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
- 7. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 8. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 9. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
- 10. The weighted annual average ethanol content of wine stored in this tank, calculated on a twelve month rolling basis, shall not exceed 15 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
- 11. The maximum wine storage throughput in this tank shall not exceed 350,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
- 12. The maximum wine storage throughput in this tank, calculated on a twelve month rolling basis, shall not exceed 10,500,000 gallons per year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 13. The operator shall record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
- 14. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wire transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
- 15. The operator shall maintain records of the calculated 12 month rolling wine ethanol content and storage throughput rate (ethanol percentage by volume and gallons per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
- 16. If the throughput or ethanol content calculated for any rolling 12-month period exceeds the annual throughput or ethanol content limitations of this permit, in a crush season in which the start of the crush season (defined as the day on which the facility's seasonal crushing/fermentation operations commence) occurs less than 365 days after the start of the previous crush season, then no violation of the throughput or ethanol content limits for that rolling 12-month period will be deemed to have occurred so long as the calendar year throughput and ethanol content are below the annual throughput and ethanol content limitations. [District Rule 2201] Federally Enforceable Through Title V Permit
- 17. Records shall be maintained that demonstrate the date of each year's start of crush season. [District Rule 2201] Federally Enforceable Through Title V Permit
- 18. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



[] ADMINISTRATIVE AMENDMENT

San Joaquin Valley Air Pollution Control District



[] SIGNIFICANT MODIFICATION

www.valleyair.org

Permit Application For:

[] MINOR MODIFICATION

1. PERMIT TO BE ISSUED TO:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
2. MAILING ADDRESS:							
STREET/P.O. BOX:							
CITY:	9-DIGIT ZIP CODE:						
3. LOCATION WHERE THE EQUIPMENT WILL BE OPERATED: INSTALLATION DATE:							
STREET:							
STREET:	CITY:						
¼ SECTION TO	WNSHIP RANGE						
4. GENERAL NATURE OF BUSINESS:							
6. TYPE OR PRINT NAME OF APPLICA	TITLE OF APPLICANT:						
7. SIGNATURE OF APPLICANT:	E: PHONE: () FAX: () EMAIL:						
For APCD Use Only:							
DATE STAMP	FILING FEE RECEIVED: \$	CHECK#:					
	DATE PAID:						
	PROJECT NO:	FACILITY ID:					

APPLICATION FOR TITLE V MODIFICATION

- Instructions -

Page 1 of 2

On the application form, mark the box to indicate what type of Title V modification this is. Only one application form is needed for each facility.

- Line 1. Indicate the name of the business exactly as it appears on the Permit to Operate.
- Line 2. List the mailing address where correspondence regarding the application and the Permit to Operate may be sent. Please include your nine-digit zip code.
- Line 3. List the physical location where the emissions unit(s) will be operated. If a street address is not applicable, provide the United States Geological Survey (USGS) quarter-section, township, and range or the Universal Transverse Mercator (UTM) coordinates. Indicate the installation date of any equipment changes from this modification.
- **Line 4.** Indicate the general nature of the business performed by the facility.
- Line 5. Describe each emissions unit. You may reference existing valid District Permits to Operate for each permitted emissions unit. A summary listing of all emissions units with valid District operating permits can be obtained from the District and may be attached and referenced. Reference and attach a copy of the Authority to Construct (ATC) issued by the District for this modification, if one is available.
- Line 6. Type or print the name of the applicant followed by the title of the applicant.
- Line 7. Sign and date the application in ink. Also include the daytime telephone number, FAX number, and e-mail address of the applicant.

OTHER REQUIRED INFORMATION

Please attach a Title V Modification – Compliance Certification Form (TVFORM-009). If needed to complete the processing of your Title V permit application, the District may request additional information.

APPLICATION FOR TITLE V MODIFICATION

- Instructions -

Page 2 of 2

FEES

A nonrefundable filing fee of \$21 per emissions unit, up to a maximum of \$1,533 per stationary source, is required. The applicant may submit the necessary filing fees along with this application, or the District will issue a bill for the appropriate fee. Checks or money orders shall be made payable to the SJVUAPCD. All filing fees paid will be credited toward the hourly evaluation fee.

Every applicant for a Title V permit modification, administrative amendment, or certificate of conformity, shall also pay an evaluation fee for the issuance of the Title V permit. The fee shall be calculated using the staff hours expended and a weighted labor rate. All filing fees paid will be credited towards the evaluation fee.

The fee requirements are specified in District Rule 3010 (Permit Fee).

APPLICATION SUBMITTAL

Title V sources are encouraged to schedule a meeting with District personnel prior to submitting Title V applications. Applications, including all supporting documents, must be submitted in duplicate since EPA requires that a copy of each application be forwarded to them. It is recommended that applications be submitted to the Central Regional Office. However, applications may be submitted either by mail or in person at the following locations:

Northern Region Office

(Serving San Joaquin, Stanislaus, and Merced Counties):

4800 Enterprise Way Modesto, CA 95356-8718 (209) 557-6400 FAX: (209) 557-6475

SBA Hotline: (209) 557-6446

Central Region Office

(Serving Madera, Fresno, and Kings Counties):

1990 E. Gettysburg Avenue Fresno, California 93726-0244 (559) 230-5900 FAX: (559) 230-6061

SBA Hotline: (559) 230-5888


Southern Region Office

(Serving Tulare and Kern Counties):

34946 Flyover Court Bakersfield, California 93308 (661) 392-5500 FAX: (661) 392-5585

SBA Hotline: (661) 392-5665







TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM

I.	TYPE OF PERMIT ACTION (Check approp	priate	box)			
[]	SIGNIFICANT PERMIT MODIFICATION MINOR PERMIT MODIFICATION	[]	ADMINISTRATIVE AMENDMENT			
CC	MPANY NAME:			FACILITY ID: -		
1.	Type of Organization:[] Corporation [] Sole Owner	ship	[]Government []Pa	artnership [] Utility		
2.	Owner's Name:					
3.	Agent to the Owner:					
П.	 COMPLIANCE CERTIFICATION (Read each statement carefully and initial applicable circles for confirmation): Based on information and belief formed after reasonable inquiry, the equipment identified in this application will continue to comply with the applicable federal requirement(s). Based on information and belief formed after reasonable inquiry, the equipment identified in this application will comply with applicable federal requirement(s) that will become effective during the permit term, on a timely basi Corrected information will be provided to the District when I become aware that incorrect or incomplete information has been submitted. Based on information and belief formed after reasonable inquiry, information and statements in the submitted application package, including all accompanying reports, and required certifications are true, accurate, and complete. For minor modifications, this application meets the criteria for use of minor permit modification procedures pursuant to District Rule 2520. 					
I d	eclare, under penalty of perjury under the laws of the sta	ite of	California, that the forgoi	ing is correct and true:		
Si	gnature of Responsible Official		Date			
N	ame of Responsible Official (please print)					
Ti	tle of Responsible Official (please print)					

TITLE V MODIFICATION - COMPLIANCE CERTIFICATION FORM INSTRUCTIONS (TVFORM-009)

Page 1 of 1

Complete a Title V Modification - Compliance Certification Form (TVFORM-C09) for each Responsible Official (RO) and identify the areas of responsibility for each (indicate by permit number the emissions units under the responsibility of each RO).

I. Type of Permit Action

Mark the appropriate box to indicate whether the application is for: a significant or minor Title V permit modification, or an application for an administrative amendment to a Title V permit.

- **Line 1.** Indicate the organizational structure of the facility.
- Line 2. Print the name of the facility owner.
- Line 3. Print the name of the agent to the owner, if any, who may conduct business on behalf of the owner.

II. Compliance Certification

A compliance certification is a certification by the Responsible Official that each of the statements initialed in this section are true, accurate, and complete. The Responsible Official must initial the statements that are true, sign and date, and print his/her name and title.

For a corporation, the responsible official shall be a president, secretary, treasurer, or vice president in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation. The responsible official may be a duly authorized representative rather than any of the above if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit; and

- 1. the facilities employ more than 250 persons or have gross annual sales or expenditures exceeding \$25 million in 1980 dollars; or
- 2. the District has approved a petition from the original responsible person to delegate authority.

For a public agency the responsible official shall be either the principal executive officer or the ranking elected official. The principal executive officer, in the case of a federal agency, may be the executive officer having responsibility for a geographical unit.

For a partnership or sole proprietorship, the responsible official is a general partner or the proprietor, respectively.