



**JUN 26 2017**

Mr. Leighton Allen  
Vie-Del Company  
PO Box 2908  
Fresno, CA 93745

**Re: Notice of Final Action - Title V Permit Renewal  
District Facility # C-1344  
Project # C-1163027**

Dear Mr. Allen:

The District has issued the Final Renewed Title V Permit for Vie-Del Company (see enclosure). The preliminary decision for this project was made on April 17, 2017. No comments were received subsequent to the District preliminary decision.

The public notice for issuance of the Final Title V Permit will be published approximately three days from the date of this letter.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Errol Villegas, Permit Services Manager, at (559) 230-5900.

Sincerely,

Arnaud Marjollet  
Director of Permit Services

Enclosures

cc: Tung Le, CARB (w/enclosure) via email  
cc: Gerardo C. Rios, EPA (w/enclosure) via email

**Seyed Sadredin**

Executive Director/Air Pollution Control Officer

**Northern Region**

4800 Enterprise Way  
Modesto, CA 95356-8718

Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**

1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244

Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**

34946 Flyover Court  
Bakersfield, CA 93308-9725

Tel: 661-392-5500 FAX: 661-392-5585

# Permit to Operate

**FACILITY:** C-1344

**EXPIRATION DATE:** 04/30/2022

**LEGAL OWNER OR OPERATOR:**  
**MAILING ADDRESS:**

VIE-DEL WINERY #1  
P O BOX 2908  
FRESNO, CA 93745-2908

**FACILITY LOCATION:**

11903 S CHESTNUT AVE  
FRESNO, CA 93725

**FACILITY DESCRIPTION:**

WINERY

The Facility's Permit to Operate may include Facility-wide Requirements as well as requirements that apply to specific permit units.

This Permit to Operate remains valid through the permit expiration date listed above, subject to payment of annual permit fees and compliance with permit conditions and all applicable local, state, and federal regulations. This permit is valid only at the location specified above, and becomes void upon any transfer of ownership or location. Any modification of the equipment or operation, as defined in District Rule 2201, will require prior District approval. This permit shall be posted as prescribed in District Rule 2010.

**Seyed Sadredin**  
Executive Director / APCO

**Arnaud Marjollet**  
Director of Permit Services

# San Joaquin Valley Air Pollution Control District

**FACILITY:** C-1344-0-2

**EXPIRATION DATE:** 04/30/2022

## **FACILITY-WIDE REQUIREMENTS**

---

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: VIE-DEL WINERY #1

Location: 11903 S CHESTNUT AVE, FRESNO, CA 93725

C-1344-0-2 Jun 15 2017 4:27PM -- OGDENA

10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit
35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), Rule 111 (Kern, Tulare, Kings), and Rule 202 (Fresno, Kern, Tulare, Kings, Madera, Stanislaus, Merced, San Joaquin). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. On December 31, 2012, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report are based upon this initial permit issuance date, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-2-8

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

72.0 MMBTU/HR BABCOCK & WILCOX MODEL FM-1936 NATURAL GAS-FIRED BOILER, WITH ADVANCED COMBUSTION TECHNOLOGY MODEL GIDION MGW-60 ULTRA LOW NOX BURNER, FLUE GAS RECIRCULATION, AND SELECTIVE CATALYTIC REDUCTION (SCR) SYSTEM

## PERMIT UNIT REQUIREMENTS

---

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rules 2201 and 2520] Federally Enforceable Through Title V Permit
2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
4. The unit shall only be fired on PUC-regulated natural gas. [District Rules 2201, 2520 and 4320] Federally Enforceable Through Title V Permit
5. Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320] Federally Enforceable Through Title V Permit
6. Except during start-up and shutdown, emissions from the natural gas-fired unit shall not exceed any of the following limits: 5 ppmvd NOx @ 3% O2 or 0.0062 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, 140 ppmvd CO @ 3% O2 or 0.1035 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
7. During start-up and shutdown, emissions from the unit shall not exceed 50 ppmv NOx @ 3% O2 or 0.061 lb-NOx/MMBtu, 0.00285 lb-SOx/MMBtu, 0.0076 lb-PM10/MMBtu, 140 ppmv CO @ 3% O2 or 0.1035 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
8. The ammonia emissions from the exhaust of the SCR system serving this boiler shall not exceed 10 ppmvd @ 3% O2. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Total duration of startup shall not exceed 2 hr/day. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
10. Total duration of shutdown shall not exceed 2 hr/day. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
11. Duration of start-up or shutdown shall not exceed two hours each per occurrence. During start-up or shutdown, the emissions control system shall be in operation, and emissions shall be minimized insofar as technologically possible. The operator shall maintain daily records of the duration of start-up and shutdown periods. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. The permittee shall monitor and record the stack concentration of NO<sub>x</sub>, CO, NH<sub>3</sub> and O<sub>2</sub> at least once during each month in which source testing is not performed. NO<sub>x</sub>, CO and O<sub>2</sub> monitoring shall be conducted utilizing a portable analyzer that meets District specifications. NH<sub>3</sub> monitoring shall be conducted utilizing Draeger tubes or a District approved equivalent method. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless it has been performed within the last month. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
13. If the NO<sub>x</sub>, CO or NH<sub>3</sub> concentrations, as measured by the portable analyzer or the District approved ammonia monitoring equipment, exceed the permitted levels the permittee shall return the emissions to compliant levels as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer or the ammonia monitoring equipment continue to show emission limit violations after 1 hour of operation following detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation that is subject to enforcement action has occurred. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of the performing the notification and testing required by this condition. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
14. All NO<sub>x</sub>, CO, O<sub>2</sub> and NH<sub>3</sub> emission readings shall be taken with the unit operating at conditions representative of normal operation or under the conditions specified in the Permit to Operate. The NO<sub>x</sub>, CO and O<sub>2</sub> analyzer as well as the NH<sub>3</sub> emission monitoring equipment shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Analyzer readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
15. The permittee shall maintain records of: (1) the date and time of NO<sub>x</sub>, CO, NH<sub>3</sub> and O<sub>2</sub> measurements, (2) the O<sub>2</sub> concentration in percent by volume and the measured NO<sub>x</sub>, CO and NH<sub>3</sub> concentrations corrected to 3% O<sub>2</sub>, (3) make and model of the portable analyzer, (4) portable analyzer calibration records, (5) the method of determining the NH<sub>3</sub> emission concentration, and (6) a description of any corrective action taken to maintain the emissions at or below the acceptable levels. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
16. Ammonia emission readings shall be conducted at the time the NO<sub>x</sub>, CO and O<sub>2</sub> readings are taken. The readings shall be converted to ppmvd @ 3% O<sub>2</sub>. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
17. Source testing to measure NO<sub>x</sub>, CO, and NH<sub>3</sub> emissions from this unit while fired on natural gas shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
18. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
19. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
20. NO<sub>x</sub> emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
21. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.



22. Stack gas oxygen (O<sub>2</sub>) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
23. Source testing for ammonia slip shall be conducted utilizing BAAQMD Method ST-1B. [District Rule 1081] Federally Enforceable Through Title V Permit
24. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
25. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
26. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
27. Daily records of start-up and shutdown durations and number of occurrences of each shall be maintained. [District Rule 2201] Federally Enforceable Through Title V Permit
28. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
29. The owner or operator shall record and maintain records of the amount of fuel combusted during each operating day. [40 CFR 60.48c(g)(1)] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-3-4

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

26,489 BARREL CAPACITY BRANDY STORAGE AND AGING OPERATION (WAREHOUSE UNIT 2) WITH TWO PERMANENT TOTAL ENCLOSURES (ROOMS 6 AND 7) SERVED BY A 0.289 MMBTU/HR ADWEST TECHNOLOGIES MODEL RETOX 1.0 RTO95 REGENERATIVE THERMAL OXIDATION (PRIMARY RTO) AND A 1.156 MMBTU/HR ADWEST TECHNOLOGIES MODEL RETOX 4.0 RTO95 REGENERATIVE THERMAL OXIDATION (SECONDARY RTO)

## PERMIT UNIT REQUIREMENTS

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
3. All brandy storage and aging operations at this facility shall only be performed in Warehouse Building 2. [District Rule 2201] Federally Enforceable Through Title V Permit
4. Only natural gas shall be used as fuel for the combustion of VOC. [District Rules 2201 and 2520] Federally Enforceable Through Title V Permit
5. The brandy storage enclosures and regenerative thermal oxidation system shall be maintained in proper operating condition at all times. [District Rule 2201] Federally Enforceable Through Title V Permit
6. The permittee shall implement all of the following work practices: Prevent and minimize the unnecessary occurrence of brandy exposure to the atmosphere and the occurrence of leaks and spills; Implement immediate clean up of leaks and spills of brandy by rinsing the leaks or spills with water and washing the rinse into a proper drain; and Implementing corrective actions to prevent a reoccurrence of a similar brandy leak or spill. [District Rule 4695] Federally Enforceable Through Title V Permit
7. Manway access doors are defined as doors with a maximum opening of 21 square feet, intended solely for occasional personnel access to the warehouse for maintenance or monitoring activities. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
8. Non-manway access doors are defined as openings equipped with roll-up doors which are required to allow routine movement of brandy into and out of the warehouse or for warehouse access with wheeled and motorized maintenance equipment. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
9. All openings in each brandy storage enclosure which may be opened during "normal operation" of the VOC control system and which do not qualify as manway access doors or non-manway access doors shall be considered to be Natural Draft Openings (NDO) for purposes of certification of the enclosures as a Permanent Total Enclosure pursuant to U.S. EPA Method 204. [District Rule 2201] Federally Enforceable Through Title V Permit
10. "Normal operation" is defined for each enclosure as operation with the enclosure meeting the minimum requirements for a Permanent Total Enclosure pursuant to EPA Method 204 (with the fan inlet pressure operating with a vacuum at or higher than the minimum allowed vacuum and all non-manway access doors closed) and at least one of the regenerative thermal oxidizer systems fully operational with the combustion chamber temperature at or above 1400 degrees F. If the isolation dampers to both regenerative thermal oxidizer systems are open, both regenerative thermal oxidizer systems shall be fully operational with the combustion chamber temperature of each at or above 1400 degrees F. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

11. The facility shall be equipped with a continuous monitoring system to monitor, at a minimum, the status of the fan inlet pressure control, position of the isolation dampers to both the primary and secondary regenerative thermal oxidizers (open or closed), all non-manway access doors (open or closed) and the combustion chamber temperature of both regenerative thermal oxidizers. Actual hours of "normal operation" shall be continuously and automatically monitored and recorded for each warehouse building enclosure. [District Rules 2201 and 4695 and 40 CFR 64] Federally Enforceable Through Title V Permit
12. Each warehouse building enclosure in Warehouse Building 2 shall be certified and maintained as a Permanent Total Enclosure (PTE) pursuant to U.S. EPA Method 204. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
13. Certification of each warehouse building enclosure in Warehouse Building 2 as Permanent Total Enclosures shall be performed by a District-approved independent certifying entity. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
14. Each manway access door shall be equipped with an automatic closure device to minimize the time that the door is open and shall be locked at all times, except to allow access and exit from the warehouse. Manway access doors shall be unlocked and opened temporarily only as required for access to or exit from the enclosure, minimizing the duration of the opening, and shall not be propped open. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
15. Each non-manway access opening shall be equipped with a motor-actuated door and controls which will minimize the time the door remains open during access and exit and shall be integrated with the continuous monitoring system to record the time periods that the door is open. [District Rules 1080, 2201 and 4695] Federally Enforceable Through Title V Permit
16. A minimum allowable vacuum at the fan inlet pressure control point, adequate to ensure maintenance of a continuous negative pressure on all warehouse storage enclosures as required to simultaneously qualify all enclosures as Permanent Total Enclosures pursuant to EPA Method 204, shall be demonstrated, established, and recorded at startup. [District Rules 1080 and 2201] Federally Enforceable Through Title V Permit
17. The fan inlet pressure control point shall be equipped with a continuous pressure monitor integrated with the facility's continuous monitoring system to continuously record the actual fan inlet vacuum. [District Rules 1080, 2201 and 4695] Federally Enforceable Through Title V Permit
18. The measured vacuum at the fan inlet pressure control point shall not be less than the established minimum allowable vacuum during "normal operation." [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
19. Each month the facility shall demonstrate that control of the ID fan inlet pressure at or above the established minimum allowable vacuum is adequate to simultaneously maintain the qualification of all enclosures (rooms 6 and 7) as Permanent Total Enclosures pursuant to EPA Method 204 by manually measuring and recording facial velocity at the test port opening on each warehouse building enclosure and confirming a minimum facial velocity of 200 feet per minute at each port. Alternatively, measurement of a pressure differential across the enclosure of 0.007 inches of water or greater may be performed to demonstrate a minimum facial velocity of 200 feet per minute pursuant to EPA Method 204, Section 8.3. If a velocity less than 200 feet per minute is determined, operating adjustments shall be made as required to increase the measured facial velocity to 200 feet per minute within 24 hours of the initial measurement. If the permittee is unable to demonstrate a minimum facial velocity of 200 feet per minute within 48 hours after initial measurement, permittee shall notify the APCO within 72 hours of the initial measurement. After 12 consecutive months of demonstrating the adequacy of the established minimum allowable vacuum, the monitoring frequency can be reduced to once per quarter per warehouse building enclosure. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
20. The induced draft fans and RTO's serving the warehouse building enclosures shall be adequately sized to simultaneously maintain "normal operation" for all warehouse building enclosures during periods of maximum brandy loss from the storage and aging operation. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
21. At least one regenerative thermal oxidizer shall operate at all times. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

22. Each regenerative thermal oxidizer shall be equipped with a dedicated isolation damper to isolate it from the brandy warehouse when not in operation. The isolation damper shall not be opened unless the regenerative thermal oxidizer it serves is fully operational with a combustion chamber temperature not less than 1400 F. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
23. Each regenerative thermal oxidizer shall be equipped with an operational temperature gauge to indicate the temperature of the combustion chamber. A continuously recording device integrated with the facility's continuous monitoring system shall be utilized to indicate the combustion chamber temperature during operation. [District Rules 1080, 2201 and 4695 and 40 CFR 64] Federally Enforceable Through Title V Permit
24. Each regenerative thermal oxidizer shall operate with a combustion chamber temperature of not less than 1400 F. [District Rules 2201 and 4695 and 40 CFR 64] Federally Enforceable Through Title V Permit
25. The VOC destruction efficiency of each regenerative thermal oxidizer shall not be less than 98%. [District Rule 2201 and 4695 and 40 CFR 64] Federally Enforceable Through Title V Permit
26. Routine scheduled maintenance which requires shutdown of either of the regenerative thermal oxidizers shall not be performed during the months of July, August, or September without prior written approval of the District. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
27. Total annual evaporative emissions from brandy shall not exceed 25,109 lb-VOC/year based on a 12-month rolling basis. [District Rule 2201] Federally Enforceable Through Title V Permit
28. Total evaporative brandy VOC emissions shall be quantified by the sum of the evaporative brandy VOC emissions emitted to the atmosphere from each warehouse building enclosure based on a 12-month rolling basis. Evaporative losses from each warehouse building enclosure shall be calculated by the following formula: Evaporative Brandy VOC Emissions (tons/year-enclosure) = Uncontrolled Emissions (tons/year-enclosure) x Control Factor. Uncontrolled Emissions = the average enclosure inventory for the year (bbls/enclosure) x the measured brandy loss per barrel for the year in the enclosure (PG/bbl-year) x 3.31 lb-VOC/PG. The Control Factor for the year =  $(8,760 - 0.98 \times H) / 8,760$ , where H is hours of "normal operation" for the enclosure (as defined in this permit) recorded based on a 12-month rolling basis. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
29. VOC emissions from the exhaust of the regenerative thermal oxidizer shall not exceed 144.2 lb/day during "normal operation." [District Rules 2201 and 40 CFR 64] Federally Enforceable Through Title V Permit
30. The emissions from the combustion of natural gas shall not exceed any of the following limits: 0.10 lb-NO<sub>x</sub>/MMBtu, 0.084 lb-CO/MMBtu, 0.0076 lb-PM<sub>10</sub>/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
31. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rules 1081 and 4695] Federally Enforceable Through Title V Permit
32. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rules 1081 and 4695] Federally Enforceable Through Title V Permit
33. Each regenerative thermal oxidizer (RTO) shall be tested for compliance with VOC emissions limits and to demonstrate destruction efficiency of the RTO at least once every 12 months. After an RTO has demonstrated compliance on two consecutive annual source tests, the unit shall be tested not less than once every thirty-six months. [District Rules 1081, 2201, 2520 and 4695] Federally Enforceable Through Title V Permit
34. VOC emissions for source test purposes shall be determined using US EPA Method 25 or Method 18 or BAAQMD ST-32, except when the outlet concentration must be below 50 ppmv in order to meet the standard, in which case US EPA Method 25a may be used. VOC emissions during the source test shall be calculated as the arithmetic average of three 30-consecutive-minute test runs. [District Rules 1081 and 4695] Federally Enforceable Through Title V Permit
35. Daily and annual records of the hours of operation shall be kept, indicating the time and duration of all periods of outage for the VOC control system including maintenance. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

36. Records shall be kept of all maintenance activities requiring a shutdown of a regenerative thermal oxidizer, including the maintenance activity, time and date of shutdown of the regenerative thermal oxidizer, and the duration of the shutdown. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
37. Records of all required monitoring including facial velocity measurements and annual evaporative emissions shall be maintained. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
38. Daily and annual records of the number of barrels in each warehouse storage enclosure shall be kept. [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
39. Records of all barrel filling and dumping operations shall be kept, recording the proof gallons placed into storage, the proof gallons removed from storage, the proof gallons lost while in storage and the date of each action. Annual summaries of all filling and dumping operations shall be maintained to allow annual determination of total proof-gallons lost from each warehouse building enclosure. All gauging of distilled spirits shall be in accordance with the methods and procedures of the Gauging Manual of the Alcohol and Tobacco Tax and Trade Bureau, Department of the Treasury (27 CFR 30). [District Rules 2201 and 4695] Federally Enforceable Through Title V Permit
40. All records shall be retained for a minimum of five years, and shall be made available for District inspection upon request. [District Rules 2201 and 4695 and 40 CFR 64] Federally Enforceable Through Title V Permit
41. When the continuous monitoring system detects any deviation from "normal operation" as defined in this permit, the permittee shall investigate the deviation and take corrective action to minimize excessive emissions and prevent recurrence of the deviation as expeditiously as practicable. [40 CFR 64] Federally Enforceable Through Title V Permit
42. Each regenerative thermal oxidizer temperature monitoring device shall be calibrated, maintained, and operated according to the manufacturer's specifications. [40 CFR 64] Federally Enforceable Through Title V Permit
43. Each regenerative thermal oxidizer and its associated components shall be inspected on an annual basis. The records of inspection shall at least contain date and time of inspection, identification of the person performing an inspection, parts replacement and repairs, and all maintenance actions taken. The records shall be kept and maintained for compliance inspection upon request. [40 CFR 64] Federally Enforceable Through Title V Permit
44. The permittee shall comply with the compliance assurance monitoring operation and maintenance requirements of 40 CFR part 64.7. [40 CFR 64] Federally Enforceable Through Title V Permit
45. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7(d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR part 64.8. [40 CFR 64] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-4-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,486 GALLON ETHANOL STORAGE TANK (TANK # 1) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-7-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

60.0 MMBTU/HR NEBRASKA MODEL NB-200D-60 NATURAL GAS-FIRED BOILER, WITH NATCOM P60-20-1015 LOW NOX BURNER WITH FLUE GAS RECIRCULATION AND HALDOR TOPSOE MODEL DNX-929 SELECTIVE CATALYTIC REDUCTION (SCR) SYSTEM

## PERMIT UNIT REQUIREMENTS

---

1. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rules 2201 and 2520] Federally Enforceable Through Title V Permit
2. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
4. The unit shall only be fired on PUC-regulated natural gas. [District Rules 2201 and 2520] Federally Enforceable Through Title V Permit
5. Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320] Federally Enforceable Through Title V Permit
6. Except during start-up and shutdown, emissions from the exhaust of the SCR system shall not exceed any of the following emission limits: 5 ppmv NO<sub>x</sub> @ 3% O<sub>2</sub> or 0.0062 lb-NO<sub>x</sub>/MMBtu, 0.00285 lb-SO<sub>x</sub>/MMBtu, 0.0076 lb-PM<sub>10</sub>/MMBtu, 100 ppmv CO @ 3% O<sub>2</sub> or 0.0739 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
7. During startup and shutdown, emissions shall not exceed: NO<sub>x</sub> - 26 ppmv @ 3% O<sub>2</sub> or 0.032 lb/MMBtu; CO 150 ppmv @ 3% O<sub>2</sub> or 0.1109 lb/MMBtu. [District Rules 2201, 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
8. Total duration of startup shall not exceed 2 hr/day. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
9. Total duration of shutdown shall not exceed 2 hr/day. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
10. Duration of start-up or shutdown shall not exceed two hours each per occurrence. During start-up or shutdown, the emissions control system shall be in operation, and emissions shall be minimized insofar as technologically possible. The operator shall maintain daily records of the duration of start-up and shutdown periods. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
11. The ammonia (NH<sub>3</sub>) emissions from the exhaust of the SCR system serving this boiler shall not exceed 10 ppmvd @ 3% O<sub>2</sub>. [District Rule 4102] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. The permittee shall monitor and record the stack concentration of NO<sub>x</sub>, CO, NH<sub>3</sub> and O<sub>2</sub> at least once during each month in which source testing is not performed. NO<sub>x</sub>, CO and O<sub>2</sub> monitoring shall be conducted utilizing a portable analyzer that meets District specifications. NH<sub>3</sub> monitoring shall be conducted utilizing gas detection tubes (Dräger brand or District approved equivalent). Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless it has been performed within the last month. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
13. If either the NO<sub>x</sub>, CO or NH<sub>3</sub> concentrations, as measured by the portable analyzer or the District approved ammonia monitoring equipment, exceed the permitted levels the permittee shall return the emissions to compliant levels as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer or the ammonia monitoring equipment continue to show emission limit violations after 1 hour of operation following detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation that is subject to enforcement action has occurred. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of performing the notification and testing required by this condition. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
14. All NO<sub>x</sub>, CO, O<sub>2</sub> and ammonia emission readings shall be taken with the unit operating at conditions representative of normal operation or under the conditions specified in the Permit to Operate. The NO<sub>x</sub>, CO and O<sub>2</sub> analyzer as well as the NH<sub>3</sub> emission monitoring equipment shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Analyzer readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
15. Ammonia emissions readings shall be conducted at the time the NO<sub>x</sub>, CO and O<sub>2</sub> readings are taken. The readings shall be converted to ppmvd @ 3% O<sub>2</sub>. [District Rules 4102]
16. The permittee shall maintain records of: (1) the date and time of NO<sub>x</sub>, CO, NH<sub>3</sub> and O<sub>2</sub> measurements, (2) the O<sub>2</sub> concentration in percent by volume and the measured NO<sub>x</sub>, CO and NH<sub>3</sub> concentrations corrected to 3% O<sub>2</sub>, (3) make and model of the portable analyzer, (4) portable analyzer calibration records, (5) the method of determining the NH<sub>3</sub> emission concentration, and (6) a description of any corrective action taken to maintain the emissions at or below the acceptable levels. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
17. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
18. Source testing to measure NO<sub>x</sub>, CO, and NH<sub>3</sub> emissions from this unit while fired on natural gas shall be conducted at least once every twelve (12) months. After demonstrating compliance on two (2) consecutive annual source tests, the unit shall be tested not less than once every thirty-six (36) months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every twelve (12) months. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
19. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
20. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.



21. NO<sub>x</sub> emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
22. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
23. Stack gas oxygen (O<sub>2</sub>) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
24. Fuel sulfur content shall be determined using EPA Method 11 or Method 15. [District Rule 4320] Federally Enforceable Through Title V Permit
25. Source testing for ammonia slip shall be conducted utilizing BAAQMD Method ST-1B. [District Rule 1081] Federally Enforceable Through Title V Permit
26. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
27. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
28. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-8-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,486 GALLON ETHANOL STORAGE TANK (TANK # 2) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-9-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,486 GALLON ETHANOL STORAGE TANK (TANK # 3) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-10-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,486 GALLON ETHANOL STORAGE TANK (TANK # 4) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-11-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,486 GALLON ETHANOL STORAGE TANK (TANK # 5) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-12-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,486 GALLON ETHANOL STORAGE TANK (TANK # 6) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-13-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,486 GALLON ETHANOL STORAGE TANK (TANK # 7) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-14-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,486 GALLON ETHANOL STORAGE TANK (TANK # 8) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-15-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

15,510 GALLON ETHANOL STORAGE TANK (TANK # 9) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-16-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

11,637 GALLON ETHANOL STORAGE TANK (TANK # 10) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-17-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

12,743 GALLON ETHANOL STORAGE TANK (TANK # 11) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-18-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

12,810 GALLON ETHANOL STORAGE TANK (TANK # 12) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-19-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

980 GALLON ETHANOL STORAGE TANK (TANK # 15) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-20-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

2,854 GALLON ETHANOL STORAGE TANK (TANK # 16) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-21-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

2,848 GALLON ETHANOL STORAGE TANK (TANK # 17) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-22-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

2,854 GALLON ETHANOL STORAGE TANK (TANK # 18) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.



San Joaquin Valley  
Air Pollution Control District

**PERMIT UNIT:** C-1344-23-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

34,815 GALLON ETHANOL STORAGE TANK (TANK # 21) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-24-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

34,786 GALLON ETHANOL STORAGE TANK (TANK # 22) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-25-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

34,922 GALLON ETHANOL STORAGE TANK (TANK # 23) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-26-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

34,922 GALLON ETHANOL STORAGE TANK (TANK # 24) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-27-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,752 GALLON ETHANOL STORAGE TANK (TANK # 25) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-28-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,664 GALLON ETHANOL STORAGE TANK (TANK # 26) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-29-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,710 GALLON ETHANOL STORAGE TANK (TANK # 27) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: VIE-DEL WINERY #1

Location: 11903 S CHESTNUT AVE, FRESNO, CA 93725

C-1344-29-2: Jun 15 2017 4:27PM -- OGDENA

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-30-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,655 GALLON ETHANOL STORAGE TANK (TANK # 28) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-31-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

84,494 GALLON ETHANOL STORAGE TANK (TANK # 29) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-32-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,649 GALLON ETHANOL STORAGE TANK (TANK # 31) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-33-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,715 GALLON ETHANOL STORAGE TANK (TANK # 32) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-34-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,679 GALLON ETHANOL STORAGE TANK (TANK # 33) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-35-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,687 GALLON ETHANOL STORAGE TANK (TANK # 34) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-36-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,634 GALLON ETHANOL STORAGE TANK (TANK # 35) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-37-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,703 GALLON ETHANOL STORAGE TANK (TANK # 36) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-38-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,658 GALLON ETHANOL STORAGE TANK (TANK # 37) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-39-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

33,613 GALLON ETHANOL STORAGE TANK (TANK # 38) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-40-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

84,494 GALLON ETHANOL STORAGE TANK (TANK # 39) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-41-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

217,707 GALLON ETHANOL STORAGE TANK (TANK # 40) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-42-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

108,455 GALLON ETHANOL STORAGE TANK (TANK # 41) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-43-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

110,231 GALLON ETHANOL STORAGE TANK (TANK # 42) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-44-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

110,693 GALLON ETHANOL STORAGE TANK (TANK # 43) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-45-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

111,289 GALLON ETHANOL STORAGE TANK (TANK # 44) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-46-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

111,208 GALLON ETHANOL STORAGE TANK (TANK # 45) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-47-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

120,480 GALLON ETHANOL STORAGE TANK (TANK # 46) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-48-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

120,278 GALLON ETHANOL STORAGE TANK (TANK # 47) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-49-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

217,707 GALLON ETHANOL STORAGE TANK (TANK # 48) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-50-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

108,046 GALLON ETHANOL STORAGE TANK (TANK # 51) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-51-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

108,657 GALLON ETHANOL STORAGE TANK (TANK # 52) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-52-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

111,006 GALLON ETHANOL STORAGE TANK (TANK # 53) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-53-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

111,093 GALLON ETHANOL STORAGE TANK (TANK # 54) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-54-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

111,472 GALLON ETHANOL STORAGE TANK (TANK # 55) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-55-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

120,314 GALLON ETHANOL STORAGE TANK (TANK # 56) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-56-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

120,076 GALLON ETHANOL STORAGE TANK (TANK # 57) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-57-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

217,707 GALLON ETHANOL STORAGE TANK (TANK # 58) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-58-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

4,508 GALLON ETHANOL STORAGE TANK (TANK # 101) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-59-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

4,528 GALLON ETHANOL STORAGE TANK (TANK # 102) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-60-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

982 GALLON ETHANOL STORAGE TANK (TANK # 103) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-61-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

569 GALLON ETHANOL STORAGE TANK (TANK # 104) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

**San Joaquin Valley  
Air Pollution Control District**

**PERMIT UNIT:** C-1344-62-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

8,455 GALLON ETHANOL STORAGE TANK (TANK # 500-W) WITH PRESSURE/VACUUM VALVE

**PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-63-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

8,573 GALLON ETHANOL STORAGE TANK (TANK # 501-W) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: VIE-DEL WINERY #1

Location: 11903 S CHESTNUT AVE, FRESNO, CA 93725

C-1344-63-2: Jun 15 2017 4:27PM -- OGDENA

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-64-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

8,573 GALLON ETHANOL STORAGE TANK (TANK # 502-W) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-65-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

8,529 GALLON ETHANOL STORAGE TANK (TANK # 503-W) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: VIE-DEL WINERY #1

Location: 11903 S CHESTNUT AVE, FRESNO, CA 93725

C-1344-65-2 : Jun 15 2017 4:27PM - OGDENA

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-66-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

8,529 GALLON ETHANOL STORAGE TANK (TANK # 504-W) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-67-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

534 GALLON ETHANOL STORAGE TANK (TANK # FO1) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-68-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

472 GALLON ETHANOL STORAGE TANK (TANK # SING1) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-69-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

472 GALLON ETHANOL STORAGE TANK (TANK # SING2) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-70-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

472 GALLON ETHANOL STORAGE TANK (TANK # SING3) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: VIE-DEL WINERY #1

Location: 11903 S CHESTNUT AVE, FRESNO, CA 93725

C-1344-70-2 : Jun 15 2017 4:28PM - OGDENA



# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-71-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

997 GALLON ETHANOL STORAGE TANK (TANK # SING4) WITH PRESSURE/VACUUM VALVE

## **PERMIT UNIT REQUIREMENTS**

---

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]

These terms and conditions are part of the Facility-wide Permit to Operate.

Facility Name: VIE-DEL WINERY #1

Location: 11903 S CHESTNUT AVE, FRESNO, CA 93725

C-1344-71-2 : Jun 15 2017 4:28PM -- OGDENA

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-72-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

192 BHP (INTERMITTENT) CUMMINS MODEL N-885-F (S/N 42603) NON-CERTIFIED DIESEL-FIRED EMERGENCY IC ENGINE POWERING A FIREWATER PUMP

## PERMIT UNIT REQUIREMENTS

---

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070] Federally Enforceable Through Title V Permit
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070] Federally Enforceable Through Title V Permit
3. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
6. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
7. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
8. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rule 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
9. The permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. The engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. The engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. The engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. The engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

14. The permittee has the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d of Subpart ZZZZ. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems". Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
16. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
17. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
18. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
19. The permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
20. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4702] Federally Enforceable Through Title V Permit
21. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-73-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

115 BHP (INTERMITTENT) DETROIT DIESEL MODEL 4061AZ (S/N 4A0161660) NON-CERTIFIED DIESEL-FIRED EMERGENCY IC ENGINE POWERING A FIREWATER PUMP

## PERMIT UNIT REQUIREMENTS

---

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070] Federally Enforceable Through Title V Permit
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070] Federally Enforceable Through Title V Permit
3. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
6. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
7. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
8. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rule 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
9. The permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. The engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. The engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. The engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. The engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE  
These terms and conditions are part of the Facility-wide Permit to Operate.

14. The permittee has the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d of Subpart ZZZZ. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems". Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
16. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
17. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
18. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
19. The permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
20. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4702] Federally Enforceable Through Title V Permit
21. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

# San Joaquin Valley Air Pollution Control District

**PERMIT UNIT:** C-1344-74-2

**EXPIRATION DATE:** 04/30/2022

**EQUIPMENT DESCRIPTION:**

115 BHP (INTERMITTENT) DETROIT DIESEL MODEL 4061AZ (S/N 4A0162893) NON-CERTIFIED DIESEL-FIRED EMERGENCY IC ENGINE POWERING A FIREWATER PUMP

## PERMIT UNIT REQUIREMENTS

---

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070] Federally Enforceable Through Title V Permit
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070] Federally Enforceable Through Title V Permit
3. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101] Federally Enforceable Through Title V Permit
4. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
5. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
6. This engine shall be operated and maintained in proper operating condition as recommended by the engine manufacturer or emissions control system supplier. [District Rule 4702] Federally Enforceable Through Title V Permit
7. This engine shall be equipped with an operational non-resettable elapsed time meter or other APCO approved alternative. [District Rule 4702 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
8. Only CARB certified diesel fuel containing not more than 0.0015% sulfur by weight is to be used. [District Rule 4801 and 17 CCR 93115] Federally Enforceable Through Title V Permit
9. The permittee must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
10. The engine shall be in full compliance with 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines). [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
11. The engine's oil and filter shall be changed every 500 hours of operation or every 12 months, whichever comes first. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
12. The engine's air filter shall be inspected every 1,000 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
13. The engine's hoses and belts shall be inspected every 500 hours of operation or every 12 months, whichever comes first, and replaced as necessary. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

14. The permittee has the option of utilizing an oil analysis program in order to extend the specified oil change requirement in Tables 2c and 2d of Subpart ZZZZ. The oil analysis must be performed at the same frequency specified for changing the oil in Table 2c or 2d to this subpart. The analysis program must at a minimum analyze the following three parameters: Total Base Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Base Number is less than 30 percent of the Total Base Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil. If any of the limits are exceeded, the engine owner or operator must change the oil within 2 days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil within 2 days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil changes for the engine. The analysis program must be part of the maintenance plan for the engine. [40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
15. This engine shall be operated only for testing and maintenance of the engine, required regulatory purposes, and during emergency situations. For testing purposes, the engine shall only be operated the number of hours necessary to comply with the testing requirements of the National Fire Protection Association (NFPA) 25 - "Standard for the Inspection, Testing, and Maintenance of Water-Based Fire Protection Systems". Total hours of operation for all maintenance, testing, and required regulatory purposes shall not exceed 100 hours per calendar year. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
16. An emergency situation is an unscheduled electrical power outage caused by sudden and reasonably unforeseen natural disasters or sudden and reasonably unforeseen events beyond the control of the permittee. [District Rule 4702] Federally Enforceable Through Title V Permit
17. During periods of operation for maintenance, testing, and required regulatory purposes, the permittee shall monitor the operational characteristics of the engine as recommended by the manufacturer or emission control system supplier (for example: check engine fluid levels, battery, cables and connections; change engine oil and filters; replace engine coolant; and/or other operational characteristics as recommended by the manufacturer or supplier). [District Rule 4702] Federally Enforceable Through Title V Permit
18. The permittee shall maintain monthly records of emergency and non-emergency operation. Records shall include the number of hours of emergency operation, the date and number of hours of all testing and maintenance operations, and the purpose of the operation (for example: load testing, weekly testing, rolling blackout, general area power outage, etc.). For units with automated testing systems, the operator may, as an alternative to keeping records of actual operation for testing purposes, maintain a readily accessible written record of the automated testing schedule. [District Rule 4702 and 17 CCR 93115] Federally Enforceable Through Title V Permit
19. The permittee shall maintain monthly records of the occurrence and duration of each malfunction of operation (i.e., process equipment) or the air pollution control and monitoring equipment. The permittee shall also maintain monthly records of action taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation. [District Rule 1070 and 40 CFR 63 Subpart ZZZZ] Federally Enforceable Through Title V Permit
20. All records shall be maintained and retained on-site for a period of at least 5 years and shall be made available for District inspection upon request. [District Rule 4702] Federally Enforceable Through Title V Permit
21. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.