

JUN 26 2017

Tom Barcellos
Barcellos Farms
PO Box 142
Tipton, CA 93272

RE: Notice of Final Action - Authority to Construct
Facility Number: S-6032
Project Number: S-1153665

Dear Mr. Barcellos:

The Air Pollution Control Officer has issued the Authority to Construct permits to Barcellos Farms for an expansion of an existing dairy operation at 14851 Road 168, Porterville. The expansion includes increasing the dairy herd size; constructing a new milking parlor; four freestall barns, two loafing barns, and 213 calf hutches; and converting the dairy's manure handling system from flush to scrape. Enclosed are the Authority to Construct permits and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue the Authority to Construct permits was published on February 1, 2017. The District's analysis of the proposal was also sent to CARB on January 27, 2017. No comments were received following the District's preliminary decision on this project.

Also enclosed is an invoice for the engineering evaluation fees pursuant to District Rule 3010. Please remit the amount owed, along with a copy of the attached invoice, within 60 days.

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

Mr. Tom Barcellos
Page 2

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Errol Villegas at (559) 230-6000.

Sincerely,

A handwritten signature in blue ink that reads "Arnaud Marjollet". The signature is written in a cursive style with a horizontal line underlining the name.

Arnaud Marjollet
Director of Permit Services

AM:sll

Enclosures

cc: Tung Le, CARB (w/enclosure) via email



Facility # S-6032
BARCELLOS FARMS
PO BOX 142
TIPTON, CA 93272

AUTHORITY TO CONSTRUCT (ATC)

QUICK START GUIDE

1. **Pay Invoice:** Please pay enclosed invoice before due date.
2. **Fully Understand ATC:** Make sure you understand ALL conditions in the ATC prior to construction, modification and/or operation.
3. **Follow ATC:** You must construct, modify and/or operate your equipment as specified on the ATC. Any unspecified changes may require a new ATC.
4. **Notify District:** You must notify the District's Compliance Department, at the telephone numbers below, upon start-up and/or operation under the ATC. Please record the date construction or modification commenced and the date the equipment began operation under the ATC. You may NOT operate your equipment until you have notified the District's Compliance Department. A startup inspection may be required prior to receiving your Permit to Operate.
5. **Source Test:** Schedule and perform any required source testing. See http://www.valleyair.org/busind/comply/source_testing.htm for source testing resources.
6. **Maintain Records:** Maintain all records required by ATC. Records are reviewed during every inspection (or upon request) and must be retained for at least 5 years. Sample record keeping forms can be found at http://www.valleyair.org/busind/comply/compliance_forms.htm.

By operating in compliance, you are doing your part to improve air quality for all Valley residents.

**For assistance, please contact District Compliance staff at
any of the telephone numbers listed below.**

Seyed Sadredin

Executive Director/Air Pollution Control Officer

Northern Region

4800 Enterprise Way

Modesto, CA 95356-8718

Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)

1990 E. Gettysburg Avenue

Fresno, CA 93726-0244

Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region

34946 Flyover Court

Bakersfield, CA 93308-9725

Tel: 661-392-5500 FAX: 661-392-5585



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT

Due Date
8/21/2017

Amount Due
\$ 12,721.80

Amount Enclosed

ATCFEE S1153665
6032 S134102 6/19/2017

RETURN THIS TOP PORTION ONLY, WITH REMITTANCE TO:

T-BAR DAIRY/BARCELLOS FARMS
PO BOX 142
TIPTON, CA 93272

SJVAPCD
34946 Flyover Court
Bakersfield, CA 93308

Thank You!



San Joaquin Valley
AIR POLLUTION CONTROL DISTRICT

SJVAPCD Tax ID: 77-0262563

BARCELLOS FARMS
14851 ROAD 168
PORTERVILLE, CA 93257

Facility ID
S6032

Invoice Date
6/19/2017

Invoice Number
S134102

Invoice Type
Project: S1153665

PROJECT NUMBER: 1153665

APPLICATION FILING FEES	\$ 375.00
ENGINEERING TIME FEES	\$ 12,721.80
TOTAL FEES	\$ 13,096.80
LESS PREVIOUSLY PAID PROJECT FEES APPLIED TO THIS INVOICE	(\$ 375.00)
PROJECT FEES DUE (Enclosed is a detailed statement outlining the fees for each item.)	\$ 12,721.80

Late Payment (see Rule 3010, Section 11.0 Late Fees)	
Postmarked	Total Due
After 8/21/2017 through 8/31/2017	\$ 13,993.98
After 8/31/2017	\$ 19,082.70
After 9/20/2017	Permits To Operate MAY BE SUSPENDED

San Joaquin Valley Air Pollution Control District
34946 Flyover Court, Bakersfield, CA 93308, (661) 392-5500, Fax (661) 392-5585

Invoice Detail

Facility ID: S6032

BARCELLOS FARMS
14851 ROAD 168
PORTERVILLE, CA 93257

Invoice Nbr: S134102
Invoice Date: 6/19/2017
Page: 1

Application Filing Fees

Project Nbr	Permit Number	Description	Application Fee
S1153665	S-6032-1-1	MODIFICATION OF 1,045 COW MILKING OPERATION WITH ONE 16 STALL FLAT BARN MILKING PARLOR; INCREASE NUMBER OF MILK COWS TO 1,744; INSTALL A NEW 50-STALL ROTARY MILK PARLOR; CONVERT THE EXISTING 16-STALL FLAT MILKING PARLOR TO A SPECIAL NEEDS MILKING PARLOR	\$ 75.00
S1153665	S-6032-2-1	MODIFICATION OF COW HOUSING - 1,045 MILK COWS NOT TO EXCEED A COMBINED TOTAL OF 1,225 MATURE COWS (MILK AND DRY COWS); 1,225 TOTAL SUPPORT STOCK (HEIFERS, CALVES, AND BULLS); INCREASE HERD SIZE - MILK COWS FROM 1,045 TO 1,744, COMBINED TOTAL MATURE COWS FROM 1,225 TO 2,168, SUPPORT STOCK FROM 1,225 TO 1,750, CALVES FROM 325 TO 405; INSTALL 4 FREESTALLS, ONE MATERNITY LOAFING BARN, ONE HOSPITAL LOAFING BARN, AND 213 CALF HUTCHES; CONVERT FROM FLUSHING ALL COW HOUSING TO SCRAPING ALL COW HOUSING; ADD SHADE STRUCTURES TO EXISTING NON-SHADED CORRALS	\$ 75.00
S1153665	S-6032-3-1	MODIFICATION OF LIQUID MANURE HANDLING SYSTEM CONSISTING OF ONE STORAGE POND: INSTALL 4 WEEPING WALLS AND DESIGNATE EXISTING STORAGE POND AS AN ANAEROBIC TREATMENT LAGOON; ALLOW FOR LAND APPLICATION OF LIQUID MANURE; AND ALLOW AN INCREASE IN THROUGHPUT DUE TO HERD EXPANSION AUTHORIZED BY ATC S-6032-2-1	\$ 75.00
S1153665	S-6032-4-1	MODIFICATION OF SOLID MANURE HANDLING CONSISTING OF MANURE STOCK PILES; SOLID MANURE HAULED OFFSITE: ALLOW LAND APPLICATION THROUGH SOLIDS SPREADING AND ALLOW FOR AN INCREASE IN THROUGHPUT DUE TO HERD EXPANSION AUTHORIZED BY ATC S-6032-2-1	\$ 75.00
S1153665	S-6032-5-1	MODIFICATION OF FEED STORAGE AND HANDLING CONSISTING OF COMMODITY BARNS AND SILAGE PILES: ALLOW FOR INCREASE IN TMR DUE TO HERD EXPANSION AUTHORIZED BY ATC S-6032-2-1	\$ 75.00
Total Application Filing Fees:			\$ 375.00

Engineering Time Fees

Project Nbr	Quantity	Rate	Description	Fee
S1153665	122.4 hours	\$ 107.00 /h	Standard Engineering Time	\$ 13,096.80
			Less Credit For Application Filing Fees	(\$ 375.00)
			Standard Engineering Time SubTotal	\$ 12,721.80
Total Engineering Time Fees:				\$ 12,721.80



AUTHORITY TO CONSTRUCT

PERMIT NO: S-6032-1-1

ISSUANCE DATE: 06/19/2017

LEGAL OWNER OR OPERATOR: BARCELLOS FARMS

MAILING ADDRESS: PO BOX 142
TIPTON, CA 93272

LOCATION: 14851 ROAD 168
PORTERVILLE, CA 93257

EQUIPMENT DESCRIPTION:

MODIFICATION OF 1,045 COW MILKING OPERATION WITH ONE 16 STALL FLAT BARN MILKING PARLOR; INCREASE NUMBER OF MILK COWS TO 1,744; INSTALL A NEW 50-STALL ROTARY MILK PARLOR; CONVERT THE EXISTING 16-STALL FLAT MILKING PARLOR TO A SPECIAL NEEDS MILKING PARLOR

CONDITIONS

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070]
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070]
3. If a licensed veterinarian or a certified nutritionist determines that any VOC mitigation measure will be required to be suspended as a detriment to animal health or necessary for the animal to molt, the owners/operators must notify the District in writing within forty-eight (48) hours of the determination including the duration and the specific health condition requiring the mitigation measure to be suspended. If the situation is expected to exist longer than a thirty-day (30) period, the owner/operator shall submit a new emission mitigation plan designating a mitigation measure to be implemented in lieu of the suspended mitigation measure. [District Rule 4570]
4. Permittee shall flush or hose milk parlor immediately prior to, immediately after, or during each milking. [District Rules 2201 and 4570]
5. Permittee shall provide verification that milk parlors are flushed or hosed prior to, immediately after, or during each milking. [District Rules 2201 and 4570]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

S-6032-1-1 : Jun 19 2017 9:34AM - LOWELES : Joint Inspection NOT Required

6. Permittee shall keep and maintain all records for a minimum of five (5) years and shall make records available to the APCO and EPA upon request. [District Rule 4570]
7. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]

AUTHORITY TO CONSTRUCT

PERMIT NO: S-6032-2-1

ISSUANCE DATE: 06/19/2017

LEGAL OWNER OR OPERATOR: BARCELLOS FARMS
MAILING ADDRESS: PO BOX 142
TIPTON, CA 93272

LOCATION: 14851 ROAD 168
PORTERVILLE, CA 93257

EQUIPMENT DESCRIPTION:

MODIFICATION OF COW HOUSING - 1,045 MILK COWS NOT TO EXCEED A COMBINED TOTAL OF 1,225 MATURE COWS (MILK AND DRY COWS); 1,225 TOTAL SUPPORT STOCK (HEIFERS, CALVES, AND BULLS); INCREASE HERD SIZE - MILK COWS FROM 1,045 TO 1,744, COMBINED TOTAL MATURE COWS FROM 1,225 TO 2,168, SUPPORT STOCK FROM 1,225 TO 1,750, CALVES FROM 325 TO TO 405; INSTALL 4 FREESTALLS, ONE MATERNITY LOAFING BARN, ONE HOSPITAL LOAFING BARN, AND 213 CALF HUTCHES; CONVERT FROM FLUSHING ALL COW HOUSING TO SCRAPING ALL COW HOUSING; ADD SHADE STRUCTURES TO EXISTING NON-SHADED CORRALS

CONDITIONS

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070]
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070]
3. If a licensed veterinarian or a certified nutritionist determines that any VOC mitigation measure will be required to be suspended as a detriment to animal health or necessary for the animal to molt, the owners/operators must notify the District in writing within forty-eight (48) hours of the determination including the duration and the specific health condition requiring the mitigation measure to be suspended. If the situation is expected to exist longer than a thirty-day (30) period, the owner/operator shall submit a new emission mitigation plan designating a mitigation measure to be implemented in lieu of the suspended mitigation measure. [District Rule 4570]

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


Arnaud Marjollet, Director of Permit Services

S-6032-2-1: Jun 19 2017 9:34AM - LOWELES : Joint Inspection NOT Required

4. Permittee shall feed all animals according to National Research Council (NRC) guidelines. [District Rules 2201, 4102, and 4570]
5. Permittee shall maintain records of feed content, formulation, and quantity of feed additive utilized, to demonstrate compliance with National Research Council (NRC) guidelines. Records such as feed company guaranteed analyses (feed tags), ration sheets, or feed purchase records may be used to meet this requirement. [District Rules 2201 and 4570]
6. Permittee shall pave feedlanes, where present, for a width of at least 8 feet along the corral side of the feedlane fence for milk and dry cows and at least 6 feet along the corral side of the feedlane for heifers. [District Rules 2201 and 4570]
7. Permittee shall scrape feed lanes and walkways for mature cows with an automatic scraper (or equivalent) at least four times per day and scrape feed lanes and walkways for support stock (heifers) at least once per day. [District Rules 2201, 4102, and 4570]
8. Permittee shall maintain records sufficient to demonstrate that feed lanes and walkways are scraped at least four times per day for mature cows and at least once per day for support stock (heifers). [District Rules 2201, 4102, and 4570]
9. Freestall barns and loafing barns shall not have exercise pens, corrals, or drylots at any time. [District Rules 2201 and 4570]
10. Permittee shall maintain records, such as design specifications, or provide other verification that freestall barns and loafing barns have no exercise pens, corrals, or drylots. [District Rules 2201 and 4570]
11. Permittee shall inspect water pipes and troughs and repair leaks at least once every seven (7) days. [District Rules 2201 and 4570]
12. Permittee shall maintain records demonstrating that water pipes and troughs are inspected and leaks are repaired at least once every seven (7) days. [District Rules 2201 and 4570]
13. Permittee shall implement at least one of the following exercise pen/corral mitigation measures: 1) slope the surface of the corrals at least 3% where the available space for each animal is 400 square feet or less and shall slope the surface of the corrals at least 1.5% where the available space for each animal is more than 400 square feet per animal; 2) maintain corrals to ensure proper drainage preventing water from standing more than forty-eight hours; or 3) harrow, rake, or scrape pens sufficiently to maintain a dry surface except during periods of rainy weather. [District Rules 2201 and 4570]
14. Permittee shall either 1) maintain sufficient records to demonstrate that pens/corrals are maintained to ensure proper drainage preventing water from standing for more than forty-eight hours or 2) maintain records of dates pens/corrals are groomed (i.e., harrowed, raked, or scraped, etc.). [District Rules 2201 and 4570]
15. All open corrals shall be equipped with shade structures. [District Rules 2201 and 4102]
16. Shade structures shall be installed in any of the following ways: 1) constructed with a light permeable roofing material; 2) uphill of any slope in the corral; 3) installed so that the structure has a North/South orientation. OR Permittee shall clean manure from under corral shades at least once every fourteen (14) days, when weather permits access into the corral. [District Rules 2201 and 4570]
17. If permittee has selected to comply using shades constructed with a light permeable roofing material, then permittee shall maintain records, such as design specifications, demonstrating that the shade structures are equipped with such roofing material or if permittee has selected to comply by cleaning the manure from under the corral shades, then permittee shall maintain records demonstrating that manure is cleaned from under the shades at least once every fourteen (14) days, as long as weather permits access to corrals. [District Rules 2201 and 4570]
18. Calves housed in corrals and heifers shall be fed near (within one hour of) dusk. [District Rule 2201]
19. Permittee shall maintain sufficient records to demonstrate that calves housed in corrals and heifers were fed within one hour of dusk. [District Rule 2201]
20. Permittee shall scrape exercise pen/corral surfaces every two weeks using pull-type scraper in the morning hours except when prevented by wet conditions. [District Rule 2201, 4102 and and 4570]

21. Permittee shall maintain sufficient records to demonstrate that exercise pen/corral surfaces are scraped every two weeks using a pull-type scraper during morning hours, except when prevented by wet conditions. [District Rules 2201 and 4570]
22. Permittee shall manage corrals such that the manure depth in the corral does not exceed twelve (12) inches at any time or point, except for in-corral mounding. Manure depth may exceed 12 inches when corrals become inaccessible due to rain events. However, permittee must resume management of the manure depth of 12 inches or lower immediately upon the corral becoming accessible. [District Rules 2201 and 4570]
23. Permittee shall measure and document the depth of manure in the corrals at least once every ninety (90) days. [District Rules 2201 and 4570]
24. Permittee shall apply water to exercise pens and corrals using sprinklers or other method approved by the District such that one of the following benchmarks is met: (1) at least 25% of the corral surface is wet or (2) the average surface moisture content of the area is equal to or greater than 16% (wet basis). [District Rules 2201 and 4102]
25. Permittee shall keep records demonstrating that the pen/corral sprinkling benchmarks have been met. [District Rules 2201 and 4102]
26. Permittee shall maintain a record of the number of animals of each production group at the facility and shall maintain quarterly records of any changes to this information. Such records may include DHIA monthly records, milk production records, ration sheets or periodic inventory records. [District Rules 2201 and 4570]
27. Permittee shall keep and maintain all records for a minimum of five (5) years and shall make records available to the APCO and EPA upon request. [District Rules 2201 and 4570]
28. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]

AUTHORITY TO CONSTRUCT

PERMIT NO: S-6032-3-1

ISSUANCE DATE: 06/19/2017

LEGAL OWNER OR OPERATOR: BARCELLOS FARMS

MAILING ADDRESS: PO BOX 142
TIPTON, CA 93272

LOCATION: 14851 ROAD 168
PORTERVILLE, CA 93257

EQUIPMENT DESCRIPTION:

MODIFICATION OF LIQUID MANURE HANDLING SYSTEM CONSISTING OF ONE STORAGE POND: INSTALL 4 WEEPING WALLS AND DESIGNATE EXISTING STORAGE POND AS AN ANAEROBIC TREATMENT LAGOON; ALLOW FOR LAND APPLICATION OF LIQUID MANURE; AND ALLOW AN INCREASE IN THROUGHPUT DUE TO HERD EXPANSION AUTHORIZED BY ATC S-6032-2-1

CONDITIONS

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070]
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070]
3. If a licensed veterinarian or a certified nutritionist determines that any VOC mitigation measure will be required to be suspended as a detriment to animal health or necessary for the animal to molt, the owners/operators must notify the District in writing within forty-eight (48) hours of the determination including the duration and the specific health condition requiring the mitigation measure to be suspended. If the situation is expected to exist longer than a thirty-day (30) period, the owner/operator shall submit a new emission mitigation plan designating a mitigation measure to be implemented in lieu of the suspended mitigation measure. [District Rule 4570]
4. Permittee shall feed all animals according to National Research Council (NRC) guidelines. [District Rules 2201 and 4570]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

S-6032-3-1: Jun 19 2017 9:34AM - LOWELES : Joint Inspection NOT Required

5. Permittee shall maintain records of feed content, formulation, and quantity of feed additive utilized, to demonstrate compliance with National Research Council (NRC) guidelines. Records such as feed company guaranteed analyses (feed tags), ration sheets, or feed purchase records may be used to meet this requirement. [District Rules 2201 and 4570]
6. Permittee shall use an anaerobic treatment lagoon designed according to NRCS Guideline No. 359. [District Rules 2201 and 4570]
7. Permittee shall maintain records, such as design specifications, calculations, including Minimum Treatment Volume (MTV), Hydraulic Retention Time (HRT) demonstrating that the anaerobic treatment lagoon meets the requirements listed in the NRCS Field Office Technical Guide Code 359. [District Rules 2201 and 4570]
8. Permittee shall test any other parameters determined necessary by the APCO, ARB, and EPA to demonstrate compliance with rule requirements as frequently as determined necessary by the APCO, ARB, and EPA. [District Rules 2201 and 4570]
9. Permittee shall remove solids with a solid separator system, prior to the manure entering the lagoon. [District Rules 2201, 4102, and 4570]
10. If liquid manure is used to irrigate crops, the liquid manure shall be taken from an uncovered anaerobic treatment lagoon designed to meet Natural Resources Conservation Service (NRCS) standards. A minimum liquid manure depth of 18 feet shall be retained in the lagoon at all times. [District Rules 2201 and 4570]
11. Permittee shall maintain records that only liquid manure treated with an anaerobic treatment lagoon is applied to fields. [District Rules 2201 and 4570]
12. Permittee shall not allow liquid/slurry manure to stand in the fields for more than twenty-four (24) hours after irrigation. [District Rules 2201 and 4570]
13. Permittee shall maintain records to demonstrate liquid manure did not stand in the fields for more than twenty-four (24) hours after irrigation. [District Rules 2201 and 4570]
14. Permittee shall keep and maintain all records for a minimum of five (5) years and shall make records available to the APCO and EPA upon request. [District Rules 2201 and 4570]
15. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]

AUTHORITY TO CONSTRUCT

PERMIT NO: S-6032-4-1

ISSUANCE DATE: 06/19/2017

LEGAL OWNER OR OPERATOR: BARCELLOS FARMS

MAILING ADDRESS: PO BOX 142
TIPTON, CA 93272

LOCATION: 14851 ROAD 168
PORTERVILLE, CA 93257

EQUIPMENT DESCRIPTION:

MODIFICATION OF SOLID MANURE HANDLING CONSISTING OF MANURE STOCK PILES; SOLID MANURE HAULED OFFSITE: ALLOW LAND APPLICATION THROUGH SOLIDS SPREADING AND ALLOW FOR AN INCREASE IN THROUGHPUT DUE TO HERD EXPANSION AUTHORIZED BY ATC S-6032-2-1

CONDITIONS

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070]
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070]
3. If a licensed veterinarian or a certified nutritionist determines that any VOC mitigation measure will be required to be suspended as a detriment to animal health or necessary for the animal to molt, the owners/operators must notify the District in writing within forty-eight (48) hours of the determination including the duration and the specific health condition requiring the mitigation measure to be suspended. If the situation is expected to exist longer than a thirty-day (30) period, the owner/operator shall submit a new emission mitigation plan designating a mitigation measure to be implemented in lieu of the suspended mitigation measure. [District Rule 4570]
4. Permittee shall feed all animals according to National Research Council (NRC) guidelines. [District Rules 2201 and 4570]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services
S-6032-4-1: Jun 19 2017 9:34AM - LOWELES : Joint Inspection NOT Required

5. Permittee shall maintain records of feed content, formulation, and quantity of feed additive utilized, to demonstrate compliance with National Research Council (NRC) guidelines. Records such as feed company guaranteed analyses (feed tags), ration sheets, or feed purchase records may be used to meet this requirement. [District Rules 2201 and 4570]
6. Within seventy two (72) hours of removal of solid manure from housing, permittee shall either 1) remove dry manure from the facility, or 2) cover dry manure outside the housing with a weatherproof covering from October through May, except for times when wind events remove the covering, not to exceed twenty-four (24) hours per event. [District Rules 2201 and 4570]
7. Permittee shall keep records of dates when manure is removed from the facility or permittee shall maintain records to demonstrate that dry manure piles outside the pens are covered with a weatherproof covering from October through May. [District Rules 2201 and 4570]
8. If weatherproof coverings are used, permittee shall maintain records, such as manufacturer warranties or other documentation, demonstrating that the weatherproof covering over dry manure are installed, used, and maintained in accordance with manufacturer recommendations and applicable standards listed in NRCS Field Office Technical Guide Code 313 or 367, or any other applicable standard approved by the APCO, ARB, and EPA. [District Rules 2201 and 4570]
9. Permittee shall incorporate all solid manure within two (2) hours of land application. [District Rules 2201 and 4570]
10. Permittee shall maintain records to demonstrate that all solid manure has been incorporated within two (2) hours of land application. [District Rules 2201 and 4570]
11. Permittee shall keep and maintain all records for a minimum of five (5) years and shall make records available to the APCO and EPA upon request. [District Rules 2201 and 4570]
12. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]

AUTHORITY TO CONSTRUCT

PERMIT NO: S-6032-5-1

ISSUANCE DATE: 06/19/2017

LEGAL OWNER OR OPERATOR: BARCELLOS FARMS
MAILING ADDRESS: PO BOX 142
TIPTON, CA 93272

LOCATION: 14851 ROAD 168
PORTERVILLE, CA 93257

EQUIPMENT DESCRIPTION:
MODIFICATION OF FEED STORAGE AND HANDLING CONSISTING OF COMMODITY BARNs AND SILAGE PILES:
ALLOW FOR INCREASE IN TMR DUE TO HERD EXPANSION AUTHORIZED BY ATC S-6032-2-1

CONDITIONS

1. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 1070]
2. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 1070]
3. If a licensed veterinarian or a certified nutritionist determines that any VOC mitigation measure will be required to be suspended as a detriment to animal health or necessary for the animal to molt, the owners/operators must notify the District in writing within forty-eight (48) hours of the determination including the duration and the specific health condition requiring the mitigation measure to be suspended. If the situation is expected to exist longer than a thirty-day (30) period, the owner/operator shall submit a new emission mitigation plan designating a mitigation measure to be implemented in lieu of the suspended mitigation measure. [District Rule 4570]
4. Permittee shall feed all animals according to National Research Council (NRC) guidelines. [District Rules 2201 and 4570]

CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


Arnaud Marjollet, Director of Permit Services
S-6032-5-1; Jun 19 2017 9:34AM - LOWELES : Joint Inspection NOT Required

5. Permittee shall maintain records of feed content, formulation, and quantity of feed additive utilized, to demonstrate compliance with National Research Council (NRC) guidelines. Records such as feed company guaranteed analyses (feed tags), ration sheets, or feed purchase records may be used to meet this requirement. [District Rules 2201 and 4570]
6. Permittee shall push feed so that it is within three feet of feedlane fence within two hours of putting out the feed or use a feed trough or other feeding structure designed to maintain feed within reach of the animals. [District Rules 2201 and 4570]
7. Permittee shall maintain an operating plan or record that requires feed to be pushed within three feet of feedlane fence within two hours of putting out the feed, or use of a feed trough or other structure designed to maintain feed within reach of the animals. [District Rules 2201 and 4570]
8. Permittee shall begin feeding total mixed rations within two hours of grinding and mixing rations. [District Rules 2201 and 4570]
9. Permittee shall maintain an operating plan or record of when feeding of total mixed rations began within two hours of grinding and mixing rations. [District Rules 2201 and 4570]
10. Permittee shall store grain in a weatherproof storage structure or under a weatherproof covering from October through May. [District Rules 2201 and 4570]
11. Permittee shall maintain records demonstrating grain is/was stored in a weatherproof storage structure or under a weatherproof covering from October through May. [District Rules 2201 and 4570]
12. Permittee shall remove uneaten wet feed from feed bunks within twenty-four (24) hours after the end of a rain event. [District Rules 2201 and 4570]
13. Permittee shall maintain records demonstrating that uneaten wet feed was removed from feed bunks within twenty-four (24) hours after the end of a rain event. [District Rules 2201 and 4570]
14. For bagged silage/feedstuff, permittee shall utilize a sealed feed storage system (e.g., ag bag). [District Rules 2201 and 4570]
15. Permittee shall cover all silage piles, except for the area where feed is being removed from the pile, with a plastic tarp that is at least five (5) mils (0.005 inches) thick, multiple plastic tarps with a cumulative thickness of at least 5 mils (0.005 inches), or an oxygen barrier film covered with a UV resistant material. Silage piles shall be covered within seventy-two (72) hours of last delivery of material to the pile. Sheets of material used to cover silage shall overlap so that silage is not exposed where the sheets meet. [District Rules 2201 and 4570]
16. Permittee shall maintain records of the thickness and type of cover used to cover each silage pile. Permittee shall also maintain records of the date of the last delivery of material to each silage pile and the date each pile is covered. [District Rules 2201 and 4570]
17. Permittee shall select and implement one of the following mitigation measures for building each silage pile at the facility: Option 1) build the silage pile such that the average bulk density is at least 44 lb/cu ft for corn silage and 40 lb/cu ft for other silage types, as measured in accordance with Section 7.11 of District Rule 4570; Option 2) Adjust filling parameters when creating the silage pile to achieve an average bulk density of at least 44 lb/cu ft for corn silage and at least 40 lb/cu ft for other silage types as determined using a District-approved spreadsheet; or Option 3) build silage piles using crops harvested with the applicable minimum moisture content, maximum Theoretical Length of Chop (TLC), and roller opening identified in District Rule 4570, Table 4.1, 1.d and manage silage material delivery such that the thickness of the layer of un-compacted material delivered on top of the pile is no more than six (6) inches. Records of the option chosen as a mitigation measure for building each silage pile shall be maintained. [District Rules 2201 and 4570]
18. For each silage pile that Option 1 (Measured Bulk Density) is chosen as a mitigation measure for building the pile, records of the measured bulk density shall be maintained. [District Rules 2201 and 4570]
19. For each silage pile that Option 2 (Bulk Density Determined by Spreadsheet) is chosen as a mitigation measure for building the pile, records of the filling parameters entered into the District-approved spreadsheet to determine the bulk density shall be maintained. [District Rules 2201 and 4570]

CONDITIONS CONTINUE ON NEXT PAGE

20. For each silage pile that Option 3 (Moisture, TLC, Roller Opening, & Material Delivery) is chosen as a mitigation measure for building the pile, the permittee shall harvest corn used for the pile at an average moisture content of at least 65% and harvest other silage crops for the pile at an average moisture content of at least 60%. [District Rules 2201 and 4570]
21. For each silage pile that Option 3 (Moisture, TLC, Roller Opening, & Material Delivery) is chosen as a mitigation measure for building the pile, records of the average percent moisture of crops harvested for silage shall be maintained. [District Rules 2201 and 4570]
22. For each silage pile that Option 3 (Moisture, TLC, Roller Opening, & Material Delivery) is chosen as a mitigation measure for building the pile, the permittee shall adjust setting of equipment used to harvest crops for the pile to incorporate the following parameters for Theoretical Length of Chop (TLC) and roller opening, as applicable: 1) Corn with no processing: TLC not exceeding 1/2 inch, 2) Processed Corn: TLC not exceeding 3/4 inch and roller opening of 1-4 mm, 3) Alfalfa/Grass: TLC not exceeding 1.0 inch, 4) Other silage crops: TLC not exceeding 1/2 inch. [District Rules 2201 and 4570]
23. For each silage pile that Option 3 (Moisture, TLC, Roller Opening, & Material Delivery) is chosen as a mitigation measure for building the pile, records that equipment used to harvest crops for the pile was set to the required TLC and roller opening for the type of crop harvested shall be maintained. [District Rules 2201 and 4570]
24. For each silage pile that Option 3 (Moisture, TLC, Roller Opening, & Material Delivery) is chosen as a mitigation measure for building the pile, the permittee shall manage silage material delivery such that the thickness of the layer of un-compacted material delivered on top of the pile is no more than six (6) inches. [District Rules 2201 and 4570]
25. For each silage pile that Option 3 (Moisture, TLC, Roller Opening, & Material Delivery) is chosen as a mitigation measure for building the pile, the permittee shall maintain a plan that requires that the thickness of the layer of un-compacted material delivered on top of the pile is no more than six (6) inches. [District Rules 2201 and 4570]
26. Permittee shall select and implement at least two of the following mitigation measures for management of silage piles at the facility: Option 1) manage silage piles such that only one silage pile has an uncovered face and the total exposed surface area is less than 2,150 square feet, or manage multiple uncovered silage piles such that the total exposed surface area of all uncovered silage piles is less than 4,300 square feet; Option 2) use a shaver/facer to remove silage from the silage pile, or shall use another method to maintain a smooth vertical surface on the working face of the silage pile; or Option 3) inoculate silage with homolactic lactic acid bacteria in accordance with manufacturer recommendations to achieve a concentration of at least 100,000 colony forming units per gram of wet forage, apply propionic acid, benzoic acid, sorbic acid, sodium benzoate, or potassium sorbate at the rate specified by the manufacturer to reduce yeast counts when forming silage piles, or apply other additives at rates that have been demonstrated to reduce alcohol concentrations in silage and/or VOC emissions from silage and have been approved by the District and EPA. Records of the options chosen for managing each silage pile shall be maintained. [District Rules 2201 and 4570]
27. If Option 1 (Limiting Exposed Area of Silage) is chosen as a mitigation measure for managing silage piles, the permittee shall calculate and record the maximum (largest part of pile) total exposed area of each silage pile. Records of the maximum calculated area shall be maintained. [District Rules 2201 and 4570]
28. For each silage pile that Option 2 (Shaver/Facer or Smooth Face) is chosen as a mitigation measure for managing the pile, the permittee shall maintain records that a shaver/facer was used to remove silage from the pile or shall visually inspect the pile at least daily to verify that the working face was smooth and maintain records of the visual inspections. [District Rules 2201 and 4570]
29. For each silage pile that Option 3 (Silage Additives) is chosen as a mitigation measure for managing the pile, records shall be maintained of the type additive (e.g. inoculants, preservative, other District & EPA-approved additive), the quantity of the additive applied to the pile, and a copy of the manufacturers instructions for application of the additive. [District Rules 2201 and 4570]
30. Permittee shall keep and maintain all records for a minimum of five (5) years and shall make records available to the APCO and EPA upon request. [District Rules 2201 and 4570]
31. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]