



SEP 1 1 2017

Mr. David Campbell San Joaquin Refining Company, Inc. PO Box 5576 Bakersfield, CA 93388

Final - Authority to Construct / Certificate of Conformity (Significant Mod)

District Facility # S-36 Project # 1170829

Dear Mr. Campbell:

The Air Pollution Control Officer has issued Authority to Construct (ATC) S-36-81-4 with a Certificate of Conformity to San Joaquin Refining Company, Inc at Standard and Shell St, Bakersfield. The project authorizes a tank modification. Enclosed are the ATC and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue the ATC was published on July 20, 2017. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on July 13, 2017. No comments were received following the District's preliminary decision on this project.

Prior to operating with the modifications authorized by the ATC, you must submit an application to modify the Title V permit as an administrative amendment in accordance with District Rule 2520, Section 11.5. Application forms are found on the District's website at www.vallevair.org/permits/TVforms.

> Seyed Sadredin Executive Director/Air Pollution Control Officer

Mr. David Campbell Page 2

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Leonard Scandura, Permit Services Manager, at (661) 392-5500.

Sincerely,

Arnaud Marjollet
Director of Permit Services

Enclosures

CC:

Tung Le, CARB (w/enclosure) via email Gerardo C. Rios, EPA (w/enclosure) via email CC:





Facility # S-36 SAN JOAQUIN REFINING CO PO BOX 5576 BAKERSFIELD, CA 93388

AUTHORITY TO CONSTRUCT (ATC) QUICK START GUIDE

- 1. Pay Invoice: Please pay enclosed invoice before due date.
- 2. Modify Your Title V Permit. Prior to operating the equipment authorized under this ATC, submit an application to modify your Title V permit. See application forms at http://www.valleyair.org/busind/pto/ptoforms/1ptoformidx.htm.
- 3. Fully Understand ATC: Make sure you understand ALL conditions in the ATC prior to construction, modification and/or operation.
- 4. Follow ATC: You must construct, modify and/or operate your equipment as specified on the ATC. Any unspecified changes may require a new ATC.
- 5. Notify District: You must notify the District's Compliance Department, at the telephone numbers below, upon start-up and/or operation under the ATC. Please record the date construction or modification commenced and the date the equipment began operation under the ATC. You may NOT operate your equipment until you have notified the District's Compliance Department. A startup inspection may be required prior to receiving your Permit to Operate.
- 6. Source Test: Schedule and perform any required source testing. See http://www.valleyair.org/busind/comply/source testing.htm for source testing resources.
- 7. Maintain Records: Maintain all records required by ATC. Records are reviewed during every inspection (or upon request) and must be retained for at least 5 years. Sample record keeping forms can be found at http://www.valleyair.org/busind/comply/compliance forms.htm.

By operating in compliance, you are doing your part to improve air quality for all Valley residents.

For assistance, please contact District Compliance staff at any of the telephone numbers listed below.

> Seyed Sadredin Executive Director/Air Pollution Control Officer

Northern Region 4800 Enterprise Way Modesto, CA 95356-8718 Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office) 1990 E. Gettysburg Avenue Fresno, CA 93726-0244 Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region 34946 Flyover Court Bakersfield, CA 93308-9725 Tel: 661-392-5500 FAX: 661-392-5585





AUTHORITY TO CONSTRUCT

PERMIT NO: S-36-81-4

ISSUANCE DATE: 09/05/2017

LEGAL OWNER OR OPERATOR: SAN JOAQUIN REFINING CO.

MAILING ADDRESS:

PO BOX 5576

BAKERSFIELD, CA 93388

LOCATION:

STANDARD AND SHELL ST BAKERSFIELD, CA 93308

SECTION: 24 TOWNSHIP: 29S RANGE: 27E

EQUIPMENT DESCRIPTION:

MODIFICATION OF 84.000 GALLON FIXED ROOF NAPHTHA STORAGE TANK WITH HMT TANK SERVICE INC.

INTERNAL FLOATING ROOF: COVERT TO FIXED ROOF TANK, LOWER TVP LIMIT TO 0.5 PSIA

CONDITIONS

- This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
- Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
- Prior to operating equipment under this Authority to Construct, permittee shall surrender VOC emission reduction credits for the following quantity of emissions: 1st quarter - 405 lb, 2nd quarter - 405 lb, 3rd quarter - 406 lb, and fourth quarter - 406 lb. These amounts include the applicable offset ratio specified in Rule 2201 Section 4.8 (as amended 2/18/16) for the ERC specified below. [District Rule 2201] Federally Enforceable Through Title V Permit
- ERC Certificate Number S-4741-1 (or a certificate split from this certificate) shall be used to supply the required offsets, unless a revised offsetting proposal is received and approved by the District, upon which this Authority to Construct shall be reissued, administratively specifying the new offsetting proposal. Original public noticing requirements, if any, shall be duplicated prior to reissuance of this Authority to Construct. [District Rule 2201] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (661) 392-5500 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seved Sadredin, Executive Director / APCO

Whald Marjollet, Director of Permit Services

- 5. This tank shall only store, place, or hold organic liquid with a true vapor pressure (TVP) of less than 0.5 psia under all storage conditions. [District Rules 2201 and 4623] Federally Enforceable Through Title V Permit
- 6. Throughput of organic liquids shall not exceed 2,000 barrels in any one day nor 136,875 bbl in any one year. [District Rule 2201] Federally Enforceable Through Title V Permit
- 7. This tank shall be equipped with a pressure-vacuum (PV) relief valve set to within 10% of the maximum allowable working pressure of the tank, permanently labeled with the operating pressure settings, and properly maintained in good operating order in accordance with the manufacturer's instructions. [District Rule 4623] Federally Enforceable Through Title V Permit
- 8. Permittee shall conduct true vapor pressure (TVP) testing of the organic liquid stored in this tank at least once every 24 months during summer (July September), and/or whenever there is a change in the source or type of organic liquid stored in this tank in order to maintain exemption from the rule. [District Rule 4623] Federally Enforceable Through Title V Permit
- 9. The TVP testing shall be conducted at actual storage temperature of the organic liquid in the tank. The permittee shall also conduct an API gravity testing. [District Rule 4623] Federally Enforceable Through Title V Permit
- 10. For crude oil with an API gravity of 26 degrees or less, the TVP shall be determined using the latest version of the Lawrence Berkeley National Laboratory "test Method for Vapor pressure of Reactive Organic Compounds in Heavy Crude Oil Using Gas Chromatograph", as approved by ARB and EPA. [District Rule 4623] Federally Enforceable Through Title V Permit
- 11. The API gravity of crude oil or petroleum distillate shall be determined by using ASTM Method D 287 e1 "Standard Test Method for API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method). Sampling for API gravity shall be performed in accordance with ASTM Method D 4057 "Standard Practices for Manual Sampling of Petroleum and Petroleum Products." [District Rule 4623] Federally Enforceable Through Title V Permit
- 12. Permittee shall maintain monthly records of average daily throughput and shall keep accurate records of each organic liquid stored in the tank, including its storage temperature, TVP, and API gravity. [District Rule 4623] Federally Enforceable Through Title V Permit
- 13. The permittee shall keep accurate records of true vapor pressure, storage temperature and daily throughput rate, for a period of five years, and shall make such records available for District inspection upon request. [District Rule 2201 and 2520, 9.3.2, 9.4.2] Federally Enforceable Through Title V Permit
- 14. Permittee shall submit the records of TVP and API gravity testing to the APCO within 45 days after the date of testing. The records shall include the tank identification number, Permit to Operate number, type of stored organic liquid, TVP and API gravity of the organic liquid, test methods used, and a copy of the test results. [District Rule 4623] Federally Enforceable Through Title V Permit
- 15. Compliance with permit conditions in the Title V permit shall be deemed compliance with the requirements of SJVUAPCD Rule 4403 (as amended February 16, 1995) because units that qualify to use this template are not components serving light crude oil or gases at light crude oil and gas production facilities and are not components at natural gas processing facilities. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit