

APR 06 2018

Mr. Rene Soto
Bronco Wine Company
PO Box 789
Ceres, CA 95307

Re: Final - Authorities to Construct/Certificates of Conformity (Significant Mod)
Facility Number: N-1665
Project Number: N-1172886

Dear Mr. Soto:

The Air Pollution Control Officer has issued Authorities to Construct (ATCs) N-1665-497-4 to '-506-4, '-508-3 to '-513-3 with Certificates of Conformity to Bronco Wine Company at 6342 Bystrum Road, Ceres. The proposed project is to establish a combined total VOC emissions limit for wine storage tanks operating under permits N-1665-497 through '-506, and '-508 through '-513. This combined total VOC emission limit will replace the existing annual throughput limit in each permit. Enclosed are the ATCs and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue the ATCs was published on February 27, 2018. The District's analysis of the proposal was also sent to CARB and US EPA Region IX on February 20, 2018. No comments were received following the District's preliminary decision on this project.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Nick Peirce, Permit Services Manager, at (209) 557-6400.

Sincerely,



Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Tung Le, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via email

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



Facility # N-1665
BRONCO WINE COMPANY
PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

AUTHORITY TO CONSTRUCT (ATC)

QUICK START GUIDE

1. **Pay Invoice:** Please pay enclosed invoice before due date.
2. **Modify Your Title V Permit.** Prior to operating the equipment authorized under this ATC, submit an application to modify your Title V permit. See application forms at <http://www.valleyair.org/busind/pto/ptoforms/1ptoformidx.htm>.
3. **Fully Understand ATC:** Make sure you understand ALL conditions in the ATC prior to construction, modification and/or operation.
4. **Follow ATC:** You must construct, modify and/or operate your equipment as specified on the ATC. Any unspecified changes may require a new ATC.
5. **Notify District:** You must notify the District's Compliance Department, at the telephone numbers below, upon start-up and/or operation under the ATC. Please record the date construction or modification commenced and the date the equipment began operation under the ATC. You may NOT operate your equipment until you have notified the District's Compliance Department. A startup inspection may be required prior to receiving your Permit to Operate.
6. **Source Test:** Schedule and perform any required source testing. See http://www.valleyair.org/busind/comply/source_testing.htm for source testing resources.
7. **Maintain Records:** Maintain all records required by ATC. Records are reviewed during every inspection (or upon request) and must be retained for at least 5 years. Sample record keeping forms can be found at http://www.valleyair.org/busind/comply/compliance_forms.htm.

By operating in compliance, you are doing your part to improve air quality for all Valley residents.

**For assistance, please contact District Compliance staff at
any of the telephone numbers listed below.**

Seyed Sadredin
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-8400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34948 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-497-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1410) WITH PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-1665-497-4 Apr 3 2018 4:58PM - KAILONJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-498-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1411) WITH PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '506, '508 THROUGH '513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjolle, Director of Permit Services

N-1665-498-4 Apr 3 2018 4:58PM - KAHLOJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-499-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1412) WITH A PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-1665-499-4 : Apr 3 2018 4:58PM - KAHLOJNJ : Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-500-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1413) WITH A PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-1665-500-4 Apr 3 2018 4:58PM - KAH/LOJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-501-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:
MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1414) WITH PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-1665-501-4 Apr 3 2018 4:58PM -- KAHLOJN Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-502-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1415) WITH PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


Arnaud Marjollet, Director of Permit Services

N-1665-502-4 Apr 3 2018 4:58PM - KAHLONJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-503-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:
MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1416) WITH PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans; specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


Arnaud Marjollet, Director of Permit Services

N-1665-503-4 Apr 3 2018 4:58PM -- KAH/LONJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-504-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1417) WITH A PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-1665-504-4 Apr 3 2018 4:56PM - KAHLONJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-505-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1418) WITH A PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


Arnaud Marjollet, Director of Permit Services

N-1665-505-4 Apr 3 2018 4:58PM - KAHLOUJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-506-4

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,218 GALLON INSULATED STAINLESS STEEL WINE STORAGE TANK (TANK 1419) WITH A PRESSURE/VACUUM VALVE: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


Arnaud Marjollet, Director of Permit Services

N-1665-506-4 Apr 3 2018 4:55PM - KAHLOUJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 15,000 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent: $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-508-3

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 23,609 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B231) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director, APCCO


Arnaud Marjolle, Director of Permit Services

N-1665-508-3 Apr 3 2018 4:58 PM - KAH/LONJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 23,609 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-509-3

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 23,609 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B232) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit


CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


Arnaud Marjollet, Director of Permit Services
N-1665-509-3 Apr 3 2018 4:58 PM -- KAHILONJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 23,609 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-510-3

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:

MODIFICATION OF 14,376 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B141) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

Arnaud Marjollet, Director of Permit Services

N-1665-510-3 Apr 3 2018 4:58PM - KAH/LONJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 14,376 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-511-3

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:
MODIFICATION OF 14,376 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B142) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO


Arnaud Marjollet, Director of Permit Services

N-1665-511-3 Apr 3 2018 4:59PM - KAH/LON/J Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 14,376 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-512-3

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:
MODIFICATION OF 7,290 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B71) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513


CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services
N-1665-512-3 Apr 3 2018 4:59PM -- KAH/LONJ - Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 7,290 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent, $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit



AUTHORITY TO CONSTRUCT

PERMIT NO: N-1665-513-3

ISSUANCE DATE: 04/03/2018

LEGAL OWNER OR OPERATOR: BRONCO WINE COMPANY
MAILING ADDRESS: PO BOX 789 - ATTN: ENV COMPLIANCE
CERES, CA 95307

LOCATION: 6342 BYSTRUM RD
CERES, CA 95307

EQUIPMENT DESCRIPTION:
MODIFICATION OF 7,290 GALLON STAINLESS STEEL WINE STORAGE TANK (TANK B72) WITH PRESSURE/VACUUM VALVE LOCATED INSIDE A CLIMATE CONTROLLED BUILDING: REPLACE ANNUAL THROUGHPUT LIMIT WITH A COMBINED ANNUAL VOC EMISSION LIMIT FOR THE TANKS UNDER PERMITS N-1665-497 THROUGH '-506, '-508 THROUGH '-513

CONDITIONS

1. This Authority to Construct serves as a written certificate of conformity with the procedural requirements of 40 CFR 70.7 and 70.8 and with the compliance requirements of 40 CFR 70.6(c). [District Rule 2201] Federally Enforceable Through Title V Permit
2. Prior to operating with modifications authorized by this Authority to Construct, the facility shall submit an application to modify the Title V permit with an administrative amendment in accordance with District Rule 2520 Section 5.3.4. [District Rule 2520, 5.3.4] Federally Enforceable Through Title V Permit
3. This tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit
4. The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rules 2201 and 4694, 5.2.1] Federally Enforceable Through Title V Permit

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjolet, Director of Permit Services

N-1665-513-3 Apr 3 2018 4:58PM -- KAH/LOUJ Joint Inspection NOT Required

5. The temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rules 2201 and 4694, 5.2.2] Federally Enforceable Through Title V Permit
6. The ethanol content of wine stored in this tank shall not exceed 14.0 percent by volume. [District Rule 2201] Federally Enforceable Through Title V Permit
7. The maximum wine storage throughput in this tank shall not exceed 7,290 gallons per day. [District Rule 2201] Federally Enforceable Through Title V Permit
8. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513, calculated on a twelve month rolling basis, shall not exceed 720 pounds per year. [District Rule 2201] Federally Enforceable Through Title V Permit
9. Combined annual VOC emissions from wine storage operations under permit units N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 shall be determined as the sum of the emissions for each individual wine movement based on the volume transferred in each wine movement and the batch-specific wine storage emission factor calculated using the equation(s) specified within this permit. [District Rule 2201] Federally Enforceable Through Title V Permit
10. The annual VOC wine storage emission factor (EF) for each wine transfer shall be selected from the following emission factors based on the ethanol content of the wine transferred: For wine with ethanol content less than 8 volume percent: $EF = 0.067 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 8 and less than 10 volume percent, $EF = 0.088 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; for wine with ethanol content equal to 10 and less than 12 volume percent, $EF = 0.112 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$; and for wine with ethanol content equal to 12 and less than or equal to 14 volume percent, $EF = 0.128 \text{ lb-VOC}/1,000 \text{ gallons of wine throughput}$. [District Rule 2201] Federally Enforceable Through Title V Permit
11. Daily throughput records, including records of filling and emptying operations, the dates of such operations, a unique identifier for each batch, the volume percent ethanol in the batch, and the volume of wine transferred, shall be maintained. [District Rules 1070 and 2201] Federally Enforceable Through Title V Permit
12. The operator shall record, on a daily basis, total gallons of wine contained in the tank. [District Rules 2201 and 4694] Federally Enforceable Through Title V Permit
13. The operator shall maintain records of the calculated 12 month rolling total VOC emissions from the wine storage tanks under permits N-1665-497 through N-1665-506 and N-1665-508 through N-1665-513 (lb per 12 month rolling period, calculated monthly). [District Rule 2201] Federally Enforceable Through Title V Permit
14. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070, 2201 and 4694] Federally Enforceable Through Title V Permit