



AUG 07 2018

Mr. Dan Schloss
Foam Fabricators, Inc
301 B 9th St
Modesto, CA 95351

Re: Notice of Preliminary Decision – Title V Permit Renewal
Facility Number: N-1904
Project Number: N-1171012

Dear Mr. Schloss:

Enclosed for your review and comment is the District's analysis of the application to renew the Federally Mandated Operating Permit for Foam Fabricators, Inc at 301 B 9th St, Modesto, California.

The notice of preliminary decision for this project will be published approximately three days from the date of this letter. After addressing all comments made during the 30-day public notice and the 45-day EPA comment periods, the District intends to issue the renewed Federally Mandated Operating Permit. Please submit your written comments on this project within the 30-day public comment period, as specified in the enclosed public notice.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Errol Villegas, Permit Services Manager, at (559) 230-5900.

Sincerely,

Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Ricardo Flores, Associates Environmental (w/enclosure)
cc: Tung Le, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via email

Samir Sheikh
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

**SAN JOAQUIN VALLEY
AIR POLLUTION CONTROL DISTRICT**

**Proposed Title V Permit Renewal Evaluation
Foam Fabricators, Inc
N-1904**

TABLE OF CONTENTS

| | | |
|-------------------|--|----|
| I. | PROPOSAL | 2 |
| II. | FACILITY LOCATION | 2 |
| III. | EQUIPMENT LISTING | 3 |
| IV. | GENERAL PERMIT TEMPLATE USAGE | 3 |
| V. | SCOPE OF EPA AND PUBLIC REVIEW | 3 |
| VI. | FEDERALLY ENFORCEABLE REQUIREMENTS | 4 |
| VII. | REQUIREMENTS NOT FEDERALLY ENFORCEABLE | 7 |
| VIII. | PERMIT REQUIREMENTS | 7 |
| IX. | PERMIT SHIELD | 15 |
| X. | CALIFORNIA ENVIRONMENTAL QUALITY ACT | 15 |
| XI. | PERMIT CONDITIONS | 15 |
| ATTACHMENTS | | 16 |
| A. | DRAFT RENEWED TITLE V OPERATING PERMIT | |
| B. | PREVIOUS TITLE V OPERATING PERMIT | |
| C. | DETAILED SUMMARY LIST OF FACILITY PERMITS | |

TITLE V PERMIT RENEWAL EVALUATION
Expandable Polystyrene Manufacturing Facility

Engineer: Gurpreet Brar
Date: July 25, 2018

Facility Number: N-1904
Facility Name: Foam Fabricators, Inc
Mailing Address: 301 B 9th St
Modesto, CA 95351

Contact Name: Ricardo Flores
Phone: (562) 652-4727

Responsible Official: Dan Schloss
Title: Regional Operations Manager

Project # : N-1171012
Deemed Complete: April 3, 2017

I. PROPOSAL

Foam Fabricators, Inc was issued a Title V permit on November 30, 2012. As required by District Rule 2520, the applicant is requesting a permit renewal. The existing Title V permit shall be reviewed and modified to reflect all applicable District and federal rules updated, removed, or added since the issuance of the initial Title V permit.

The purpose of this evaluation is to provide the legal and factual basis for all updated applicable requirements and to determine if the facility will comply with these updated requirements. It also specifically identifies all additions, deletions, and/or changes made to permit conditions or equipment descriptions.

II. FACILITY LOCATION

Foam Fabricators Inc. is located at 301 B 9th St in Modesto, CA.

III. EQUIPMENT LISTING

A detailed facility printout listing all permitted equipment at the facility is included as Attachment C.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant is requesting to use the following model general permit Templates:

A. Template SJV-UM-0-3 Facility Wide Umbrella

The applicant has requested to utilize template No. SJV-UM-0-3, Facility Wide Umbrella. Based on the information submitted in the Template Qualification Form, the applicant qualifies for the use of this template.

V. SCOPE OF EPA AND PUBLIC REVIEW

Certain segments of the proposed Renewed Operating Permit are based on model general permit templates that have been previously subject to EPA and public review. The terms and conditions from the model general permit templates are included in the proposed permit and are not subject to further EPA and public review.

For permit applications utilizing model general permit templates, public and agency comments on the District's proposed actions are limited to the applicant's eligibility for model general permit template, applicable requirements not covered by the model general permit template, and the applicable procedural requirements for issuance of Title V Operating Permits.

The following permit conditions, including their underlying applicable requirements, originate from model general permit templates and are not subject to further EPA or public review.

| Renewed Permit | Permit Conditions |
|-----------------------|--------------------------|
| N-1904-0-2 | 1 through 40 |

All other federally enforceable conditions in this Title V permit will be subject to EPA and public review.

VI. FEDERALLY ENFORCEABLE REQUIREMENTS

A. Rules Updated or Evaluated

- District Rule 2020, Exemptions
(amended August 11, 2011 ⇒ amended December 18, 2014)
- District Rule 2201, New and Modified Stationary Source Review Rule
(amended April 21, 2011 ⇒ amended February 18, 2016)
- District Rule 2520, Federally Mandated Operating Permits
(amended June 21, 2001)
- 40 CFR Part 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units (amended February 16, 2012)
- 40 CFR 63 Subpart DDDDD, National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters (amended November 20, 2015)
- 40 CFR 63 Subpart JJJJJJ, National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boiler Area Sources (amended September 14, 2016)
- 40 CFR Part 64, Compliance Assurance Monitoring
(adopted October 22, 1997)
- 40 CFR Part 82, Subpart B, Servicing of Motor Vehicle Air Conditioners
(amended June 18, 2008 ⇒ amended June 25, 2013)
- 40 CFR Part 82, Subpart F, Recycling and Emissions Reduction
(amended June 18, 2008 ⇒ amended December 27, 2017)

B. Rules Removed

There are no applicable rules that were removed since the previous Title V permit was issued.

C. Rules Added

- District Rule 2410, Prevention of Significant Deterioration (adopted June 16, 2011)

D. Rules Not Updated

- District Rule 1070, Inspections (amended December 17, 1992)
- District Rule 1080, Stack Monitoring (amended December 17, 1992)
- District Rule 1081, Source Sampling (amended December 17, 1992)
- District Rule 1100, Equipment Breakdown (amended December 17, 1992)
- District Rule 1160, Emission Statements (adopted November 18, 1992)
- District Rule 2010, Permits Required (amended December 17, 1992)
- District Rule 2031, Transfer of Permits (amended December 17, 1992)
- District Rule 2040, Applications (amended December 17, 1992)
- District Rule 2070, Standards for Granting Applications (amended December 17, 1992)
- District Rule 2080, Conditional Approval (amended December 17, 1992)
- District Rule 4101, Visible Emissions (amended February 17, 2005)
- District Rule 4201, Particulate Matter Concentration (amended December 17, 1992)
- District Rule 4301, Fuel Burning Equipment (amended December 17, 1992)
- District Rule 4304, Equipment Tuning Procedures for Boilers, Steam Generators, and Process Heaters (amended October 19, 1995)
- District Rule 4305, Boilers, Steam Generators, and Process Heaters - Phase 2 (amended August 21, 2003)
- District Rule 4306, Boilers, Steam Generators, and Process Heaters - Phase 3 (amended October 16, 2008)
- District Rule 4320, Advanced Emission Reduction Options for Boilers, Steam Generators, and Process Heaters Greater than 5.0 MMBtu/hr (adopted October 16, 2008)

- District Rule 4351, Boilers, Steam Generators, and Process Heaters - Phase 1 (amended August 21, 2003)
- District Rule 4601, Architectural Coatings (amended December 17, 2009)
- District Rule 4682, Polystyrene, Polyethylene, and Polypropylene Products Manufacturing (amended December 15, 2011)
- District Rule 4801, Sulfur Compounds (amended December 17, 1992)
- District Rule 8011, General Requirements (amended August 19, 2004)
- District Rule 8021, Construction, Demolition, Excavation, Extraction and Other Earthmoving Activities (amended August 19, 2004)
- District Rule 8031, Bulk Materials (amended August 19, 2004)
- District Rule 8041, Carryout and Trackout (amended August 19, 2004)
- District Rule 8051, Open Areas (amended August 19, 2004)
- District Rule 8061, Paved and Unpaved Roads (amended August 19, 2004)
- District Rule 8071, Unpaved Vehicle/Equipment Traffic Areas (amended August 19, 2004)
- 40 CFR Part 60 Subpart DDD, Standards of Performance for Volatile Organic Compound (VOC) Emissions from the Polymer Manufacturing Industry (amended December 14, 2000)
- 40 CFR Part 61, Subpart M, National Emission Standard for Asbestos (amended July 20, 2004)

VII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits. The terms and conditions that are part of the facility's Title V permit are designated as "Federally Enforceable Through Title V Permit".

For this facility, the following are not federally enforceable and will not be discussed in further detail:

A. Rules Added/Updated

None.

B. Rules Not Updated

- District Rule 4102, Nuisance (as amended December 17, 1992)

The following condition on the draft facility-wide permit N-1904-0-2 is based on District Rule 4102 and will therefore not be discussed any further.

| Renewed Permit | Permit Condition |
|----------------|------------------|
| N-1904-0-2 | 41 |

VIII. PERMIT REQUIREMENTS

The purpose of this evaluation is to review changes to federally enforceable requirements; therefore, this compliance section will only address rules that have been amended or added since the issuance of the initial Title V permit or most recent renewal of the Title V permit.

A. District Rule 2020, Exemptions

District Rule 2020 lists equipment which is specifically exempt from obtaining permits and specifies recordkeeping requirements to verify such exemptions.

The amendments to this rule involved (1) revisions to the HAP source definition, (2) incorporating additional EPA approved fuel sulfur test methods; (3) adding a small producer exemption for heavy oil storage tanks; (4) and clarifying the existing portable equipment exemption from permits.

The amendments to this rule do not have any effect on current permit requirements and will therefore not be addressed in this evaluation.

The following condition on the draft facility-wide permit will ensure compliance with the requirements of this rule.

| Renewed Permit | Permit Condition |
|-----------------------|-------------------------|
| N-1904-0-2 | 4 |

B. District Rule 2201, New and Modified Stationary Source Review (NSR) Rule

District Rule 2201 has been amended since this facility's initial Title V permit was issued. However, the requirements of this rule are only triggered at the time the source undergoes a modification. All applicable requirements from any NSR permit actions have already been incorporated into the current Title V permit.

C. District Rule 2410, Prevention of Significant Deterioration (PSD)

District Rule 2410 has been newly adopted since this Title V permit was last renewed. However the requirements of this rule are only triggered at the time the source undergoes a modification. This source has never been subject to this rule, therefore there are no PSD permit applicable requirements to include in the Title V permit.

D. District Rule 2520, Federally Mandated Operating Permits

No changes to this Rule have occurred since issuance of the previous Title V permit; however, greenhouse gas emissions will be addressed under Rule 2520 during this renewal.

Greenhouse Gas Discussion

There are no federally applicable Greenhouse Gas (GHG) requirements for this source. It should be noted that the Mandatory Greenhouse Gas Reporting rule (40 CFR Part 98) is not included in the definition of an applicable requirement within Title V (per 40 CFR 71.2). Therefore, there will be no further discussion of GHG in this evaluation.

E. 40 CFR Part 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units

The requirements of this Subpart apply to any steam generating unit which commenced construction, reconstruction, or modification after June 9, 1989, and that has a heat input rating greater than or equal to 10 MMBtu/hr but less than or equal to 100 MMBtu/hr.

The 12.6 MMBtu/hr boiler under permit unit N-1904-4 is a steam generating unit with a heat input rating between 10 and 100 MMBtu/hr and has commenced construction after June 9, 1989; therefore, it is subject to the requirements of this subpart. However, since this unit is fired exclusively on natural gas, it is not subject to any of the performance standards specified in the subpart. This boiler is only subject to the reporting and recordkeeping requirements in 40 CFR 60.48c. The requirements in 40 CFR 60.48c are not affected by the amended subpart. Therefore, continued compliance with the applicable requirements of subpart is expected.

The following conditions on the draft permit will ensure compliance with the requirements of this subpart.

| Renewed Permit | Permit Conditions |
|-----------------------|--------------------------|
| N-1904-4-5 | 6 and 25 |

F. 40 CFR 63 Subpart DDDDD, National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters

Section 63.7485 states that Subpart DDDDD is applicable to owners and operators of an industrial, commercial, or institutional boiler or process heater that is located at major sources of Hazardous Air Pollutant (HAP) emissions, except as specified in § 63.7491.

Pursuant to total HAP emissions calculated under project N-1110671, Foam Fabricators Inc. is not a Major Source of HAP emissions and is an area source for HAP emissions. There is no change in HAP emissions from the facility since this project; therefore, the boiler in this facility is not subject to this subpart, and no further discussion is required.

G. 40 CFR 63 Subpart JJJJJ, National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boiler Area Sources

Section 63.1193 states that Subpart JJJJJ is applicable to owners and operators of an industrial, commercial, or institutional boiler that is located at, or is part of, an area source of Hazardous Air Pollutant (HAP) emissions.

Section 63.11195(e) states that gas-fired boilers are not subject to the requirements of this Subpart. The boiler at this facility under permit unit N-1904-4 is fired only on PUC-quality natural gas; therefore, it is not subject to the requirements of this subpart, and no further discussion is required.

H. 40 CFR Part 64 - Compliance Assurance Monitoring (CAM)

40 CFR Part 64 requires Compliance Assurance Monitoring for units that meet the following three criteria:

- 1) the unit must have an emission limit for the pollutant;
- 2) the unit must have add-on controls for the pollutant; these are devices such as flue gas recirculation (FGR), baghouses, and catalytic oxidizers; and
- 3) the unit must have a pre-control potential to emit of greater than the major source thresholds.

| Pollutant | Major Source Threshold (lb/year) |
|------------------|---|
| NO _x | 20,000 |
| SO _x | 140,000 |
| PM ₁₀ | 140,000 |
| CO | 200,000 |
| VOC | 20,000 |

40 CFR Part 64 defines a control device as equipment, other than inherent process equipment, that is used to destroy or remove air pollutants prior to discharge to the atmosphere.

- a. N-1904-1-7: Expandable Polystyrene Pre-Expansion Process Served by a 1.2 MMBtu/hr Natural Gas Fired Regenerative Thermal Oxidizer (RTO) Shared with Permit Unit N-1904-2

NO_x, SO_x, PM₁₀, and CO:

This permit unit does not have emission limits for NO_x, SO_x, PM₁₀, and CO. Therefore, CAM is not required for these pollutants.

VOC:

This permit unit has an emissions limit for VOC and does have an add-on control in the form of a regenerative thermal oxidizer (RTO).

The current permit has VOC emissions limit of 0.00059 pounds per pound of expandable polystyrene (EPS) materials processed through the expander, and has a daily throughput limit of 36,000 pounds of EPS materials. For a worst case scenario it is assumed this unit operates for 365 days per year. The RTO has a VOC destruction efficiency of 95%.

The permit unit has VOC emissions from the expander, pre-puff storage/aging bins, and RTO. The uncontrolled potential emissions (PE) from the expander only will be calculated below:

$$\begin{aligned} PE_{\text{Uncontrolled}} &= 0.00059 \text{ lb-VOC/lb-EPS} \times 36,000 \text{ lb-EPS/day} \times (1/(1 - 0.95)) \\ &\quad \times 365 \text{ days/year} \\ &= 155,052 \text{ lb-VOC/year} \end{aligned}$$

Because the uncontrolled emissions are more than the major source threshold of 20,000 pounds of VOC per year, CAM is required for this permit unit. Since the RTO is already equipped with a continuous monitoring system to meet CAM, the permit unit is in compliance with the requirements of 40 CFR 64 for VOC.

The following conditions on the draft permit will ensure compliance with the requirements of this subpart.

| Renewed Permit | Permit Conditions |
|-----------------------|--------------------------|
| N-1904-1-7 | 8, 9, and 23 to 26 |

b. N-1904-2-5: Expandable Polystyrene Molding Operation Served by a 1.2 MMBtu/hr Natural Gas Fired Regenerative Thermal Oxidizer (RTO) Shared with Permit Unit N-1904-1

NO_x, SO_x, PM₁₀, and CO:

This permit unit does not have emission limits for NO_x, SO_x, PM₁₀, and CO. Therefore, CAM is not required for these pollutants.

VOC:

This permit unit has an emissions limit for VOC and does have an add-on control in the form of a regenerative thermal oxidizer (RTO).

The current permit has VOC emissions limit of 0.0014 pounds per pound of EPS materials processed in the molding presses and product storage, and has a daily throughput limit of 60,000 pounds of EPS materials. For a worst case scenario it is assumed that this unit operates for 365 days per year. The RTO has a VOC destruction efficiency of 95%.

The permit unit has VOC emissions from the molding presses and RTO. The uncontrolled emissions from the molding presses only will be calculated below:

$$\begin{aligned} PE_{\text{Uncontrolled}} &= 0.0014 \text{ lb-VOC/lb-EPS} \times 60,000 \text{ lb-EPS/day} \times (1/(1 - 0.95)) \\ &\quad \times 365 \text{ days/year} \\ &= 613,200 \text{ lb-VOC/year} \end{aligned}$$

Because the uncontrolled emissions are more than the major source threshold of 20,000 pounds of VOC per year, CAM is required for this permit unit. Since the permit unit is already equipped with a continuous monitoring system to meet CAM, it is in compliance with the requirements of 40 CFR 64 for VOC.

The following conditions on the draft permit will ensure compliance with the requirements of this subpart.

| Renewed Permit | Permit Conditions |
|-----------------------|--------------------------|
| N-1904-2-5 | 8, 9, and 24 to 27 |

c. N-1904-4-5: 12.6 MMBtu/hr Natural Gas-Fired Boiler with a Cleaver Brooks Low-NOx Burner and Flue Gas Recirculation

NOx:

This permit unit contains an emission limit for NOx and does have an add-on control in the form of a flue gas recirculation to control NOx emissions.

The boiler achieves 9 ppmvd NOx through the use of flue gas recirculation. The uncontrolled emission rate is estimated to be 30 ppmvd NOx @ 3% O₂, equivalent to 0.036 lb/MMBtu. For a worst case scenario it is assumed that this unit operates for 8,760 hours per year. Based on this emission rate, the uncontrolled potential to emit for NOx is calculated as follows:

$$\begin{aligned} PE_{\text{Uncontrolled}} &= 0.036 \text{ lb/MMBtu} \times 12.6 \text{ MMBtu/hour} \times 8,760 \text{ hours/year} \\ &= 3,974 \text{ lb-NOx/year} \end{aligned}$$

Because the uncontrolled emissions are less than the major source threshold of 20,000 pounds of NOx per year, CAM is also not triggered for NOx.

SOx, PM₁₀, CO, and VOC:

This permit unit has emission limits for SOx, PM₁₀, CO, and VOC. Since there are no emission controls for SOx, PM₁₀, CO and VOC, CAM is not required for these pollutants.

I. **40 CFR Part 82, Subpart B - Servicing of Motor Vehicle Air Conditioners**

The purpose of 40 CFR Part 82 Subpart B is to implement section 609 of the Clean Air Act, as amended regarding the servicing of motor vehicle air conditioners (MVACs), and to implement section 608 of the Clean Air Act regarding certain servicing, maintenance, repair and disposal of air conditioners in MVACs and MVAC-like appliances.

These regulations apply to any person performing service on a motor vehicle for consideration when this service involves the refrigerant in the motor vehicle air conditioner.

The amendments to this rule do not have any effect on current permit requirements and will therefore not be addressed further in this evaluation.

| Renewed Permit | Permit Condition |
|-----------------------|-------------------------|
| N-1904-0-2 | 28 |

J. 40 CFR Part 82, Subpart F - Recycling and Emissions Reduction

The purpose of 40 CFR Part 82 Subpart F is to reduce emissions of class I and class II refrigerants and their substitutes to the lowest achievable level by maximizing the recapture and recycling of such refrigerants during the service, maintenance, repair, and disposal of appliances and restricting the sale of refrigerants consisting in whole or in part of a class I and class II ODS in accordance with Title VI of the Clean Air Act.

These regulations apply to any person servicing, maintaining, or repairing appliances. This subpart also applies to persons disposing of appliances, including small appliances and motor vehicle air conditioners. In addition, this subpart applies to refrigerant reclaimers, technician certifying programs, appliance owners and operators, manufacturers of appliances, manufacturer of recycling and recovery equipment, approved recycling and recovery equipment testing organizations, persons selling class I or class II refrigerants or offering class I or class II refrigerants for sale, and persons purchasing class I or class II refrigerants.

The amendments to this rule do not have any effect on current permit requirements and will therefore not be addressed further in this evaluation.

The following condition on the renewed permit is a mechanism to ensure compliance with the requirements of this section:

| Renewed Permit | Permit Condition |
|-----------------------|-------------------------|
| N-1904-0-2 | 27 |

IX. PERMIT SHIELD

A permit shield legally protects a facility from enforcement of the shielded regulations when a source is in compliance with the terms and conditions of the Title V permit. Compliance with the terms and conditions of the Operating Permit is considered compliance with all applicable requirements upon which those conditions are based, including those that have been subsumed.

A. Requirements Addressed by Model General Permit Templates

Model General Permit Template SJV-UM-0-3:

By submitting Model General Permit Template SJV-UM-0-3 qualification form, the applicant has requested that a permit shield be granted for all the applicable requirements identified by the template. Therefore, the permit shields as granted in Model General Permit Template are included as conditions 39 and 40 of the facility-wide requirements (N-1904-0-2).

X. CALIFORNIA ENVIRONMENTAL QUALITY ACT

The purpose of the Title V permit renewal is to update the permit to ensure that any changes to regulations since the issuance of the initial Title V permit or most recent renewal of the Title V permit are incorporated as permit requirements.

Per the California Environmental Quality Act (CEQA) Statute §21080.24, and CEQA Guidelines §15281, the issuance, modification, amendment, or renewal of any permit by an air pollution control district or air quality management district pursuant to Title V is exempt from CEQA, unless the issuance, modification, amendment, or renewal authorizes a physical or operational change to a source or facility. There will be no physical or operational change to the source or facility nor will the Title V permit renewal authorize a physical or operational change to the source or facility. Therefore, this project, a Title V permit renewal, is subject to a ministerial action that is exempt from CEQA.

XI. PERMIT CONDITIONS

See Attachment A - Draft Renewed Title V Operating Permit.

ATTACHMENTS

- A. Draft Renewed Title V Operating Permit**
- B. Previous Title V Operating Permit**
- C. Detailed Summary List of Facility Permits**

ATTACHMENT A

Draft Renewed Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: N-1904-0-2

EXPIRATION DATE: 09/30/2017

FACILITY-WIDE REQUIREMENTS

1. {4362} The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. {4363} The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. {4364} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. {4365} Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. {4366} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. {4367} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. {4368} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. {4369} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: FOAM FABRICATORS, INC
Location: 301 B 9TH ST, MODESTO, CA 95351
N-1904-0-2 JUL 25 2010 3:18PM - BRARG

9. {4370} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
10. {4371} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. {4372} Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. {4373} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. {4374} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. {4375} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. {4376} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. {4377} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. {4378} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. {4379} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. {4380} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. {4381} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. {4382} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

22. {4383} No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit
23. {4384} No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. {4385} All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. {4386} The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. {4387} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. {4388} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. {4389} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. {4390} Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
30. {4391} Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
31. {4392} An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
32. {4393} Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit
33. {4394} Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

34. {4395} Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit
35. {4396} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit
36. {4397} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. {4398} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. {4399} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. {4400} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), Rule 111 (Kern, Tulare, Kings), and Rule 202 (Fresno, Kern, Tulare, Kings, Madera, Stanislaus, Merced, San Joaquin). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. {4401} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. {98} No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
42. The reporting period for the Report of Required Monitoring and the Compliance Certification Report begin on December 1 of every year, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days of the end of reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1904-1-7

EXPIRATION DATE: 09/30/2017

EQUIPMENT DESCRIPTION:

EXPANDABLE POLYSTYRENE PRE-EXPANSION PROCESS CONSISTING OF A HIRSCH VACUTRANS MODEL 6000 EXPANDER, AND A PRE-PUFF STORAGE/AGING PERMANENT TOTAL ENCLOSURE (PTE) CONTAINING 20 PRE-PUFF STORAGE/AGING BINS. EACH EXPANDER, PRE-PUFF STORAGE/AGING BIN, AND THE PTE ARE SERVED BY A VOC COLLECTION SYSTEM VENTED TO A SHARED 1.2 MMBTU/HR SHIP & SHORE MODEL SSE-5000-RTO NATURAL GAS-FIRED REGENERATIVE THERMAL OXIDIZER (RTO) (SHARED WITH PERMIT UNIT N-1904-2)

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The concentration of sulfur compounds in the exhaust of the thermal oxidizer shall not exceed 0.2% by volume as measured on a dry basis over a 15 minute period [District Rule 4801] Federally Enforceable Through Title V Permit
3. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The regenerative thermal oxidizer (RTO) shall only be fired on PUC-regulated natural gas. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Each expander, pre-puff storage/aging bin, and permanent total enclosure shall be maintained under negative pressure and shall be vented through the regenerative thermal oxidizer at all times when expandable polystyrene (EPS) materials are processed. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
6. The VOC collection system serving the expander, pre-puff storage/aging bins, and permanent total enclosure shall be operated and maintained at a capture efficiency of 100%. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
7. The regenerative thermal oxidizer (RTO) shall be operated with a minimum VOC destruction efficiency of 95%. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
8. The combustion zone of the regenerative thermal oxidizer (RTO) shall be operated at a minimum temperature of 1,400 degrees Fahrenheit. The combustion zone of the RTO shall be pre-heated to 1,400 degrees Fahrenheit prior to the start-up of this EPS materials pre-expansion operation. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
9. The regenerative thermal oxidizer (RTO) shall be equipped with an operational continuous temperature monitoring and recording instrument to measure and record the temperature of the RTO combustion zone. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
10. No more than 36,000 pounds of expandable polystyrene (EPS) materials shall be processed through the expander and conveyed into the pre-puff storage/aging bins in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. VOC emissions from the expander shall not exceed 0.00059 pounds per pound of EPS materials processed. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

12. VOC emissions from the pre-puff storage/aging bins shall not exceed 0.00047 pounds per pound of EPS materials processed. [District Rule 2201] Federally Enforceable Through Title V Permit
13. NOx emissions from the regenerative thermal oxidizer (RTO) shall not exceed 50 ppmvd @ 3% O2 (referenced as NO2) or 0.0607 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
14. CO emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.084 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
15. VOC emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.0055 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
16. PM10 emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.0076 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
17. SOx emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.00285 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
18. Source testing to demonstrate compliance with the VOC destruction efficiency of the regenerative thermal oxidizer (RTO) shall be performed at least once every 12 months. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
20. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
21. Source testing to demonstrate the destruction efficiency of the regenerative thermal oxidizer (RTO) shall be conducted using EPA Methods 2, 2A, or 2D for measuring flow rates, and EPA Methods 25, 25A, or 25B for measuring total gaseous organic concentrations at the inlet and outlet of the control device. [District Rule 4682] Federally Enforceable Through Title V Permit
22. The permittee shall maintain records of the following: (a) Total quantity of expandable polystyrene (EPS) materials processed through the expander (in pounds per day); (b) Total quantity of expanded EPS materials conveyed to the pre-puff storage/aging bins (in pounds per day); (c) Type and concentration (in percent by weight) of the blowing agent contained in the received EPS materials. Records shall be maintained with minimum monthly totals with the ability to calculate daily averages based on the number of operating days in any given month. [District Rules 1070, 2201, and 4682] Federally Enforceable Through Title V Permit
23. The permittee shall maintain records of the continuous readings of the thermal oxidizer chamber temperature. [District Rules 2201 and 4682, and 40 CFR Part 64] Federally Enforceable Through Title V Permit
24. The permittee shall comply with the compliance assurance monitoring and maintenance requirements of 40 CFR Part 64.7. [40 CFR Part 64.7] Federally Enforceable Through Title V Permit
25. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7(d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR Part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit
26. The permittee shall comply with all recordkeeping and reporting requirements of 40 CFR Part 64.9. [40 CFR Part 64.9] Federally Enforceable Through Title V Permit
27. All records shall be maintained and retained on-site for a minimum of 5 years, and shall be made available for District inspection upon request. [District Rules 1070, 2201, and 4682] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1904-2-5

EXPIRATION DATE: 09/30/2017

EQUIPMENT DESCRIPTION:

EXPANDABLE POLYSTYRENE MOLDING OPERATION CONSISTING OF ELEVEN MOLDING PRESSES EACH SERVED BY A VOC COLLECTION SYSTEM VENTED TO A SHARED 1.2 MMBTU/HR SHIP & SHORE MODEL SSE-5000-RTO NATURAL GAS-FIRED REGENERATIVE THERMAL OXIDIZER (RTO) (SHARED WITH PERMIT UNIT N-1904-1)

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The concentration of sulfur compounds in the exhaust of the thermal oxidizer shall not exceed 0.2% by volume as measured on a dry basis over a 15 minute period [District Rule 4801] Federally Enforceable Through Title V Permit
3. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The regenerative thermal oxidizer (RTO) shall only be fired on PUC-regulated natural gas. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Each molding press shall be maintained under negative pressure and shall be vented through the regenerative thermal oxidizer at all times when expanded polystyrene materials are processed. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
6. The VOC collection system serving the molding presses shall be operated and maintained at a capture efficiency of 100%. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
7. The regenerative thermal oxidizer (RTO) shall be operated with a minimum VOC destruction efficiency of 95%. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
8. The combustion zone of the regenerative thermal oxidizer (RTO) shall be operated at a minimum temperature of 1,400 degrees Fahrenheit. The combustion zone of the RTO shall be pre-heated to 1,400 degrees Fahrenheit prior to the start-up of this expanded polystyrene materials molding operation. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
9. The regenerative thermal oxidizer (RTO) shall be equipped with an operational continuous temperature monitoring and recording instrument to measure and record the temperature of the RTO combustion zone. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
10. No more than 60,000 pounds of expanded polystyrene materials shall be processed through the molding presses in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. VOC emissions from the molding presses and product storage shall not exceed 0.0014 pounds per pound of expanded polystyrene materials processed. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The highest concentration of the blowing agent in the manufactured products shall be 1.8 percent or less by weight, within 15 minutes after removing the product from the molding press, prior to any finished product storage. Verification of the concentration shall be demonstrated annually, pursuant to a protocol submitted to the District for review and approval. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

13. NOx emissions from the regenerative thermal oxidizer (RTO) shall not exceed 50 ppmvd @ 3% O2 (referenced as NO2) or 0.0607 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
14. CO emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.084 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
15. VOC emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.0055 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
16. PM10 emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.0076 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
17. SOx emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.00285 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
18. Source testing to demonstrate compliance with the VOC destruction efficiency of the regenerative thermal oxidizer (RTO) shall be performed at least once every 12 months. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
20. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
21. Source testing to demonstrate the destruction efficiency of the regenerative thermal oxidizer (RTO) shall be conducted using EPA Methods 2, 2A, or 2D for measuring flow rates, and EPA Methods 25, 25A, or 25B for measuring total gaseous organic concentrations at the inlet and outlet of the control device. [District Rule 4682] Federally Enforceable Through Title V Permit
22. Source testing to determine the concentration of the blowing agent contained in the manufactured products shall be conducted using South Coast Air Quality Management District (SCAQMD) Method 306 (Analysis of Pentane in Expandable Styrene Polymers) or Bay Area Air Quality Management District (BAAQMD) Method 45 (Determination of Butanes and Pentanes in Polymeric Materials). [District Rule 4682] Federally Enforceable Through Title V Permit
23. The permittee shall maintain records of the following: (a). Total quantity of expanded polystyrene materials processed through the molding presses (in pounds per day); (b). Type and concentration (in percent by weight) of the blowing agent contained in the manufactured products, within 15 minutes after removing the product from the molding press, prior to any finished product storage (on an annual basis). Records shall be maintained with minimum monthly totals with the ability to calculate daily averages based on the number of operating days in any given month. [District Rules 1070, 2201, and 4682] Federally Enforceable Through Title V Permit
24. The permittee shall maintain records of the continuous readings of the thermal oxidizer chamber temperature. [District Rules 2201 and 4682, and 40 CFR Part 64] Federally Enforceable Through Title V Permit
25. The permittee shall comply with the compliance assurance monitoring and maintenance requirements of 40 CFR Part 64.7. [40 CFR Part 64.7] Federally Enforceable Through Title V Permit
26. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7(d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR Part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit
27. The permittee shall comply with all recordkeeping and reporting requirements of 40 CFR Part 64.9. [40 CFR Part 64.9] Federally Enforceable Through Title V Permit
28. All records shall be maintained and retained on-site for a minimum of 5 years, and shall be made available for District inspection upon request. [District Rules 1070, 2201, and 4682] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1904-4-5

EXPIRATION DATE: 09/30/2017

EQUIPMENT DESCRIPTION:

12.6 MMBTU/HR NATURAL GAS-FIRED CLEAVER BROOKS MODEL CBLE-700-300-150 BOILER WITH A CLEAVER BROOKS MODEL NTI-300 LOW-NOX BURNER AND A FLUE GAS RECIRCULATION SYSTEM

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grain/dscf at operating conditions, nor 0.1 grain/dscf calculated to 12% CO₂, nor 10 lb/hr. [District Rules 4201 and 4301] Federally Enforceable Through Title V Permit
2. Nitrogen oxide (NO_x) emissions shall not exceed 140 lb/hr. [District Rule 4301] Federally Enforceable Through Title V Permit
3. Emissions of sulfur compounds from this unit shall not exceed 200 lb per hour, calculated as SO₂. [District Rule 4301] Federally Enforceable Through Title V Permit
4. Sulfur compound emissions shall not exceed 0.2% by volume, 2,000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and County Rule 407 (Stanislaus)] Federally Enforceable Through Title V Permit
5. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of fuel combusted in the unit shall be installed, utilized and maintained. [District Rules 2201, 4305 and 4306, and 40 CFR 60.48(c)(g)] Federally Enforceable Through Title V Permit
6. The unit shall only be fired on PUC-quality natural gas. [District Rules 2201 and 4320] Federally Enforceable Through Title V Permit
7. Emissions from the boiler shall not exceed any of the following limits: 9 ppmvd NO_x @ 3% O₂ or 0.011 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.0076 lb-PM₁₀/MMBtu, 50 ppmvd CO @ 3% O₂ or 0.037 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
8. Source testing to measure NO_x and CO emissions from the boiler shall be conducted at least once every 12 months. After demonstrating compliance on two consecutive annual source tests, the unit shall be tested not less than once every 36 months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every 12 months. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
9. NO_x emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
10. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
11. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
12. Fuel HHV shall be certified by a third party fuel supplier or determined by ASTM D 1826-88 or ASTM D 1945-81 in conjunction with ASTM D 3588-89 for gaseous fuels. [District Rule 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

13. Stack gas velocities shall be determined using EPA Method 2. [District Rule 4320] Federally Enforceable Through Title V Permit
14. Stack Gas moisture content shall be determined using EPA Method 4. [District Rule 4320] Federally Enforceable Through Title V Permit
15. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
16. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
17. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
18. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
19. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
20. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
21. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of performing the notification and testing required by this condition. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
22. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
23. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

24. Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320] Federally Enforceable Through Title V Permit
25. Permittee shall maintain records of the amount of fuel combusted each calendar month. [40 CFR 60.48(c)(g)(2)] Federally Enforceable Through Title V Permit
26. All records shall be maintained and retained on-site for a minimum of five (5) years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

ATTACHMENT B

Previous Title V Operating Permit

San Joaquin Valley Air Pollution Control District

FACILITY: N-1904-0-1

EXPIRATION DATE: 09/30/2017

FACILITY-WIDE REQUIREMENTS

1. The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; Stanislaus County Rule 110] Federally Enforceable Through Title V Permit
2. The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; Stanislaus County Rule 110] Federally Enforceable Through Title V Permit
3. The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit
9. The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: FOAM FABRICATORS, INC
Location: 301 B 9TH ST, MODESTO, CA 95351
N-1904-0-1: Jul 25 2018 1:34PM - BRARG

10. The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit
22. No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101; Stanislaus County Rule 401] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

23. No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
30. Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
31. An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
32. Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit
33. Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit
34. Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit
35. Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

36. The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Stanislaus County Rules 401, 110, and 202. A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
42. On November 30, 2012, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report are based upon this initial permit issuance date, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1904-1-6

EXPIRATION DATE: 09/30/2017

EQUIPMENT DESCRIPTION:

EXPANDABLE POLYSTYRENE PRE-EXPANSION PROCESS CONSISTING OF A HIRSCH VACUTRANS MODEL 6000 EXPANDER, AND A PRE-PUFF STORAGE/AGING PERMANENT TOTAL ENCLOSURE (PTE) CONTAINING 20 PRE-PUFF STORAGE/AGING BINS. EACH EXPANDER, PRE-PUFF STORAGE/AGING BIN, AND THE PTE ARE SERVED BY A VOC COLLECTION SYSTEM VENTED TO A SHARED 1.2 MMBTU/HR SHIP & SHORE MODEL SSE-5000-RTO NATURAL GAS FIRED REGENERATIVE THERMAL OXIDIZER (RTO). THE RTO IS SHARED WITH PERMIT UNIT N-1904-2.

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The concentration of sulfur compounds in the exhaust of the thermal oxidizer shall not exceed 0.2% by volume as measured on a dry basis over a 15 minute period [District Rule 4801] Federally Enforceable Through Title V Permit
3. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The regenerative thermal oxidizer (RTO) shall only be fired on PUC-regulated natural gas. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Each expander, pre-puff storage/aging bin, and permanent total enclosure shall be maintained under negative pressure and shall be vented through the regenerative thermal oxidizer at all times when expandable polystyrene (EPS) materials are processed. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
6. The VOC collection system serving the expander, pre-puff storage/aging bins, and permanent total enclosure shall be operated and maintained at a capture efficiency of 100%. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
7. The regenerative thermal oxidizer (RTO) shall be operated with a minimum VOC destruction efficiency of 95%. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
8. The combustion zone of the regenerative thermal oxidizer (RTO) shall be operated at a minimum temperature of 1,400 degrees Fahrenheit. The combustion zone of the RTO shall be pre-heated to 1,400 degrees Fahrenheit prior to the start-up of this EPS materials pre-expansion operation. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
9. The regenerative thermal oxidizer (RTO) shall be equipped with an operational continuous temperature monitoring and recording instrument to measure and record the temperature of the RTO combustion zone. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
10. No more than 36,000 pounds of expandable polystyrene (EPS) materials shall be processed through the expander and conveyed into the pre-puff storage/aging bins in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. VOC emissions from the expander shall not exceed 0.00059 pounds per pound of EPS materials processed. [District Rule 2201] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

12. VOC emissions from the pre-puff storage/aging bins shall not exceed 0.00047 pounds per pound of EPS materials processed. [District Rule 2201] Federally Enforceable Through Title V Permit
13. NOx emissions from the regenerative thermal oxidizer (RTO) shall not exceed 50 ppmvd @ 3% O2 (referenced as NO2) or 0.0607 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
14. CO emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.084 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
15. VOC emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.0055 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
16. PM10 emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.0076 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
17. SOx emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.00285 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
18. Source testing to demonstrate compliance with the VOC destruction efficiency of the regenerative thermal oxidizer (RTO) shall be performed at least once every 12 months. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
20. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
21. Source testing to demonstrate the destruction efficiency of the regenerative thermal oxidizer (RTO) shall be conducted using EPA Methods 2, 2A, or 2D for measuring flow rates, and EPA Methods 25, 25A, or 25B for measuring total gaseous organic concentrations at the inlet and outlet of the control device. [District Rule 4682] Federally Enforceable Through Title V Permit
22. The permittee shall maintain records of the following: (a). Total quantity of expandable polystyrene (EPS) materials processed through the expander (in pounds per day); (b). Total quantity of expanded EPS materials conveyed to the pre-puff storage/aging bins (in pounds per day); (c). Type and concentration (in percent by weight) of the blowing agent contained in the received EPS materials. Records shall be maintained with minimum monthly totals with the ability to calculate daily averages based on the number of operating days in any given month. [District Rules 1070, 2201, and 4682] Federally Enforceable Through Title V Permit
23. The permittee shall maintain records of the continuous readings of the thermal oxidizer chamber temperature. [District Rules 2201 and 4682, and 40 CFR Part 64] Federally Enforceable Through Title V Permit
24. The permittee shall comply with the compliance assurance monitoring and maintenance requirements of 40 CFR Part 64.7. [40 CFR Part 64.7] Federally Enforceable Through Title V Permit
25. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7(d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR Part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit
26. The permittee shall comply with all recordkeeping and reporting requirements of 40 CFR Part 64.9. [40 CFR Part 64.9] Federally Enforceable Through Title V Permit
27. All records shall be maintained and retained on-site for a minimum of 5 years, and shall be made available for District inspection upon request. [District Rules 1070, 2201, and 4682] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1904-2-4

EXPIRATION DATE: 09/30/2017

EQUIPMENT DESCRIPTION:

EXPANDABLE POLYSTYRENE MOLDING OPERATION CONSISTING OF ELEVEN MOLDING PRESSES EACH SERVED BY A VOC COLLECTION SYSTEM VENTED TO A SHARED 1.2 MMBTU/HR SHIP & SHORE MODEL SSE-5000-RTO NATURAL GAS FIRED REGENERATIVE THERMAL OXIDIZER (RTO). THE RTO IS SHARED WITH PERMIT UNIT N-1904-1.

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201] Federally Enforceable Through Title V Permit
2. The concentration of sulfur compounds in the exhaust of the thermal oxidizer shall not exceed 0.2% by volume as measured on a dry basis over a 15 minute period [District Rule 4801] Federally Enforceable Through Title V Permit
3. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201] Federally Enforceable Through Title V Permit
4. The regenerative thermal oxidizer (RTO) shall only be fired on PUC-regulated natural gas. [District Rule 2201] Federally Enforceable Through Title V Permit
5. Each molding press shall be maintained under negative pressure and shall be vented through the regenerative thermal oxidizer at all times when expanded polystyrene materials are processed. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
6. The VOC collection system serving the molding presses shall be operated and maintained at a capture efficiency of 100%. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
7. The regenerative thermal oxidizer (RTO) shall be operated with a minimum VOC destruction efficiency of 95%. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit
8. The combustion zone of the regenerative thermal oxidizer (RTO) shall be operated at a minimum temperature of 1,400 degrees Fahrenheit. The combustion zone of the RTO shall be pre-heated to 1,400 degrees Fahrenheit prior to the start-up of this expanded polystyrene materials molding operation. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
9. The regenerative thermal oxidizer (RTO) shall be equipped with an operational continuous temperature monitoring and recording instrument to measure and record the temperature of the RTO combustion zone. [District Rule 2201 and 40 CFR Part 64] Federally Enforceable Through Title V Permit
10. No more than 60,000 pounds of expanded polystyrene materials shall be processed through the molding presses in any one day. [District Rule 2201] Federally Enforceable Through Title V Permit
11. VOC emissions from the molding presses and product storage shall not exceed 0.0014 pounds per pound of expanded polystyrene materials processed. [District Rule 2201] Federally Enforceable Through Title V Permit
12. The highest concentration of the blowing agent in the manufactured products shall be 1.8 percent or less by weight, within 15 minutes after removing the product from the molding press, prior to any finished product storage. Verification of the concentration shall be demonstrated annually, pursuant to a protocol submitted to the District for review and approval. [District Rules 2201 and 4682] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

13. NOx emissions from the regenerative thermal oxidizer (RTO) shall not exceed 50 ppmvd @ 3% O2 (referenced as NO2) or 0.0607 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
14. CO emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.084 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
15. VOC emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.0055 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
16. PM10 emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.0076 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
17. SOx emissions from the regenerative thermal oxidizer (RTO) shall not exceed 0.00285 lb/MMBtu. [District Rule 2201] Federally Enforceable Through Title V Permit
18. Source testing to demonstrate compliance with the VOC destruction efficiency of the regenerative thermal oxidizer (RTO) shall be performed at least once every 12 months. [District Rule 2201] Federally Enforceable Through Title V Permit
19. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
20. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
21. Source testing to demonstrate the destruction efficiency of the regenerative thermal oxidizer (RTO) shall be conducted using EPA Methods 2, 2A, or 2D for measuring flow rates, and EPA Methods 25, 25A, or 25B for measuring total gaseous organic concentrations at the inlet and outlet of the control device. [District Rule 4682] Federally Enforceable Through Title V Permit
22. Source testing to determine the concentration of the blowing agent contained in the manufactured products shall be conducted using South Coast Air Quality Management District (SCAQMD) Method 306 (Analysis of Pentane in Expandable Styrene Polymers) or Bay Area Air Quality Management District (BAAQMD) Method 45 (Determination of Butanes and Pentanes in Polymeric Materials). [District Rule 4682] Federally Enforceable Through Title V Permit
23. The permittee shall maintain records of the following: (a). Total quantity of expanded polystyrene materials processed through the molding presses (in pounds per day); (b). Type and concentration (in percent by weight) of the blowing agent contained in the manufactured products, within 15 minutes after removing the product from the molding press, prior to any finished product storage (on an annual basis). Records shall be maintained with minimum monthly totals with the ability to calculate daily averages based on the number of operating days in any given month. [District Rules 1070, 2201, and 4682] Federally Enforceable Through Title V Permit
24. The permittee shall maintain records of the continuous readings of the thermal oxidizer chamber temperature. [District Rules 2201 and 4682, and 40 CFR Part 64] Federally Enforceable Through Title V Permit
25. The permittee shall comply with the compliance assurance monitoring and maintenance requirements of 40 CFR Part 64.7. [40 CFR Part 64.7] Federally Enforceable Through Title V Permit
26. If the District or EPA determine that a Quality Improvement Plan is required under 40 CFR 64.7(d)(2), the permittee shall develop and implement the Quality Improvement Plan in accordance with 40 CFR Part 64.8. [40 CFR 64.8] Federally Enforceable Through Title V Permit
27. The permittee shall comply with all recordkeeping and reporting requirements of 40 CFR Part 64.9. [40 CFR Part 64.9] Federally Enforceable Through Title V Permit
28. All records shall be maintained and retained on-site for a minimum of 5 years, and shall be made available for District inspection upon request. [District Rules 1070, 2201, and 4682] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-1904-4-3

EXPIRATION DATE: 09/30/2017

EQUIPMENT DESCRIPTION:

12.6 MMBTU/HR NATURAL GAS-FIRED CLEAVER BROOKS MODEL CBLE-700-300-150 BOILER WITH A CLEAVER BROOKS MODEL NTI-300 LOW NOX BURNER WITH FLUE GAS RECIRCULATION

PERMIT UNIT REQUIREMENTS

1. Particulate matter emissions shall not exceed 0.1 grain/dscf at operating conditions, nor 0.1 grain/dscf calculated to 12% CO₂, nor 10 lb/hr. [District Rules 4201 and 4301] Federally Enforceable Through Title V Permit
2. Nitrogen oxide (NO_x) emissions shall not exceed 140 lb/hr. [District Rule 4301] Federally Enforceable Through Title V Permit
3. Emissions of sulfur compounds from this unit shall not exceed 200 lb per hour, calculated as SO₂. [District Rule 4301] Federally Enforceable Through Title V Permit
4. Sulfur compound emissions shall not exceed 0.2% by volume, 2,000 ppmv, on a dry basis averaged over 15 consecutive minutes. [District Rule 4801 and County Rule 407 (Stanislaus)] Federally Enforceable Through Title V Permit
5. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of fuel combusted in the unit shall be installed, utilized and maintained. [District Rule 2201 and 40 CFR 60.48(c)(g)] Federally Enforceable Through Title V Permit
6. The unit shall only be fired on PUC-quality natural gas. [District Rules 2201 and 4320] Federally Enforceable Through Title V Permit
7. Emissions from the boiler shall not exceed any of the following limits: 9 ppmvd NO_x @ 3% O₂ or 0.011 lb-NO_x/MMBtu, 0.00285 lb-SO_x/MMBtu, 0.0076 lb-PM₁₀/MMBtu, 50 ppmvd CO @ 3% O₂ or 0.037 lb-CO/MMBtu, or 0.0055 lb-VOC/MMBtu. [District Rules 2201, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
8. Source testing to measure NO_x and CO emissions from the boiler shall be conducted at least once every 12 months. After demonstrating compliance on two consecutive annual source tests, the unit shall be tested not less than once every 36 months. If the result of the 36-month source test demonstrates that the unit does not meet the applicable emission limits, the source testing frequency shall revert to at least once every 12 months. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
9. NO_x emissions for source test purposes shall be determined using EPA Method 7E or ARB Method 100 on a ppmv basis, or EPA Method 19 on a heat input basis. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
10. CO emissions for source test purposes shall be determined using EPA Method 10 or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
11. Stack gas oxygen (O₂) shall be determined using EPA Method 3 or 3A or ARB Method 100. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
12. Fuel HHV shall be certified by a third party fuel supplier or determined by ASTM D 1826-88 or ASTM D 1945-81 in conjunction with ASTM D 3588-89 for gaseous fuels. [District Rule 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

13. Stack gas velocities shall be determined using EPA Method 2. [District Rule 4320] Federally Enforceable Through Title V Permit
14. Stack Gas moisture content shall be determined using EPA Method 4. [District Rule 4320] Federally Enforceable Through Title V Permit
15. All emissions measurements shall be made with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. No determination of compliance shall be established within two hours after a continuous period in which fuel flow to the unit is shut off for 30 minutes or longer, or within 30 minutes after a re-ignition as defined in Section 3.0 of District Rule 4306. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
16. For emissions source testing, the arithmetic average of three 30-consecutive-minute test runs shall apply. If two of three runs are above an applicable limit the test cannot be used to demonstrate compliance with an applicable limit. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
17. Source testing shall be conducted using the methods and procedures approved by the District. The District must be notified at least 30 days prior to any compliance source test, and a source test plan must be submitted for approval at least 15 days prior to testing. [District Rule 1081] Federally Enforceable Through Title V Permit
18. The source test plan shall identify which basis (ppmv or lb/MMBtu) will be used to demonstrate compliance. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
19. The results of each source test shall be submitted to the District within 60 days thereafter. [District Rule 1081] Federally Enforceable Through Title V Permit
20. The permittee shall monitor and record the stack concentration of NO_x, CO, and O₂ at least once every month (in which a source test is not performed) using a portable emission monitor that meets District specifications. Monitoring shall not be required if the unit is not in operation, i.e. the unit need not be started solely to perform monitoring. Monitoring shall be performed within 5 days of restarting the unit unless monitoring has been performed within the last month. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
21. If either the NO_x or CO concentrations corrected to 3% O₂, as measured by the portable analyzer, exceed the allowable emissions concentration, the permittee shall return the emissions to within the acceptable range as soon as possible, but no longer than 1 hour of operation after detection. If the portable analyzer readings continue to exceed the allowable emissions concentration after 1 hour of operation after detection, the permittee shall notify the District within the following 1 hour and conduct a certified source test within 60 days of the first exceedance. In lieu of conducting a source test, the permittee may stipulate a violation has occurred, subject to enforcement action. The permittee must then correct the violation, show compliance has been re-established, and resume monitoring procedures. If the deviations are the result of a qualifying breakdown condition pursuant to Rule 1100, the permittee may fully comply with Rule 1100 in lieu of performing the notification and testing required by this condition. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit
22. All alternate monitoring parameter emission readings shall be taken with the unit operating either at conditions representative of normal operations or conditions specified in the Permit to Operate. The analyzer shall be calibrated, maintained, and operated in accordance with the manufacturer's specifications and recommendations or a protocol approved by the APCO. Emission readings taken shall be averaged over a 15 consecutive-minute period by either taking a cumulative 15 consecutive-minute sample reading or by taking at least five readings, evenly spaced out over the 15 consecutive-minute period. [District Rules 4305, 4306, and 4320] Federally Enforceable Through Title V Permit
23. The permittee shall maintain records of: (1) the date and time of NO_x, CO, and O₂ measurements, (2) the O₂ concentration in percent and the measured NO_x and CO concentrations corrected to 3% O₂, (3) make and model of exhaust gas analyzer, (4) exhaust gas analyzer calibration records, and (5) a description of any corrective action taken to maintain the emissions within the acceptable range. [District Rules 4305, 4306 and 4320] Federally Enforceable Through Title V Permit

PERMIT UNIT REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

24. Permittee shall determine sulfur content of combusted gas annually or shall demonstrate that the combusted gas is provided from a PUC or FERC regulated source. [District Rules 1081 and 4320] Federally Enforceable Through Title V Permit
25. Permittee shall maintain records of the amount of fuel combusted each calendar month. [40 CFR 60.48(c)(g)(2)] Federally Enforceable Through Title V Permit
26. All records shall be maintained and retained on-site for a minimum of five years, and shall be made available for District inspection upon request. [District Rules 1070, 4305, 4306, and 4320] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT C

Detailed Summary List of Facility Permits

Detailed Facility Report
For Facility=1904 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

| | | | | | | |
|--|--------------------------------|---------------------------|--------------------|-----------------|------------------------------------|----------------------------|
| FOAM FABRICATORS, INC 301 B 9TH ST MODESTO, CA 95351 | FAC # STATUS: TELEPHONE: | N 1904 A 2095237002 | TYPE: TOXIC ID: | TitleV 10399 | EXPIRE ON: AREA: INSP. DATE: | 09/30/2017 5 / 08/18 |
|--|--------------------------------|---------------------------|--------------------|-----------------|------------------------------------|----------------------------|

| PERMIT NUMBER | FEE DESCRIPTION | FEE RULE | QTY | FEE AMOUNT | FEE TOTAL | PERMIT STATUS | EQUIPMENT DESCRIPTION |
|---------------|---|-----------|-----|------------|-----------|---------------|---|
| N-1904-1-6 | 0.6 MMBtu/hr (1/2 Shared RTO Heat Input Rating) | 3020-02 C | 1 | 228.00 | 228.00 | A | EXPANDABLE POLYSTYRENE PRE-EXPANSION PROCESS CONSISTING OF A HIRSCH VACUTRANS MODEL 6000 EXPANDER, AND A PRE-PUFF STORAGE/AGING PERMANENT TOTAL ENCLOSURE (PTE) CONTAINING 20 PRE-PUFF STORAGE/AGING BINS. EACH EXPANDER, PRE-PUFF STORAGE/AGING BIN, AND THE PTE ARE SERVED BY A VOC COLLECTION SYSTEM VENTED TO A SHARED 1.2 MMBTU/HR SHIP & SHORE MODEL SSE-5000-RTO NATURAL GAS FIRED REGENERATIVE THERMAL OXIDIZER (RTO). THE RTO IS SHARED WITH PERMIT UNIT N-1904-2. |
| N-1904-2-4 | 0.6 MMBtu/hr (1/2 Shared RTO Heat Input Rating) | 3020-02 C | 1 | 228.00 | 228.00 | A | EXPANDABLE POLYSTYRENE MOLDING OPERATION CONSISTING OF ELEVEN MOLDING PRESSES EACH SERVED BY A VOC COLLECTION SYSTEM VENTED TO A SHARED 1.2 MMBTU/HR SHIP & SHORE MODEL SSE-5000-RTO NATURAL GAS FIRED REGENERATIVE THERMAL OXIDIZER (RTO). THE RTO IS SHARED WITH PERMIT UNIT N-1904-1. |
| N-1904-4-3 | 12,500 KBTU/HR BOILER | 3020-02 G | 1 | 936.00 | 936.00 | A | 12.6 MMBTU/HR NATURAL GAS-FIRED CLEAVER BROOKS MODEL CBLE-700-300-150 BOILER WITH A CLEAVER BROOKS MODEL NTI-300 LOW NOX BURNER WITH FLUE GAS RECIRCULATION |

Number of Facilities Reported: 1