



# San Joaquin Valley

AIR POLLUTION CONTROL DISTRICT

FEB 20 2018

Gurjit Mahil  
Aramark Uniform & Career Apparel LLC  
7679 S. Longe Street  
Stockton, CA 95206



**RE: Notice of Final Action - Authority to Construct**  
**Facility Number: N-4599**  
**Project Number: N-1171225**

Dear Mr. Mahil:

The Air Pollution Control Officer has issued the Authority to Construct permits to Aramark Uniform & Career Apparel LLC for a commercial laundry operation consisting of fifteen washers, fifteen laundry dryers, and wastewater treatment system for the laundering of soiled shop towels and use of VOC containing detergents, at 7679 S. Longe Street in Stockton, CA. Enclosed are the Authority to Construct permits and a copy of the notice of final action to be published approximately three days from the date of this letter.

Notice of the District's preliminary decision to issue the Authority to Construct permits was published on January 10, 2018. The District's analysis of the proposal was also sent to CARB on January 3, 2018. No comments were received following the District's preliminary decision on this project.

Also enclosed is an invoice for the engineering evaluation fees pursuant to District Rule 3010. Please remit the amount owed, along with a copy of the attached invoice, within 60 days.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Nick Peirce at (209) 557-6400.

Sincerely,

Arnaud Marjollet  
Director of Permit Services

AM:kc  
Enclosures

cc: Tung Le, CARB (w/enclosure) via email

**Seyed Sadredin**  
Executive Director/Air Pollution Control Officer

**Northern Region**  
4800 Enterprise Way  
Modesto, CA 95356-8718  
Tel: (209) 557-6400 FAX: (209) 557-6475

**Central Region (Main Office)**  
1990 E. Gettysburg Avenue  
Fresno, CA 93726-0244  
Tel: (559) 230-6000 FAX: (559) 230-6061

**Southern Region**  
34946 Flyover Court  
Bakersfield, CA 93308-9725  
Tel: 661-392-5500 FAX: 661-392-5585

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-3-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR MILNOR MODEL 6464 NATURAL GAS-FIRED DRYER (0.53 TONS/HR CAPACITY) WITH AN ON-BOARD LINT SCREEN (D1).

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.7 pounds in any one day (based on PM10 emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the laundry dryer shall be installed, utilized, and maintained operational. [District Rule 2201]
9. The total quantity of natural gas combusted in the laundry dryer shall not exceed 27.3 MMBtu per day or 27,300 cubic feet per day and 9,965 MMBtu in any rolling 12-month period or 9,965,000 cubic feet in any rolling 12-month period (based on a natural gas heating value of 1,000 Btu/cubic feet). [District Rule 2201]

#### CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-3-0 Feb 12 2018 8:58AM - CHANK Joint Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.073 lb-NO<sub>x</sub>/MMBtu, 0.111 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain a daily record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
12. On a monthly bases, the permittee shall maintain a rolling 12-consecutive month record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available fro District inspection upon request. [District Rules 1070 and 2201]



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-4-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC  
**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**  
LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR MILNOR MODEL 6464 NATURAL GAS-FIRED DRYER (0.53 TONS/HR CAPACITY) WITH AN ON-BOARD LINT SCREEN (D2).

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.7 pounds in any one day (based on PM10 emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the laundry dryer shall be installed, utilized, and maintained operational. [District Rule 2201]
9. The total quantity of natural gas combusted in the laundry dryer shall not exceed 27.3 MMBtu per day or 27,300 cubic feet per day and 9,965 MMBtu in any rolling 12-month period or 9,965,000 cubic feet in any rolling 12-month period (based on a natural gas heating value of 1,000 Btu/cubic feet). [District Rule 2201]

**CONDITIONS CONTINUE ON NEXT PAGE**

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO

*Arnaud Marjollet*  
Arnaud Marjollet, Director of Permit Services  
N-4599-4-0 Feb 12 2018 9:56AM - CHAMK Joint Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.073 lb-NO<sub>x</sub>/MMBtu, 0.111 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain a daily record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
12. On a monthly bases, the permittee shall maintain a rolling 12-consecutive month record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available fro District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-5-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR MILNOR MODEL 6464 NATURAL GAS-FIRED DRYER (0.53 TON/HR CAPACITY) WITH AN ON-BOARD LINT SCREEN (D3)

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.7 pounds in any one day (based on PM10 emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the laundry dryer shall be installed, utilized, and maintained operational. [District Rule 2201]
9. The total quantity of natural gas combusted in the laundry dryer shall not exceed 27.3 MMBtu per day or 27,300 cubic feet per day and 9,965 MMBtu in any rolling 12-month period or 9,965,000 cubic feet in any rolling 12-month period (based on a natural gas heating value of 1,000 Btu/cubic feet). [District Rule 2201]

### CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-5-0, Feb 12 2018 9:58AM - CHANK Joint Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.073 lb-NO<sub>x</sub>/MMBtu, 0.111 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain a daily record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
12. On a monthly bases, the permittee shall maintain a rolling 12-consecutive month record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available fro District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-6-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR MILNOR MODEL 6464 NATURAL GAS-FIRED DRYER (0.53 TON/HR CAPACITY) WITH AN ON-BOARD LINT SCREEN (D4)

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.7 pounds in any one day (based on PM10 emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the laundry dryer shall be installed, utilized, and maintained operational. [District Rule 2201]
9. The total quantity of natural gas combusted in the laundry dryer shall not exceed 27.3 MMBtu per day or 27,300 cubic feet per day and 9,965 MMBtu in any rolling 12-month period or 9,965,000 cubic feet in any rolling 12-month period (based on a natural gas heating value of 1,000 Btu/cubic feet). [District Rule 2201]

#### CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-6-0 1 of 12 2/12/18 9:31AM - CHANK Joint Inspection NOT Required



10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.073 lb-NO<sub>x</sub>/MMBtu, 0.111 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain a daily record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
12. On a monthly bases, the permittee shall maintain a rolling 12-consecutive month record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available fro District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-7-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR MILNOR MODEL 6464 NATURAL GAS-FIRED DRYER (0.53 TON/HR CAPACITY) WITH AN ON-BOARD LINT SCREEN (D5).


### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.7 pounds in any one day (based on PM10 emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the laundry dryer shall be installed, utilized, and maintained operational. [District Rule 2201]
9. The total quantity of natural gas combusted in the laundry dryer shall not exceed 27.3 MMBtu per day or 27,300 cubic feet per day and 9,965 MMBtu in any rolling 12-month period or 9,965,000 cubic feet in any rolling 12-month period (based on a natural gas heating value of 1,000 Btu/cubic feet). [District Rule 2201]

#### CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjolle, Director of Permit Services

N-4599-7-0 Feb 12 2018 9:58AM - CHAMK Joint Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.073 lb-NO<sub>x</sub>/MMBtu, 0.111 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain a daily record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
12. On a monthly bases, the permittee shall maintain a rolling 12-consecutive month record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available fro District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-8-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR MILNOR MODEL 6464 NATURAL GAS-FIRED DRYER (0.53 TONS/HR CAPACITY) WITH AN ON-BOARD LINT SCREEN (D6).

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.7 pounds in any one day (based on PM10 emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. A non-resettable, totalizing mass or volumetric fuel flow meter to measure the amount of natural gas combusted in the laundry dryer shall be installed, utilized, and maintained operational. [District Rule 2201]
9. The total quantity of natural gas combusted in the laundry dryer shall not exceed 27.3 MMBtu per day or 27,300 cubic feet per day and 9,965 MMBtu in any rolling 12-month period or 9,965,000 cubic feet in any rolling 12-month period (based on a natural gas heating value of 1,000 Btu/cubic feet). [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-8-0 Feb 12 2018 4:08PM - CHANK Jmtl Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.073 lb-NO<sub>x</sub>/MMBtu, 0.111 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain a daily record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
12. On a monthly bases, the permittee shall maintain a rolling 12-consecutive month record of the total quantity of natural gas combusted by the laundry dryer (in MMBtu or cubic feet). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available fro District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-9-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.6 MMBTU/HR JENSON MODEL DTX140 NATURAL GAS-FIRED DRYER (0.11 TONS/HR CAPACITY) WITH A JENSON MODEL DT140 LOW NOX BURNER AND ON-BOARD LINT SCREEN (D19).

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 0.34 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NO<sub>x</sub>/MMBtu, 0.222 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
9. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-9-0 Feb 12 2018 9:56AM - CHANK Joint Inspection NOT Required

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-10-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:**  
7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:**  
7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**


LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.6 MMBTU/HR JENSON MODEL DTX140 NATURAL GAS-FIRED DRYER (0.11 TON/HOUR CAPACITY) WITH A JENSON MODEL DT140 LOW NOX BURNER AND ON-BOARD LINT SCREEN (D20).

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 0.34 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NOx/MMBtu, 0.222 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SOx/MMBtu. [District Rule 2201]
9. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE.** Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-10-0 Feb 12 2018 9:38AM - CHANK Joint Inspection NOT Required

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-11-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.6 MMBTU/HR JENSON MODEL DTX140 NATURAL GAS-FIRED DRYER (0.11 TON/HOUR CAPACITY) WITH A JENSON MODEL DT140 LOW NOX BURNER AND ON-BOARD LINT SCREEN (D21).

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 0.34 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NOx/MMBtu, 0.222 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SOx/MMBtu. [District Rule 2201]
9. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE.** Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services  
N-4599-11-0 Feb 12, 2018 9:55AM - C/HRK Joint Inspection NOT Required



## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-12-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.6 MMBTU/HR JENSON MODEL DTX140 NATURAL GAS-FIRED DRYER (0.11 TON/HOUR CAPACITY) WITH A JENSON MODEL DT140 LOW NOX BURNER AND ON-BOARD LINT SCREEN (D22).

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. The laundry dryer shall not be used for the drying of laundered shop towels. [District Rules 2201 and 4102]
6. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]
7. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 0.34 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
8. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NOx/MMBtu, 0.222 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SOx/MMBtu. [District Rule 2201]
9. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-12-0 Feb 12 2018 ©SJM - CHANK : Joint Inspection NOT Required

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-13-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.9 MMBTU/HR JENSEN MODEL DTX800 NATURAL GAS-FIRED DRYER (0.65 TONS/HOUR CAPACITY) WITH A JENSEN MODEL T444 LOW NOX BURNER AND ON-BOARD LINT SCREEN (D26). THIS UNIT MAY BE USED TO DRY LAUNDERED SHOP TOWELS.

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 2.0 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
6. The total quantity of shop towels processed shall not exceed 38,400 soiled weight pounds in any one day. [District Rule 2201]
7. The total facility-wide quantity of soiled shop towels processed by the dryer shall not exceed 1,450,000 soiled weight pounds in any rolling 12-month period. [District Rules 2201 and 4102]
8. VOC emissions from the drying of shop towels shall not exceed 0.00201 pounds per pound of shop towels processed by the dryer. [District Rule 2201]
9. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-13-0 Feb 12 2018 9:58AM - CHANK Joint Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NO<sub>x</sub>/MMBtu, 0.222 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain daily records of the total quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
12. On a monthly basis, the permittee shall maintain a rolling 12-consecutive month record of the total facility-wide quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-14-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR ELLIS MODEL 450 WD7664 NATURAL GAS-FIRED DRYER (0.36 TONS/HOUR CAPACITY) WITH A MAXON OVENPAK LE LOW NOX BURNER AND ON-BOARD LINT SCREEN (D27). THIS UNIT MAY BE USED TO DRY LAUNDERED SHOP TOWELS.

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.1 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
6. The total quantity of shop towels processed shall not exceed 21,600 soiled weight pounds in any one day. [District Rule 2201]
7. The total facility-wide quantity of soiled shop towels processed by the dryer shall not exceed 1,450,000 soiled weight pounds in any rolling 12-month period. [District Rules 2201 and 4102]
8. VOC emissions from the drying of shop towels shall not exceed 0.00201 pounds per pound of shop towels processed by the dryer. [District Rule 2201]
9. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]

### CONDITIONS CONTINUE ON NEXT PAGE

YOU **MUST** NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT. This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-14-0 Feb 12 2018 9:56AM - CHANK Joint Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NO<sub>x</sub>/MMBtu, 0.084 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain daily records of the total quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
12. On a monthly basis, the permittee shall maintain a rolling 12-consecutive month record of the total facility-wide quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-15-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC  
**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR ELLIS MODEL 450 WD7664 NATURAL GAS-FIRED DRYER (0.36 TONS/HOUR CAPACITY) WITH A MAXON OVENPAK LE LOW NOX BURNER AND ON-BOARD LINT SCREEN (D28). THIS UNIT MAY BE USED TO DRY LAUNDERED SHOP TOWELS.

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.1 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
6. The total quantity of shop towels processed shall not exceed 21,600 soiled weight pounds in any one day. [District Rule 2201]
7. The total facility-wide quantity of soiled shop towels processed by the dryer shall not exceed 1,450,000 soiled weight pounds in any rolling 12-month period. [District Rules 2201 and 4102]
8. VOC emissions from the drying of shop towels shall not exceed 0.00201 pounds per pound of shop towels processed by the dryer. [District Rule 2201]
9. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]

### CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

14-4599-15-0 - Feb 12 2018 2:58PM - CHANK Joint Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NO<sub>x</sub>/MMBtu, 0.084 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain daily records of the total quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
12. On a monthly basis, the permittee shall maintain a rolling 12-consecutive month record of the total facility-wide quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-16-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR ELLIS MODEL 675 WD7673 NATURAL GAS-FIRED DRYER (0.55 TONS/HOUR CAPACITY) WITH A MAXON OVENPAK LE LOW NOX BURNER AND ON-BOARD LINT SCREEN (D29). THIS UNIT MAY BE USED TO DRY LAUNDERED SHOP TOWELS.

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.7 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
6. The total quantity of shop towels processed shall not exceed 32,400 soiled weight pounds in any one day. [District Rule 2201]
7. The total facility-wide quantity of soiled shop towels processed by the dryer shall not exceed 1,450,000 soiled weight pounds in any rolling 12-month period. [District Rules 2201 and 4102]
8. VOC emissions from the drying of shop towels shall not exceed 0.00201 pounds per pound of shop towels processed by the dryer. [District Rule 2201]
9. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]

### CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-16-0 Feb 12 2018 9:58AM - CHANK Joint Inspection NOT Required



10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NO<sub>x</sub>/MMBtu, 0.084 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain daily records of the total quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
12. On a monthly basis, the permittee shall maintain a rolling 12-consecutive month record of the total facility-wide quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-17-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDRY DRYING OPERATION CONSISTING OF ONE 1.8 MMBTU/HR ELLIS MODEL 675 WD7673 NATURAL GAS-FIRED DRYER (0.55 TONS/HOUR CAPACITY) WITH A MAXON OVENPAK LE LOW NOX BURNER AND ON-BOARD LINT SCREEN (D30). THIS UNIT MAY BE USED TO DRY LAUNDERED SHOP TOWELS.

## CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. Particulate matter emissions shall not exceed 0.1 grains/dscf in concentration. [District Rule 4201]
4. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
5. PM10 emissions from the laundry dryer (including natural gas combustion) shall not exceed 1.7 pounds in any one day (based on an emission rate of 0.13 pounds/ton of laundry dried). [District Rule 2201]
6. The total quantity of shop towels processed shall not exceed 32,400 soiled weight pounds in any one day. [District Rule 2201]
7. The total facility-wide quantity of soiled shop towels processed by the dryer shall not exceed 1,450,000 soiled weight pounds in any rolling 12-month period. [District Rules 2201 and 4102]
8. VOC emissions from the drying of shop towels shall not exceed 0.00201 pounds per pound of shop towels processed by the dryer. [District Rule 2201]
9. The laundry dryer shall only be fired on PUC-regulated natural gas. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-17-0 Feb 12 2018 9:58AM -- CHANK Joint Inspection NOT Required

10. Emissions from the combustion of natural gas in the laundry dryer shall not exceed any of the following limits: 0.0364 lb-NO<sub>x</sub>/MMBtu, 0.084 lb-CO/MMBtu, 0.0055 lb-VOC/MMBtu, or 0.00285 lb-SO<sub>x</sub>/MMBtu. [District Rule 2201]
11. During each day of operation, the permittee shall maintain daily records of the total quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
12. On a monthly basis, the permittee shall maintain a rolling 12-consecutive month record of the total facility-wide quantity of shop towels processed by the dryers (in soiled weight pounds). [District Rules 1070 and 2201]
13. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]

## AUTHORITY TO CONSTRUCT

**PERMIT NO:** N-4599-18-0

**ISSUANCE DATE:** 02/12/2018

**LEGAL OWNER OR OPERATOR:** ARAMARK UNIFORM & CAREER APPAREL LLC

**MAILING ADDRESS:** 7679 S LONGE ST  
STOCKTON, CA 95206-4929

**LOCATION:** 7679 S LONGE ST  
STOCKTON, CA 95206

**EQUIPMENT DESCRIPTION:**

LAUNDERING OPERATION CONSISTING OF FIFTEEN WASHING MACHINES, WASTEWATER SETTLING PIT WITH WASTE SCREEN, AND WASTEWATER TREATMENT SYSTEM.

### CONDITIONS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. No air contaminant shall be discharged into the atmosphere for a period or periods aggregating more than three minutes in any one hour which is as dark as, or darker than, Ringelmann 1 or 20% opacity. [District Rule 4101]
3. All equipment shall be maintained in good operating condition and shall be operated in a manner to minimize emissions of air contaminants into the atmosphere. [District Rule 2201]
4. All soiled shop towels shall be stored in closed containers until they are washed. [District Rule 2201]
5. Neither print towels nor furniture towels shall be laundered at this facility. Any print towels or furniture towels sent to this facility will be bagged and stored outside in a covered area prior to being sent off-site for laundering. [District Rule 2201]
6. No shop towels that contain, or are saturated with free liquid shall be laundered at this facility. Shop towels that contain free liquid shall not be received from any customer's facilities. [District Rule 2201]
7. Soiled shop towels shall be washed separately from other laundry. [District Rule 2201]
8. The total quantity of soiled shop towels washed shall not exceed 146,400 soiled weight pounds in any one day and 1,450,000 soiled weight pounds in any rolling 12-month period. [District Rule 2201]
9. VOC emissions from the washing of soiled shop towels shall not exceed 0.00049 pounds per pound of soiled shop towels washed. [District Rule 2201]

CONDITIONS CONTINUE ON NEXT PAGE

**YOU MUST NOTIFY THE DISTRICT COMPLIANCE DIVISION AT (209) 557-6400 WHEN CONSTRUCTION IS COMPLETED AND PRIOR TO OPERATING THE EQUIPMENT OR MODIFICATIONS AUTHORIZED BY THIS AUTHORITY TO CONSTRUCT.** This is NOT a PERMIT TO OPERATE. Approval or denial of a PERMIT TO OPERATE will be made after an inspection to verify that the equipment has been constructed in accordance with the approved plans, specifications and conditions of this Authority to Construct, and to determine if the equipment can be operated in compliance with all Rules and Regulations of the San Joaquin Valley Unified Air Pollution Control District. Unless construction has commenced pursuant to Rule 2050, this Authority to Construct shall expire and application shall be cancelled two years from the date of issuance. The applicant is responsible for complying with all laws, ordinances and regulations of all other governmental agencies which may pertain to the above equipment.

Seyed Sadredin, Executive Director / APCO



Arnaud Marjollet, Director of Permit Services

N-4599-18-0 Feb 12/2018 9:58AM - CHANK Joint Inspection NOT Required

10. The total quantity of VOC containing detergents used shall not exceed 137 gallons in any one day and 35,000 gallons in any rolling 12-month period. [District Rule 2201]
11. The total quantity of VOC containing detergent boosters used shall not exceed 12 gallons in any one day and 1,500 gallons in any rolling 12-month period. [District Rule 2201]
12. The maximum VOC content of the VOC containing detergents used shall not exceed 0.064 lb-VOC/gallon. [District Rule 2201]
13. The maximum VOC content of the VOC containing detergent boosters used shall not exceed 1.40 lb-VOC/gallon. [District Rule 2201]
14. During each day of operation, the permittee shall maintain daily records of the following: (a). Total facility-wide quantity of soiled shop towels processed by the washing machines (in soiled weight pounds); (b). Total facility-wide quantity of VOC containing detergents used in the washing machines (in gallons); (c). Total facility-wide quantity of VOC containing detergent boosters used in the washing machines (in gallons). [District Rules 1070 and 2201]
15. On a monthly basis, the permittee shall maintain a rolling 12-consecutive month record of the following: (a). Total facility-wide quantity of shop towels processed by the washing machines (in soiled weight pounds); (b). Total facility-wide quantity of VOC containing detergents used in the washing machines (in gallons); (c). Total facility-wide quantity of VOC containing detergent boosters used in the washing machines (in gallons). [District Rules 1070 and 2201]
16. The permittee shall maintain records of each VOC containing detergent and detergent booster used at the facility. The records shall include the manufacturer's product data sheet or safety data sheet (SDS) and shall state the VOC content in grams/liter or pounds/gallon. [District Rules 1070 and 2201]
17. All records shall be retained for a period of at least 5 years and shall be made available for District inspection upon request. [District Rules 1070 and 2201]