



FEB 05 2020

Mr. Justin McManis
McManis Family Vineyards
18700 E River Road
Ripon, CA 95366

Re: Notice of Preliminary Decision - Federally Mandated Operating Permit
Facility Number: N-9371
Project Number: N-1183428

Dear Mr. McManis:

Enclosed for your review is the District's analysis of Vineyards' application for the Federally Mandated Operating Permit for its operation at 18700 E River Road, Ripon, California.

The notice of preliminary decision for this project has been posted on the District's website (www.valleyair.org). After addressing all comments made during the 30-day public notice and the 45-day EPA comment periods, the District intends to issue the Federally Mandated Operating Permit. Please submit your written comments on this project within the 30-day public comment period, as specified in the enclosed public notice.

Thank you for your cooperation in this matter. If you have any questions, please contact Mr. Nick Peirce, Permit Services Manager, at (209) 557-6400.

Sincerely,



Arnaud Marjollet
Director of Permit Services

Enclosures

cc: Courtney Graham, CARB (w/enclosure) via email
cc: Gerardo C. Rios, EPA (w/enclosure) via EPS

Samir Sheikh
Executive Director/Air Pollution Control Officer

Northern Region
4800 Enterprise Way
Modesto, CA 95356-8718
Tel: (209) 557-6400 FAX: (209) 557-6475

Central Region (Main Office)
1990 E. Gettysburg Avenue
Fresno, CA 93726-0244
Tel: (559) 230-6000 FAX: (559) 230-6061

Southern Region
34946 Flyover Court
Bakersfield, CA 93308-9725
Tel: 661-392-5500 FAX: 661-392-5585

**SAN JOAQUIN VALLEY
UNIFIED AIR POLLUTION CONTROL DISTRICT**

Proposed Initial TV Engineering Evaluation

**McManis Family Vineyards
N-9371**

Table of Contents

I. PROPOSAL.....	1
II. FACILITY LOCATION.....	1
III. EQUIPMENT LISTING.....	1
IV. GENERAL PERMIT TEMPLATE USAGE.....	2
V. SCOPE OF EPA AND PUBLIC REVIEW.....	2
VI. APPLICABLE REQUIREMENTS ADDRESSED BY GENERAL PERMIT TEMPLATES.....	2
VII. APPLICABLE REQUIREMENTS NOT ADDRESSED BY GENERAL PERMIT TEMPLATES.....	4
VIII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE.....	5
IX. COMPLIANCE.....	5
X. PERMIT SHIELD.....	12
XI. PERMIT CONDITIONS.....	12
XII. ATTACHMENTS.....	13

TITLE V APPLICATION REVIEW
Winery

Engineer: Jagmeet Kahlon
Date: January 29, 2020

Facility Number: N-9371
Facility Name: McManis Family Vineyards
Mailing Address: 18700 E River Rd
Ripon, CA 95366

Contact Name: Justin McManis
Title: Purchasing Manager
Phone: (209) 595-5913

Responsible Official: Justin McManis
Title: Purchasing Manager

Project # : N-1183428
Deemed Complete: November 1, 2018

I. PROPOSAL

McManis Family Vineyards is proposing that an initial Title V permit be issued for its existing winery in Ripon, California. McManis Family Vineyards is applying for a Title V permit because it's potential to emit for volatile organic compound (VOC) emissions is above the District's Major Source threshold of 20,000 pounds per year for VOC emissions.

The purpose of this evaluation is to identify all applicable requirements, determine if the facility will comply with those applicable requirements, and to provide the legal and factual basis for proposed permit conditions.

II. FACILITY LOCATION

McManis Family Vineyards is located at 18700 E River Road, Ripon, California.

III. EQUIPMENT LISTING

A detailed facility printout listing all permitted equipment at the facility is shown in **Attachment A**.

A summary of the exempt equipment categories which describe the insignificant activities or equipment at the facility not requiring a permit is shown in **Attachment B**. This equipment is not exempt from facility-wide requirements.

IV. GENERAL PERMIT TEMPLATE USAGE

The applicant has requested to use the following model general permit templates:

A. Template SJV-UM-03 Facility-wide Umbrella

The applicant has requested to utilize template SJV-UM-0-3, Facility Wide Umbrella. Based on the information submitted in the Template Qualification Form, the applicant qualifies for the use of this template.

V. SCOPE OF EPA AND PUBLIC REVIEW

Certain segments of the proposed Operating Permit are based on model general permit templates that have been previously subject to EPA and public review. The terms and conditions from the model general permit templates are included in the proposed permit and are not subject to further EPA and public review.

For permit applications utilizing model general permit templates, public and agency comments on the District's proposed actions are limited to the applicant's eligibility for model general permit template, applicable requirements not covered by the model general permit template, and the applicable procedural requirements for issuance of Title V Operating Permits.

Conditions 1 through 40 in facility-wide permit requirement permit N-9371-0-0 including their underlying applicable requirements originate from template SJV-UM-0-3 and are not subject to further EPA or public review.

VI. APPLICABLE REQUIREMENTS ADDRESSED BY GENERAL PERMIT TEMPLATES

As stated previously, the applicant has proposed to utilize template SJV-UM-0-3, Facility Wide Umbrella. Requirements in the following rules are addressed in the facility-wide umbrella template:

District Rule 1100, Equipment Breakdown
(Amended December 17, 1992)

District Rule 1160, Emission Statements
(Adopted November 18, 1992)

District Rule 2010, Permits Required
(Amended December 17, 1992)

District Rule 2020, Exemptions
(Amended December 20, 2007)

District Rule 2031, Transfer of Permits
(Amended December 17, 1992)

District Rule 2040, Applications
(Amended December 17, 1992)

District Rule 2070, Standards for Granting Applications
(Amended December 17, 1992)

District Rule 2080, Conditional Approval
(Amended December 17, 1992)

District Rule 2520, Federally Mandated Operating Permits
(Amended June 21, 2001) Sections 5.2, 9.1.1, 9.4, 9.5, 9.7, 9.8, 9.9, 9.13.1,
9.13.2, 9.16, and 10.0

District Rule 4101, Visible Emissions
(Amended February 17, 2005)

District Rule 4601, Architectural Coatings
(Amended December 17, 2009)

District Rule 8021, Fugitive Dust Requirements for Control of Fine Particulate Matter (PM₁₀) from Construction, Demolition, Excavation, and Extraction Activities
(Amended August 19, 2004)

District Rule 8031, Fugitive Dust Requirements for Control of Fine Particulate Matter (PM₁₀) from Handling and Storage of Bulk Materials
(Amended August 19, 2004)

District Rule 8041, Fugitive Dust Requirements for Control of Fine Particulate Matter (PM₁₀) from Carryout and Trackout
(Amended August 19, 2004)

District Rule 8051, Fugitive Dust Requirements for Control of Fine Particulate Matter (PM₁₀) from Open Areas
(Amended August 19, 2004)

District Rule 8061, Fugitive Dust Requirements for Control of Fine Particulate Matter (PM₁₀) from Paved and Unpaved Roads
(Amended August 19, 2004)

District Rule 8071, Fugitive Dust Requirements for Control of Fine Particulate Matter (PM₁₀) from Unpaved Vehicle/Equipment Areas
(Amended September 16, 2004)

40 CFR Part 61, Subpart M, National Emission Standard for Asbestos

40 CFR Part 82, Subpart B and F, Stratospheric Ozone

VII. APPLICABLE REQUIREMENTS NOT ADDRESSED BY GENERAL PERMIT TEMPLATES

District Rule 1070, Inspections
(Amended December 17, 1992)

District Rule 1080, Stack Monitoring
(Amended December 17, 1992)

District Rule 1081, Source Sampling
(Amended December 16, 1993)

District Rule 2201, New and Modified Stationary Source Review Rule
(Amended April 21, 2011)

District Rule 2520, Federally Mandated Operating Permits
(Amended August 15, 2019) Sections not addressed by Umbrella Template

District Rule 4001, New Source Performance Standards
(Amended April 14, 1999)

District Rule 4002, National Emission Standards for Hazardous Air Pollutants
(Amended May 20, 2004)

District Rule 4694, Wine Fermentation and Storage Tanks
(Adopted December 15, 2005)

District Rule 4695, Brandy Aging and Wine Aging Operations
(Adopted September 17, 2009)

40 CFR Part 64, Compliance Assurance Monitoring (CAM)

VIII. REQUIREMENTS NOT FEDERALLY ENFORCEABLE

For each Title V source, the District issues a single permit that contains the Federally Enforceable requirements, as well as the District-only requirements. The District-only requirements are not a part of the Title V Operating Permits. The terms and conditions that are part of the facility's Title V permit are designated as Federally Enforceable through Title V Permit.

This facility is subject to the following rules that are not currently federally enforceable:

District Rule 4102, Nuisance
(Amended December 17, 1992)

Condition 41 of the requirements for facility wide permit N-9371-0-1 is based on the rule listed above and is not Federally Enforceable through Title V permit.

IX. COMPLIANCE

A. Requirements Addressed by Model General Permit Templates

1. Facility Wide Requirements

The applicant is proposing to use a general permit template to address federally applicable facility-wide requirements. Section IV of template SJV-UM-0-3 includes a demonstration of compliance for all applicable requirements. Template conditions have been added to the facility wide requirements as condition numbers 1 through 40 to assure compliance with these requirements.

B. Requirements Not Addressed by Model General Permit Templates

District Rule 1070, Inspections

This rule requires that the inspections shall be made by the enforcement agency for the purpose of obtaining information necessary to determine whether air pollution sources are in compliance with applicable rules and

regulations. Further, the District has the authority to require recordkeeping, to make inspections and to conduct tests of air pollution sources.

The necessary recordkeeping requirements are included in each Permit to Operate. Thus, compliance is expected with this rule.

District Rule 1080, Stack Monitoring

This rule grants the APCO authority to request the installation, use, maintenance, and inspection of continuous monitoring equipment. This rule also specifies the performance standards for the equipment and administrative recordkeeping, reporting, and violation and equipment breakdown notification requirements.

This rule does not require installation of continuous monitoring equipment on wine fermentation or storage tanks. Therefore, no specific conditions are included in the permits as part of this project.

District Rule 1081, Source Sampling

This rule ensures that any source operation which emits or may emit air contaminants provides adequate and safe facilities for use in sampling to determine compliance. This rule also specifies methods and procedures for source testing, sample collection, and compliance determination.

Source testing is not required for the wine fermentation and storage tanks. VOC emission factors in the permits are either from source testing data or output from EPA's TANKS 4.0d program for a similar source operation. Therefore, no source testing conditions are included in the permits as part of this project.

District Rule 2201, New and Modified Stationary Source Review Rule

The requirements in this rule only trigger for new emission unit(s) or when an existing unit undergoes a modification. Note that an emission unit that was previously exempt from written permits at the time of installation, which becomes subject to the provisions of Rule 2010 (Permits Required) are not subject to Rule 2201 until such time that the emissions unit is modified.

District Rule 2520, Federally Mandated Operating Permits

Except for the discussion below, the proposed use of a facility-wide template SJV-UM-0-3 covers the requirements of this Rule.

There are no federally applicable GHG requirements for this source. It should be noted that the Mandatory Greenhouse Gas Reporting rule (40 CFR Part 98) is not included in the definition of an applicable requirement within Title V (per 40 CFR 71.2). Therefore, there will be no further discussion of GHG in this evaluation.

District Rule 4001, New Source Performance Standards

The Federal regulation 40 CFR Part 60 does not contain standards for wine fermentation and storage operations at this point; therefore, no further discussion is necessary.

District Rule 4002, National Emission Standards for Hazardous Air Pollutants

The Federal regulation 40 CFR Part 63 does not contain standards for wine fermentation and storage operations at this point; therefore, no further discussion is necessary.

District Rule 4694, Wine Fermentation and Storage Tanks

The purpose of this rule is to reduce emissions of volatile organic compounds (VOC) from the fermentation and bulk storage of wine, or achieve equivalent reductions from alternative emission sources. This rule is applicable to all facilities with fermentation emissions in excess of 10 tons-VOC/year. The storage tank provisions of this rule apply to all tanks with capacity in excess of 5,000 gallons.

Baseline fermentation emissions (BFE) are the average annual uncontrolled fermentation emissions for the three previous consecutive years of fermentation activities. The baseline fermentation emissions are calculated below:

Year	Gallons of Red Wine Fermented	Gallons of White Wine Fermented
2016	2,656,245	697,394
2017	3,114,667	801,002
2018	3,679,082	1,044,978
Average Annual (gal/year)	3,149,998	847,791

BFE Red Wine = Average Red Wine (gal/year) x 6.2 lb-VOC/1000 gal
 BFE Red Wine = 3,149,998 gal/year x 6.2 lb-VOC/1000 gal
 BFE Red Wine = 19,530 lb-VOC/year

BFE White Wine = Average White Wine (gal/year) x 2.5 lb-VOC/1000 gal
 BFE White Wine = 847,791 gal/year x 2.5 lb-VOC/1000 gal
 BFE White Wine = 2,119 lb-VOC/year

BFE Total = BFE Red Wine + BFE White Wine
 BFE Total = 19,530 lb-VOC/year + 2,119 lb-VOC/year
 BFE Total = 21,649 lb-VOC/year

Since the baseline fermentation emissions are greater than 20,000 lb-VOC/year, this facility is subject to the requirements of this rule.

Section 5.1 requires the winery operator achieve Required Annual Emissions Reductions (RAER) equal to at least 35% of the winery's Baseline Fermentation Emissions (BFE). Per the definition of RAER in Section 3.25 of the Rule, the RAER may be achieved by any combination of Fermentation Emission Reductions (FER), Certified Emission Reductions (CER) or District Obtained Emission Reductions (DOER) as established in the facility's District-approved Rule 4694 Compliance Plan. This plan will be due every three years on December 1st, starting 2019. The following condition(s) will be included in each permit:

- A Three-Year Compliance Plan that demonstrates compliance with the requirements of Section 5.1 of District Rule 4694 (12/15/05) for each year of the applicable compliance period shall be submitted to the District by no later than December 1, 2019, and every three years thereafter on or before December 1. [District Rule 4694]

Note that in the past a winery that became subject to Rule 4694 is given about 12 months to develop a 3-year compliance plan. Therefore, this winery's 3-year compliance plan submittal was December 1, 2019.

Section 5.2 places specific restrictions on wine storage tanks with 5,000 gallons or more in capacity when such tanks are not constructed of wood or concrete. Section 5.2.1 requires these tanks to be equipped and operated with a pressure-vacuum relief valve meeting all of the following requirements:

- The pressure-vacuum relief valve shall operate within 10% of the maximum allowable working pressure of the tank,
- The pressure-vacuum relief valve shall operate in accordance with the manufacturer's instructions, and
- The pressure-vacuum relief valve shall be permanently labeled with the operating pressure settings.
- The pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21.

The following conditions will be listed on the permits for stainless steel tanks \geq 5,000 gallons in capacity and used for storage to ensure compliance with the requirements of Section 5.2.1:

- When used for wine storage, the tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694]
- When used for wine storage, the pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694]

Section 5.2.2 requires that the temperature of the stored wine be maintained at or below 75° F.

The following condition will be placed on the permits for stainless steel tanks $\geq 5,000$ gallons in capacity and used for storage to ensure compliance with the requirements of Section 5.2.2:

- When used for wine storage, the temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694]

Section 6.1 and 6.2 require the facility to submit a Three-Year Compliance Plan and a Three-Year Compliance Plan Verification respectively. Section 6.3 requires that an Annual Compliance Plan Demonstration be submitted to the District no later than February 1 of each year to show compliance with the applicable requirements of the Rule. Section 6.4.3 requires that all monitoring be performed for any Certified Emission Reductions as identified in the facility's Three-Year Compliance Plan and that the records of all monitoring be maintained. The following conditions will be included in the facility-wide permit to ensure compliance with this section:

- A Three-Year Compliance Plan that demonstrates compliance with the requirements of Section 5.1 of District Rule 4694 (12/15/05) for each year of the applicable compliance period shall be submitted to the District by no later than December 1, 2019, and every three years thereafter on or before December 1. [District Rule 4694]

Note that in the past a winery that become subject to Rule 4694 is given about 12 months to develop a 3-year compliance plan. Therefore, this winery's 3-year compliance plan submittal was December 1, 2019.

- A Three-Year Compliance Plan Verification that demonstrates that the Three-Year Compliance Plan elements are in effect shall be submitted to the District by no later than July 1, 2020, and every three years thereafter on or before July 1. [District Rule 4694]

Note that in the past a winery that become subject to Rule 4694 is given about 7 months from the 3-year compliance plan submittal deadline to demonstrate that the plan elements are in effect. As discussed previously, winery's 3-year compliance plan submittal was set to December 1, 2019, and 7 months after that date would be July 1, 2020.

- An Annual Compliance Plan Demonstration that shows compliance with the applicable requirements of this rule shall be submitted to the District by no later than February 1, 2021, and every year thereafter on or before February 1. [District Rule 4694]

Note that in the past a winery that become subject to Rule 4694 is given about 7 months from the 3-year compliance plan verification deadline to demonstrate compliance with the applicable requirements of this rule. As discussed previously, winery's 3-year compliance plan verification deadline is set to July 1, 2020, and 7 months after that date would be February 1, 2021.

- Operators using Certified Emission Reductions (CER) to mitigate fermentation emissions shall perform all monitoring and recordkeeping, as established in their approved Three-Year Compliance Plan, and shall maintain all records necessary to demonstrate compliance. [District Rule 4694]

Section 6.4.1 requires that records be kept for each fermentation batch. The following condition will be listed on the permits for each fermentation tank to ensure compliance:

- For each batch of must fermented in the tank, the operator shall record the fermentation completion date, the total gallons of must fermented, the uncontrolled fermentation emissions and fermentation emission reductions (calculated per the emission factors given in District Rule 4694). The information shall be recorded by the tank Permit to Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694]

Section 6.4.2 requires that weekly records be kept of wine volume and temperature in each storage tank. The following condition(s) will be listed on the permit for each storage tank to ensure compliance with the requirements of Section 6.4.2:

- When the tank is used for wine storage, the operator shall determine and record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694]

Section 6.4 requires that records required by this rule be maintained, retained on-site for a minimum of five years, and made available to the APCO upon request. The following condition(s) will be listed on all permits to ensure compliance:

- All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

Compliance is expected with this Rule.

District Rule 4695, Brandy Aging and Wine Aging Operations

The purpose of this rule is to limit volatile organic compound (VOC) emissions from brandy aging and wine aging operations. Brandy aging and wine aging operations are not conducted at this site. Therefore, this winery is not subject to the requirements of this rule.

40 CFR Part 64, Compliance Assurance Monitoring (CAM)

All wine tanks at this site are equipped with pressure relief valves. A pressure relief valve does not constitute a control device because it does not meet the definition of a "control device" (defined in Part 64.1) since it does not destroy or remove air pollutants. Furthermore, a pressure relief valve is an "inherent process equipment" (defined in Part 64.1) since it installed on each tank primarily to limit the contact of wine with oxygen in the atmosphere. Therefore, CAM does not apply to the wine fermentation or storage tanks.

X. PERMIT SHIELD

A permit shield legally protects a facility from enforcement of the shielded regulations when a source is in compliance with the terms and conditions of the Title V permit. Compliance with the terms and conditions of the Operating Permit is considered compliance with all applicable requirements upon which those conditions are based, including those that have been subsumed.

A. Requirements Addressed by Model General Permit Templates

By using the model general permit template(s) listed in Section IV of this evaluation, the applicant has requested that a permit shield be issued for requirements addressed in the template(s). The basis for each permit shield is discussed in the Permit Shield section of each template.

B. Requirements not Addressed by Model General Permit Templates

The model general permit template contains requirements related to the permit shields. Therefore, no further discussion is necessary.

XI. PERMIT CONDITIONS

See Attachment A – Draft Title V Operating Permit.

XII. ATTACHMENTS

- A. Draft Title V Operating Permit
- B. Detailed Facility List
- C. Exempt Equipment
- D. Permits to Operate

ATTACHMENT A

Draft Title V Operating Permit

Important Note!

There are 307 wine tanks at this facility. These tanks fall into one of the two categories listed in the following table. To ease the review process, two draft permits are included (one from each category), along with a draft facility-wide permit requirements.

Category/Description	Permit Numbers	Draft Permit
1. Wine fermentation and storage tanks – Steel tanks ≥5,000-gallon	N-9371-1 through '-20, '-22, '-23, '-28 through '-59, '-64 through '-81, '-86 through '-151, '-153 through '-193, '-195 through '-206, '-217 through '-283, '-290 through '-297, '-303 through '-307	N-9371-1
2. Wine fermentation and storage tanks – Steel tanks <5,000-gallon	N-9371-21, '-24 through '-27, '-60 through '-63, '-82 through '-85, '-152, '-194, '-207 through '-216, '-284 through '-289, '-298 through '-302	N-9371-21

San Joaquin Valley Air Pollution Control District

FACILITY: N-9371-0-0

EXPIRATION DATE: 09/30/2022

FACILITY-WIDE REQUIREMENTS

1. {4362} The owner or operator shall notify the District of any breakdown condition as soon as reasonably possible, but no later than one hour after its detection, unless the owner or operator demonstrates to the District's satisfaction that the longer reporting period was necessary. [District Rule 1100, 6.1; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
2. {4363} The District shall be notified in writing within ten days following the correction of any breakdown condition. The breakdown notification shall include a description of the equipment malfunction or failure, the date and cause of the initial failure, the estimated emissions in excess of those allowed, and the methods utilized to restore normal operations. [District Rule 1100, 7.0; County Rules 110 (Fresno, Stanislaus, San Joaquin); 109 (Merced); 113 (Madera); and 111 (Kern, Tulare, Kings)] Federally Enforceable Through Title V Permit
3. {4364} The owner or operator of any stationary source operation that emits more than 25 tons per year of nitrogen oxides or reactive organic compounds, shall provide the District annually with a written statement in such form and at such time as the District prescribes, showing actual emissions of nitrogen oxides and reactive organic compounds from that source. [District Rule 1160, 5.0] Federally Enforceable Through Title V Permit
4. {4365} Any person building, altering or replacing any operation, article, machine, equipment, or other contrivance, the use of which may cause the issuance of air contaminants or the use of which may eliminate, reduce, or control the issuance of air contaminants, shall first obtain an Authority to Construct (ATC) from the District unless exempted by District Rule 2020 (12/20/07). [District Rule 2010, 3.0 and 4.0; and 2020] Federally Enforceable Through Title V Permit
5. {4366} The permittee must comply with all conditions of the permit including permit revisions originated by the District. All terms and conditions of a permit that are required pursuant to the Clean Air Act (CAA), including provisions to limit potential to emit, are enforceable by the EPA and Citizens under the CAA. Any permit noncompliance constitutes a violation of the CAA and the District Rules and Regulations, and is grounds for enforcement action, for permit termination, revocation, reopening and reissuance, or modification; or for denial of a permit renewal application. [District Rules 2070, 7.0; 2080; and 2520, 9.8.1 and 9.13.1] Federally Enforceable Through Title V Permit
6. {4367} A Permit to Operate or an Authority to Construct shall not be transferred unless a new application is filed with and approved by the District. [District Rule 2031] Federally Enforceable Through Title V Permit
7. {4368} Every application for a permit required under Rule 2010 (12/17/92) shall be filed in a manner and form prescribed by the District. [District Rule 2040] Federally Enforceable Through Title V Permit
8. {4369} The operator shall maintain records of required monitoring that include: 1) the date, place, and time of sampling or measurement; 2) the date(s) analyses were performed; 3) the company or entity that performed the analysis; 4) the analytical techniques or methods used; 5) the results of such analysis; and 6) the operating conditions at the time of sampling or measurement. [District Rule 2520, 9.4.1] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate. Any amendments to these Facility-wide Requirements that affect specific Permit Units may constitute modification of those Permit Units.

Facility Name: MCMANIS FAMILY VINEYARDS
Location: 18700 E RIVER RD, RIPON, CA 95366
N-9371-0-0 Jan 22 2020 3:15PM - KAHLOHJ

9. {4370} The operator shall retain records of all required monitoring data and support information for a period of at least 5 years from the date of the monitoring sample, measurement, or report. Support information includes copies of all reports required by the permit and, for continuous monitoring instrumentation, all calibration and maintenance records and all original strip-chart recordings. [District Rule 2520, 9.4.2] Federally Enforceable Through Title V Permit
10. {4371} The operator shall submit reports of any required monitoring at least every six months unless a different frequency is required by an applicable requirement. All instances of deviations from permit requirements must be clearly identified in such reports. [District Rule 2520, 9.5.1] Federally Enforceable Through Title V Permit
11. {4372} Deviations from permit conditions must be promptly reported, including deviations attributable to upset conditions, as defined in the permit. For the purpose of this condition, promptly means as soon as reasonably possible, but no later than 10 days after detection. The report shall include the probable cause of such deviations, and any corrective actions or preventive measures taken. All required reports must be certified by a responsible official consistent with section 10.0 of District Rule 2520 (6/21/01). [District Rules 2520, 9.5.2 and 1100, 7.0] Federally Enforceable Through Title V Permit
12. {4373} If for any reason a permit requirement or condition is being challenged for its constitutionality or validity by a court of competent jurisdiction, the outcome of such challenge shall not affect or invalidate the remainder of the conditions or requirements in that permit. [District Rule 2520, 9.7] Federally Enforceable Through Title V Permit
13. {4374} It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. [District Rule 2520, 9.8.2] Federally Enforceable Through Title V Permit
14. {4375} The permit may be modified, revoked, reopened and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition. [District Rule 2520, 9.8.3] Federally Enforceable Through Title V Permit
15. {4376} The permit does not convey any property rights of any sort, or any exclusive privilege. [District Rule 2520, 9.8.4] Federally Enforceable Through Title V Permit
16. {4377} The Permittee shall furnish to the District, within a reasonable time, any information that the District may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the District copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee may furnish such records directly to EPA along with a claim of confidentiality. [District Rule 2520, 9.8.5] Federally Enforceable Through Title V Permit
17. {4378} The permittee shall pay annual permit fees and other applicable fees as prescribed in Regulation III of the District Rules and Regulations. [District Rule 2520, 9.9] Federally Enforceable Through Title V Permit
18. {4379} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to enter the permittee's premises where a permitted source is located or emissions related activity is conducted, or where records must be kept under condition of the permit. [District Rule 2520, 9.13.2.1] Federally Enforceable Through Title V Permit
19. {4380} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit. [District Rule 2520, 9.13.2.2] Federally Enforceable Through Title V Permit
20. {4381} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to inspect at reasonable times any facilities, equipment, practices, or operations regulated or required under the permit. [District Rule 2520, 9.13.2.3] Federally Enforceable Through Title V Permit
21. {4382} Upon presentation of appropriate credentials, a permittee shall allow an authorized representative of the District to sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with the permit or applicable requirements. [District Rule 2520, 9.13.2.4] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE
These terms and conditions are part of the Facility-wide Permit to Operate.

22. {4383} No air contaminants shall be discharged into the atmosphere for a period or periods aggregating more than 3 minutes in any one hour which is as dark or darker than Ringelmann #1 or equivalent to 20% opacity and greater, unless specifically exempted by District Rule 4101 (02/17/05). If the equipment or operation is subject to a more stringent visible emission standard as prescribed in a permit condition, the more stringent visible emission limit shall supersede this condition. [District Rule 4101, and County Rules 401 (in all eight counties in the San Joaquin Valley)] Federally Enforceable Through Title V Permit
23. {4384} No person shall manufacture, blend, repackage, supply, sell, solicit or apply any architectural coating with a VOC content in excess of the corresponding limit specified in Table of Standards 1 effective until 12/30/10 or Table of Standards 2 effective on and after 1/1/11 of District Rule 4601 (12/17/09) for use or sale within the District. [District Rule 4601, 5.1] Federally Enforceable Through Title V Permit
24. {4385} All VOC-containing materials subject to Rule 4601 (12/17/09) shall be stored in closed containers when not in use. [District Rule 4601, 5.4] Federally Enforceable Through Title V Permit
25. {4386} The permittee shall comply with all the Labeling and Test Methods requirements outlined in Rule 4601 sections 6.1 and 6.3 (12/17/09). [District Rule 4601, 6.1 and 6.3] Federally Enforceable Through Title V Permit
26. {4387} With each report or document submitted under a permit requirement or a request for information by the District or EPA, the permittee shall include a certification of truth, accuracy, and completeness by a responsible official. [District Rule 2520, 9.13.1 and 10.0] Federally Enforceable Through Title V Permit
27. {4388} If the permittee performs maintenance on, or services, repairs, or disposes of appliances, the permittee shall comply with the standards for Recycling and Emissions Reduction pursuant to 40 CFR Part 82, Subpart F. [40 CFR 82 Subpart F] Federally Enforceable Through Title V Permit
28. {4389} If the permittee performs service on motor vehicles when this service involves the ozone-depleting refrigerant in the motor vehicle air conditioner (MVAC), the permittee shall comply with the standards for Servicing of Motor Vehicle Air Conditioners pursuant to all the applicable requirements as specified in 40 CFR Part 82, Subpart B. [40 CFR Part 82, Subpart B] Federally Enforceable Through Title V Permit
29. {4390} Disturbances of soil related to any construction, demolition, excavation, extraction, or other earthmoving activities shall comply with the requirements for fugitive dust control in District Rule 8021 unless specifically exempted under Section 4.0 of Rule 8021 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8021] Federally Enforceable Through Title V Permit
30. {4391} Outdoor handling, storage and transport of any bulk material which emits dust shall comply with the requirements of District Rule 8031, unless specifically exempted under Section 4.0 of Rule 8031 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8031] Federally Enforceable Through Title V Permit
31. {4392} An owner/operator shall prevent or cleanup any carryout or trackout in accordance with the requirements of District Rule 8041 Section 5.0, unless specifically exempted under Section 4.0 of Rule 8041 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8041] Federally Enforceable Through Title V Permit
32. {4393} Whenever open areas are disturbed, or vehicles are used in open areas, the facility shall comply with the requirements of Section 5.0 of District Rule 8051, unless specifically exempted under Section 4.0 of Rule 8051 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8051] Federally Enforceable Through Title V Permit
33. {4394} Any paved road or unpaved road shall comply with the requirements of District Rule 8061 unless specifically exempted under Section 4.0 of Rule 8061 (8/19/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8061] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate

34. {4395} Any unpaved vehicle/equipment area that anticipates more than 50 Average annual daily Trips (AADT) shall comply with the requirements of Section 5.1.1 of District Rule 8071. Any unpaved vehicle/equipment area that anticipates more than 150 vehicle trips per day (VDT) shall comply with the requirements of Section 5.1.2 of District Rule 8071. On each day that 25 or more VDT with 3 or more axles will occur on an unpaved vehicle/equipment traffic area, the owner/operator shall comply with the requirements of Section 5.1.3 of District Rule 8071. On each day when a special event will result in 1,000 or more vehicles that will travel/park on an unpaved area, the owner/operator shall comply with the requirements of Section 5.1.4 of District Rule 8071. All sources shall comply with the requirements of Section 5.0 of District Rule 8071 unless specifically exempted under Section 4.0 of Rule 8071 (9/16/2004) or Rule 8011 (8/19/2004). [District Rules 8011 and 8071] Federally Enforceable Through Title V Permit
35. {4396} Any owner or operator of a demolition or renovation activity, as defined in 40 CFR 61.141, shall comply with the applicable inspection, notification, removal, and disposal procedures for asbestos containing materials as specified in 40 CFR 61.145 (Standard for Demolition and Renovation). [40 CFR 61 Subpart M] Federally Enforceable Through Title V Permit
36. {4397} The permittee shall submit certifications of compliance with the terms and standards contained in Title V permits, including emission limits, standards and work practices, to the District and the EPA annually (or more frequently as specified in an applicable requirement or as specified by the District). The certification shall include the identification of each permit term or condition, the compliance status, whether compliance was continuous or intermittent, the methods used for determining the compliance status, and any other facts required by the District to determine the compliance status of the source. [District Rule 2520, 9.16] Federally Enforceable Through Title V Permit
37. {4398} The permittee shall submit an application for Title V permit renewal to the District at least six months, but not greater than 18 months, prior to the permit expiration date. [District Rule 2520, 5.2] Federally Enforceable Through Title V Permit
38. {4399} When a term is not defined in a Title V permit condition, the definition in the rule cited as the origin and authority for the condition in a Title V permits shall apply. [District Rule 2520, 9.1.1] Federally Enforceable Through Title V Permit
39. {4400} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following outdated SIP requirements: Rule 401 (Madera, Fresno, Kern, Kings, San Joaquin, Stanislaus, Tulare and Merced), Rule 110 (Fresno, Stanislaus, San Joaquin), Rule 109 (Merced), Rule 113 (Madera), Rule 111 (Kern, Tulare, Kings), and Rule 202 (Fresno, Kern, Tulare, Kings, Madera, Stanislaus, Merced, San Joaquin). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
40. {4401} Compliance with permit conditions in the Title V permit shall be deemed in compliance with the following applicable requirements: SJVUAPCD Rules 1100, sections 6.1 and 7.0 (12/17/92); 2010, sections 3.0 and 4.0 (12/17/92); 2031 (12/17/92); 2040 (12/17/92); 2070, section 7.0 (12/17/92); 2080 (12/17/92); 4101 (2/17/05); 4601 (12/17/09); 8021 (8/19/2004); 8031 (8/19/2004); 8041 (8/19/2004); 8051 (8/19/2004); 8061 (8/19/2004); and 8071 (9/16/2004). A permit shield is granted from these requirements. [District Rule 2520, 13.2] Federally Enforceable Through Title V Permit
41. {98} No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
42. On {MONTH DAY, YEAR}, the initial Title V permit was issued. The reporting periods for the Report of Required Monitoring and the Compliance Certification Report are based upon this initial permit issuance date, unless alternative dates are approved by the District Compliance Division. These reports are due within 30 days after the end of the reporting period. [District Rule 2520] Federally Enforceable Through Title V Permit
43. This facility shall annually achieve the Required Annual Emission Reductions (RAER) as specified in the facility's APCO-approved Three-Year Compliance Plan for District Rule 4694. [District Rule 4694] Federally Enforceable Through Title V Permit
44. A Three-Year Compliance Plan that demonstrates compliance with the requirements of Section 5.1 of District Rule 4694 (12/15/05) for each year of the applicable compliance period shall be submitted to the District by no later than December 1, 2019, and every three years thereafter on or before December 1. [District Rule 4694] Federally Enforceable Through Title V Permit

FACILITY-WIDE REQUIREMENTS CONTINUE ON NEXT PAGE

These terms and conditions are part of the Facility-wide Permit to Operate.

45. A Three-Year Compliance Plan Verification that demonstrates that the Three-Year Compliance Plan elements are in effect shall be submitted to the District by no later than July 1, 2020, and every three years thereafter on or before July 1. [District Rule 4694] Federally Enforceable Through Title V Permit
46. An Annual Compliance Plan Demonstration that shows compliance with the applicable requirements of this rule shall be submitted to the District by no later than February 1, 2021, and every year thereafter on or before February 1. [District Rule 4694] Federally Enforceable Through Title V Permit
47. Operators using Certified Emission Reductions (CER) to mitigate fermentation emissions shall perform all monitoring and recordkeeping, as established in their approved Three-Year Compliance Plan, and shall maintain all records necessary to demonstrate compliance. [District Rule 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

DRAFT

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-9371-1-1

EXPIRATION DATE: 09/30/2022

EQUIPMENT DESCRIPTION:

18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-1) WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. {3658} This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
2. When used for wine storage, this tank shall be equipped with and operated with a pressure-vacuum relief valve, which shall operate within 10% of the maximum allowable working pressure of the tank, operate in accordance with the manufacturer's instructions, and be permanently labeled with the operating pressure settings. [District Rule 4694] Federally Enforceable Through Title V Permit
3. When used for wine storage, the pressure-vacuum relief valve and storage tank shall remain in a gas-tight condition, except when the operating pressure of the tank exceeds the valve set pressure. A gas-tight condition shall be determined by measuring the gas leak in accordance with the procedures in EPA Method 21. [District Rule 4694] Federally Enforceable Through Title V Permit
4. When used for wine storage, the temperature of the wine stored in this tank shall be maintained at or below 75 degrees Fahrenheit. The temperature of the stored wine shall be determined and recorded at least once per week. For each batch of wine, the operator shall achieve the storage temperature of 75 degrees Fahrenheit or less within 60 days after completing fermentation, and shall maintain records to show when the required storage temperature of 75 degrees Fahrenheit or less was achieved. [District Rule 4694] Federally Enforceable Through Title V Permit
5. When used for wine storage, the operator shall determine and record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
6. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, the average fermentation temperature and the uncontrolled fermentation emissions and fermentation emission reductions (calculated per the emission factors given in District Rule 4694). The information shall be recorded by the tank Permit to Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694] Federally Enforceable Through Title V Permit
7. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-9371-21-1

EXPIRATION DATE: 09/30/2022

EQUIPMENT DESCRIPTION:

2,521 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-5) WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. {3658} This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
2. When used for wine storage, the operator shall determine and record, on a weekly basis, the total gallons of wine contained in the tank and the maximum temperature of the stored wine. [District Rule 4694] Federally Enforceable Through Title V Permit
3. For each batch of must fermented in this tank, the operator shall record the fermentation completion date, the total gallons of must fermented, the average fermentation temperature and the uncontrolled fermentation emissions and fermentation emission reductions (calculated per the emission factors given in District Rule 4694). The information shall be recorded by the tank Permit to Operate number and by wine type, stated as either red wine or white wine. [District Rule 4694] Federally Enforceable Through Title V Permit
4. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694] Federally Enforceable Through Title V Permit

These terms and conditions are part of the Facility-wide Permit to Operate.

ATTACHMENT B

Detailed Facility List

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

MCMANIS FAMILY VINEYARDS 18700 E RIVER RD RIPON, CA 95366	FAC # N 9371	STATUS: A	TELEPHONE:	TYPE: Toxic ID:	TitleV	EXPIRE ON: AREA: INSP. DATE:	09/30/2022 10 / 04/19
--	------------------------	---------------------	-------------------	---------------------------	---------------	---	-----------------------------

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-1-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-2-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-3-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-4-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-5-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-6-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-7-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-8-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-9-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-10-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-11-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #AA-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-12-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #AA-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-13-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #AA-3) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-14-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #AA-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-15-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #AA-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-16-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #AA-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-17-0	8,877 gallons	3020-05 B	1	113.00	113.00	A	8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-18-0	8,877 gallons	3020-05 B	1	113.00	113.00	A	8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-19-0	8,877 gallons	3020-05 B	1	113.00	113.00	A	8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-20-0	8,877 gallons	3020-05 B	1	113.00	113.00	A	8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-21-0	2,521 gallons	3020-05 A	1	91.00	91.00	A	2,521 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-22-0	8,877 gallons	3020-05 B	1	113.00	113.00	A	8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-23-0	8,877 gallons	3020-05 B	1	113.00	113.00	A	8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-24-0	1,745 gallons	3020-05 A	1	91.00	91.00	A	1,745 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-25-0	2,178 gallons	3020-05 A	1	91.00	91.00	A	2,178 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-26-0	2,178 gallons	3020-05 A	1	91.00	91.00	A	2,178 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-27-0	1,745 gallons	3020-05 A	1	91.00	91.00	A	1,745 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-11) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-28-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-12) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-29-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-13) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-30-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-14) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-31-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-15) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-32-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-16) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-33-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #BB-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-34-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #BB-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-35-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #BB-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-36-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #BB-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-37-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #BB-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-38-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #BB-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-39-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-40-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-41-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-3) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	AMOUNT	FEE TOTAL	STATUS	EQUIPMENT DESCRIPTION
N-9371-42-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-43-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-44-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-45-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-46-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-47-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-48-0	18,029 gallons	3020-05 B	1	113.00	113.00	A	18,029 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #C-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-49-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #CC-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-50-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #CC-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-51-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #CC-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-52-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #CC-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-53-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #CC-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-54-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #CC-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-55-0	18,077 gallons	3020-05 B	1	113.00	113.00	A	18,077 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-1) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-56-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-2) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-57-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-3) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-58-0	18,077 gallons	3020-05 B	1	113.00	113.00	A	18,077 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-4) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-59-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-5) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-60-0	1,000 gallons	3020-05 A	1	91.00	91.00	A	1,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-6) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-61-0	1,745 gallons	3020-05 A	1	91.00	91.00	A	1,745 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-7) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-62-0	1,745 gallons	3020-05 A	1	91.00	91.00	A	1,745 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-8) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-63-0	1,000 gallons	3020-05 A	1	91.00	91.00	A	1,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-9) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-64-0	18,077 gallons	3020-05 B	1	113.00	113.00	A	18,077 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-10) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-65-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-11) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-66-0	18,077 gallons	3020-05 B	1	113.00	113.00	A	18,077 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-12) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-67-0	18,077 gallons	3020-05 B	1	113.00	113.00	A	18,077 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-13) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-68-0	18,194 gallons	3020-05 B	1	113.00	113.00	A	18,194 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #D-14) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-69-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #DD-1) WITH PRESSUREVACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-70-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #DD-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-71-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #DD-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-72-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #DD-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-73-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #DD-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-74-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #DD-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-75-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #DD-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-76-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #DD-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-77-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-78-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-79-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-80-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-81-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-82-0	2,400 gallons	3020-05 A	1	91.00	91.00	A	2,400 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-83-0	2,400 gallons	3020-05 A	1	91.00	91.00	A	2,400 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-84-0	1,000 gallons	3020-05 A	1	91.00	91.00	A	1,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-85-0	1,000 gallons	3020-05 A	1	91.00	91.00	A	1,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-86-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-87-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-11) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-88-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-12) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-89-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-13) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-90-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #E-14) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-91-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #EE-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-92-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #EE-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-93-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #EE-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-94-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #EE-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-95-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #EE-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-96-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #EE-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-97-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #EE-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	AMOUNT	FEE	TOTAL	STATUS	PERMIT	EQUIPMENT DESCRIPTION
N-9371-98-0	74,104 gallons	3020-05 D	1	223.00	223.00	223.00	A		74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #EE-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-99-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #F-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-100-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #F-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-101-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #F-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-102-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #F-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-103-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #F-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-104-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #F-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-105-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #F-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-106-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #F-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-107-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-108-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-109-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-110-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-111-0	18,220 gallons	3020-05 B	1	113.00	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-5) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-112-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-113-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-114-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-115-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-116-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #G-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-117-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #GG-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-118-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #GG-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-119-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #GG-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-120-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #GG-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-121-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #GG-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-122-0	74,104 gallons	3020-05 D	1	223.00	223.00	A	74,104 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #GG-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-123-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-124-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-125-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-3) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report

For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	STATUS	PERMIT	EQUIPMENT DESCRIPTION
N-9371-126-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-127-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-128-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-129-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-130-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-131-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-132-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #H-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-133-0	8,877 gallons	3020-05 B	1	113.00	113.00	A		8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-134-0	8,877 gallons	3020-05 B	1	113.00	113.00	A		8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-135-0	8,877 gallons	3020-05 B	1	113.00	113.00	A		8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-136-0	8,877 gallons	3020-05 B	1	113.00	113.00	A		8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-137-0	6,779 gallons	3020-05 B	1	113.00	113.00	A		6,779 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-138-0	8,877 gallons	3020-05 B	1	113.00	113.00	A		8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-139-0	8,877 gallons	3020-05 B	1	113.00	113.00	A		8,877 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	STATUS	PERMIT	EQUIPMENT DESCRIPTION
N-9371-140-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-141-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-142-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-143-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-11) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-144-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #I-12) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-145-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-146-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-147-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-148-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-149-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-150-0	12,000 gallons	3020-05 B	1	113.00	113.00	A		12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-151-0	12,000 gallons	3020-05 B	1	113.00	113.00	A		12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-152-0	2,411 gallons	3020-05 A	1	91.00	91.00	A		2,411 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-153-0	6,100 gallons	3020-05 B	1	113.00	113.00	A		6,100 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-9) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-154-0	12,000 gallons	3020-05 B	1	113.00	113.00	A	12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-10) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-155-0	12,000 gallons	3020-05 B	1	113.00	113.00	A	12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-11) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-156-0	12,000 gallons	3020-05 B	1	113.00	113.00	A	12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #J-12) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-157-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-1) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-158-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-2) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-159-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-3) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-160-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-4) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-161-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-5) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-162-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-6) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-163-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-7) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-164-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-8) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-165-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-9) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-166-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #K-10) WITH PRESSUREVACUUM VALVE AND INSULATION
N-9371-167-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-1) WITH PRESSUREVACUUM VALVE AND INSULATION

Detailed Facility Report

For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-168-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-169-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-170-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-171-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-172-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-173-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-174-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-175-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-176-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #M-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-177-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-178-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-179-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-180-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-181-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-5) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	STATUS	PERMIT	EQUIPMENT DESCRIPTION
N-9371-182-0	16,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-183-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-184-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-185-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-186-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #N-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-187-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-188-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-189-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-190-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-191-0	18,220 gallons	3020-05 B	1	113.00	113.00	A		18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-192-0	12,000 gallons	3020-05 B	1	113.00	113.00	A		12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-193-0	12,000 gallons	3020-05 B	1	113.00	113.00	A		12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-194-0	2,411 gallons	3020-05 A	1	91.00	91.00	A		2,411 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-195-0	6,100 gallons	3020-05 B	1	113.00	113.00	A		6,100 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-9) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	STATUS	PERMIT	EQUIPMENT DESCRIPTION
N-9371-196-0	12,000 gallons	3020-05 B	1	113.00	113.00	A	A	12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-197-0	12,000 gallons	3020-05 B	1	113.00	113.00	A	A	12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-11) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-198-0	12,000 gallons	3020-05 B	1	113.00	113.00	A	A	12,000 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #O-12) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-199-0	5,922 gallons	3020-05 B	1	113.00	113.00	A	A	5,922 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #P-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-200-0	5,922 gallons	3020-05 B	1	113.00	113.00	A	A	5,922 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #P-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-201-0	5,922 gallons	3020-05 B	1	113.00	113.00	A	A	5,922 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #P-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-202-0	5,922 gallons	3020-05 B	1	113.00	113.00	A	A	5,922 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #P-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-203-0	5,922 gallons	3020-05 B	1	113.00	113.00	A	A	5,922 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #P-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-204-0	5,922 gallons	3020-05 B	1	113.00	113.00	A	A	5,922 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #P-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-205-0	5,922 gallons	3020-05 B	1	113.00	113.00	A	A	5,922 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #P-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-206-0	5,922 gallons	3020-05 B	1	113.00	113.00	A	A	5,922 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #P-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-207-0	550 gallons	3020-05 A	1	91.00	91.00	A	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #1) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-208-0	550 gallons	3020-05 A	1	91.00	91.00	A	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #2) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-209-0	550 gallons	3020-05 A	1	91.00	91.00	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #3) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-210-0	550 gallons	3020-05 A	1	91.00	91.00	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #4) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-211-0	550 gallons	3020-05 A	1	91.00	91.00	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #5) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-212-0	550 gallons	3020-05 A	1	91.00	91.00	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #6) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-213-0	550 gallons	3020-05 A	1	91.00	91.00	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #7) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-214-0	550 gallons	3020-05 A	1	91.00	91.00	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #8) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-215-0	550 gallons	3020-05 A	1	91.00	91.00	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #9) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-216-0	550 gallons	3020-05 A	1	91.00	91.00	A	550 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (PRESS BIN #10) WITH PRESSURE/VACUUM VALVE, NON-INSULATED, AND LOCATED OUTDOOR
N-9371-217-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-218-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-219-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-220-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-4) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-221-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-222-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-223-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-224-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-225-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Q-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-226-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-227-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-228-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-229-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-230-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-231-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-232-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-233-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-234-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-9) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report

For Facility=9371 and excluding Deleted Permits

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	AMOUNT	FEE TOTAL	STATUS	EQUIPMENT DESCRIPTION
N-9371-235-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #R-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-236-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-237-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-238-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-239-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-240-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-241-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-242-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-243-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-244-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-245-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #S-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-246-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-247-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-248-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-3) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report

For Facility=9371 and excluding Deleted Permits

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	TOTAL FEE	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-249-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-250-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-251-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-252-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-253-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-254-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-255-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #T-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-256-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-257-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-258-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-259-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-260-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-261-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-262-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	STATUS	PERMIT	EQUIPMENT DESCRIPTION
N-9371-263-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-264-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-265-0	18,220 gallons	3020-05 B	1	113.00	113.00	A	A	18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #U-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-266-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-267-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-268-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-269-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-270-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-271-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-272-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-273-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-274-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-275-0	36,644 gallons	3020-05 C	1	165.00	165.00	A	A	36,644 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #V-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-276-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #W-1) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report
For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-277-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #W-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-278-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #W-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-279-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #W-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-280-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #W-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-281-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #W-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-282-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #W-7) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-283-0	74,370 gallons	3020-05 D	1	223.00	223.00	A	74,370 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #W-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-284-0	2,939 gallons	3020-05 A	1	91.00	91.00	A	2,939 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-285-0	2,939 gallons	3020-05 A	1	91.00	91.00	A	2,939 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-286-0	2,943 gallons	3020-05 A	1	91.00	91.00	A	2,943 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-287-0	4,106 gallons	3020-05 A	1	91.00	91.00	A	4,106 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-288-0	3,085 gallons	3020-05 A	1	91.00	91.00	A	3,085 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-289-0	3,085 gallons	3020-05 A	1	91.00	91.00	A	3,085 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-290-0	5,995 gallons	3020-05 B	1	113.00	113.00	A	5,995 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report

For Facility=9371 and excluding Deleted Permits
Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	TOTAL FEE	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-291-0	5,995 gallons	3020-05 B	1	113.00	113.00	A	5,995 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-292-0	5,995 gallons	3020-05 B	1	113.00	113.00	A	5,995 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-293-0	5,995 gallons	3020-05 B	1	113.00	113.00	A	5,995 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-10) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-294-0	5,995 gallons	3020-05 B	1	113.00	113.00	A	5,995 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-11) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-295-0	5,995 gallons	3020-05 B	1	113.00	113.00	A	5,995 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-12) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-296-0	5,995 gallons	3020-05 B	1	113.00	113.00	A	5,995 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-13) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-297-0	5,995 gallons	3020-05 B	1	113.00	113.00	A	5,995 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Y-14) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-298-0	3,233 gallons	3020-05 A	1	91.00	91.00	A	3,233 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-1) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-299-0	3,333 gallons	3020-05 A	1	91.00	91.00	A	3,333 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-2) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-300-0	3,333 gallons	3020-05 A	1	91.00	91.00	A	3,333 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-3) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-301-0	3,333 gallons	3020-05 A	1	91.00	91.00	A	3,333 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-4) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-302-0	3,333 gallons	3020-05 A	1	91.00	91.00	A	3,333 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-5) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-303-0	9,100 gallons	3020-05 B	1	113.00	113.00	A	9,100 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-6) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-304-0	9,100 gallons	3020-05 B	1	113.00	113.00	A	9,100 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-7) WITH PRESSURE/VACUUM VALVE AND INSULATION

Detailed Facility Report

For Facility=9371 and excluding Deleted Permits

Sorted by Facility Name and Permit Number

PERMIT NUMBER	FEE DESCRIPTION	FEE RULE	QTY	FEE AMOUNT	FEE TOTAL	PERMIT STATUS	EQUIPMENT DESCRIPTION
N-9371-305-0	9,100 gallons	3020-05 B	1	113.00	113.00	A	9,100 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-8) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-306-0	9,100 gallons	3020-05 B	1	113.00	113.00	A	9,100 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-9) WITH PRESSURE/VACUUM VALVE AND INSULATION
N-9371-307-0	9,100 gallons	3020-05 B	1	113.00	113.00	A	9,100 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #Z-10) WITH PRESSURE/VACUUM VALVE AND INSULATION

Number of Facilities Reported: 1

ATTACHMENT C

Exempt Equipment



San Joaquin Valley Unified Air Pollution Control District

Title V Application - INSIGNIFICANT ACTIVITIES



COMPANY NAME: *McManis Family Vineyards*

FACILITY ID: N -9371

Check the box next to the exemption category from Rule 2020 which describes any insignificant activity or equipment at your facility not requiring a permit.

Exemption Category	Rule 2020 Citation	✓	Exemption Category	Rule 2020 Citation	✓
Structure or incinerator assoc. with a structure designed as a dwelling for 4 families or less	4.1		Containers used to store refined lubricating oils	6.6.8	
Locomotives, airplanes, and watercraft used to transport passengers or freight	4.4		Unvented pressure vessels used exclusively to store liquified gases or assoc with exempt equipment	6.6.9 or 6.13	
Natural gas or LPG-fired boilers or other indirect heat transfer units of 5 MMBtu/hr or less	6.1.1	✓	Portable tanks used exclusively to store produced fluids for ≤ six months	6.6.10	
Piston-type i.c. engine with maximum continuous rating of 50 braking horsepower (bhp) or less	6.1.2		Mobile transport tanks on delivery vehicles of VOCs	6.6.11	
Gas turbine engines with maximum heat input rating of 3 MMBtu/hr or less	6.1.3		Loading racks used for the transfer of less than 4,000 gal/day of unheated organic material with initial boiling point ≥ 302 F or of fuel oil with specific gravity ≥ 0.8251	6.7.1.1	
Space heating equipment other than boilers	6.1.4		Loading racks used for the transfer of asphalt, crude or residual oil stored in exempt tanks, or crude oil with specific gravity ≥ 0.8762	6.7.1.2	
Cooling towers with a circulation rate less than 10,000 gal/min, and that are not used for cooling of process water, or water from barometric jets or condensers++	6.2		Equipment used exclusively for the transfer of refined lubricating oil	6.7.2	
Use of less than 2 gal/day of graphic arts materials	6.3		Equipment used to apply architectural coatings	6.8.1	
Equipment at retail establishments used to prepare food for human consumption	6.4.1		Unheated, non-conveyorized cleaning equipment with < 10 ft ² open area; using solvents with initial boiling point ≥ 248 F; and < 25 gal/yr. evaporative losses	6.9	
Ovens at bakeries with total daily production less than 1,000 pounds and exempt by sec. 6.1.1	6.4.3		Brazing, soldering, or welding equipment	6.10	
Equipment used exclusively for extruding or compression molding of rubber or plastics, where no plastisizer or blowing agent is used	6.5		Equipment used to compress natural gas	6.11	
Containers used to store clean produced water	6.6.1		Fugitive emissions sources assoc. with exempt equipment	6.12	
Containers ≤ 100 bbl used to store oil with specific gravity ≥ 0.8762	6.6.2		Pits and Ponds as defined in Rule 1020	6.15	
Containers ≤ 100 bbl installed prior to 6/1/89 used to store oil with specific gravity ≥ 0.8762	6.6.3		On-site roadmix manufacturing and the application of roadmix as a road base material	6.17	
Containers with a capacity ≤ 250 gallons used to store organic material where the actual storage temperature < 150 F	6.6.4		Emissions less than 2 lb/day from units not included above	6.19	
Containers used to store unheated organic material with an initial boiling point ≥ 302 F	6.6.5		Venting PUC quality natural gas from for sole purpose of pipeline and compressor repair and or maintenance	7.2	
Containers used to store fuel oils or non-air-blown asphalt with specific gravity ≥ 0.9042	6.6.6		Non-structural repairs & maintenance to permitted equipment	7.3	
Containers used to store petroleum distillates used as motor fuel with specific gravity ≥ 0.8251	6.6.7		Detonation of explosives ≤ 100 lb/day and 1,000 lb/year	7.4	

No insignificant activities (Check this box if no equipment in the above categories exist at your facility.)

ATTACHMENT D

Permits to Operate

Important Note!

There are 307 wine tanks at this facility. These tanks fall into one of the two categories listed in the following table. To ease the review process, two permits are included (one from each category) in this section.

Category/Description	Permit Numbers	Permit to Operate
1. Wine fermentation and storage tanks – Steel tanks ≥5,000-gallon	N-9371-1 through '-20, '-22, '-23, '-28 through '-59, '-64 through '-81, '-86 through '-151, '-153 through '-193, '-195 through '-206, '-217 through '-283, '-290 through '-297, '-303 through '-307	N-9371-1
2. Wine fermentation and storage tanks – Steel tanks <5,000-gallon	N-9371-21, '-24 through '-27, '-60 through '-63, '-82 through '-85, '-152, '-194, '-207 through '-216, '-284 through '-289, '-298 through '-302	N-9371-21

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-9371-1-0

EXPIRATION DATE: 09/30/2022

EQUIPMENT DESCRIPTION:

18,220 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #A-1) WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.

San Joaquin Valley Air Pollution Control District

PERMIT UNIT: N-9371-21-0

EXPIRATION DATE: 09/30/2022

EQUIPMENT DESCRIPTION:

2,521 GALLON NOMINAL STAINLESS STEEL RED AND WHITE WINE FERMENTATION AND STORAGE TANK (TANK #B-5) WITH PRESSURE/VACUUM VALVE AND INSULATION

PERMIT UNIT REQUIREMENTS

1. No air contaminant shall be released into the atmosphere which causes a public nuisance. [District Rule 4102]
2. This permit does not authorize the violation of any conditions established for this facility in the Conditional Use Permit (CUP), Special Use Permit (SUP), Site Approval, Site Plan Review (SPR), or other approval documents issued by a local, state, or federal agency. [Public Resources Code 21000-21177: California Environmental Quality Act]
3. Within 12 months from the date of the issuance of this Permit to Operate, the permittee shall either submit an application to comply with Rule 2520 (Federally Mandated Operating Permits) or shall comply with District Rule 2530 (Federally Enforceable Potential to Emit). If the facility chooses the option to comply with District Rule 2530, the facility shall notify the District by submitting a request to include the District Rule 2530 conditions on their permits to operate prior to the 12-month deadline. [District Rule 2520]
4. Permittee shall maintain annual records of the total gallons of red wine fermented at the winery and the total gallons of white wine fermented at the winery, and the total gallons of wine in storage tanks. Records submitted to the United States Department of Treasury - Alcohol and Tobacco Tax and Trade Bureau for the purposes of tax determination shall be adequate, provided the operator indicates the volumes of red and white wines fermented. [District Rule 4694]
5. All records shall be retained on-site for a period of at least five years and made available for District inspection upon request. [District Rules 1070 and 4694]

These terms and conditions are part of the Facility-wide Permit to Operate.