



San Joaquin Valley Air Pollution Control District

CENTRAL REGION HEARING BOARD MEETING Governing Board Room of the San Joaquin Valley Unified Air Pollution District – Central Region Office 1990 E. Gettysburg Avenue, Fresno, CA 93726 Wednesday, May 17, 2006, at 10:00 AM

GOVERNING BOARD

Mike Maggard, Chair
Councilmember, City of Bakersfield

J. Steven Worthley, Vice Chair
Supervisor, Tulare County

Susan B. Anderson
Supervisor, Fresno County

Barbara Patrick
Supervisor, Kern County

Tony Barba
Supervisor, Kings County

Ronn Dominici
Supervisor, Madera County

Sam Armentrout
Councilmember, City of Madera

Michael G. Nelson
Supervisor, Merced County

Dan Prince
Councilmember, City of Ripon

Jack A. Sieglock
Supervisor, San Joaquin County

Thomas W. Mayfield
Supervisor, Stanislaus County

Seyed Sadredin
Executive Director/
Air Pollution Control Officer

Northern Region Office
4800 Enterprise Way
Modesto, CA 95356-8718
(209) 557-6400
FAX (209) 557-6475

Central Region Office
1990 East Gettysburg Avenue
Fresno, CA 93726-0244
(559) 230-6000
FAX (559) 230-6061

Southern Region Office
2700 M Street, Suite 275
Bakersfield, CA 93301-2373
(661) 326-6900
FAX (661) 326-6985

www.valleyair.org

Members of the public are advised that all pagers, cellular telephones, and any other communication devices are to be turned off upon entering the Governing Board Room or VTC Rooms, as these devices interfere with the audio equipment.

Note: Eight copies of any additional information **shall be provided in advance of this meeting**, if it is to be considered by the Hearing Board. This information shall be submitted to Ms. Sissy Smith, Clerk to the Boards, Central Region Office, 1990 E. Gettysburg Avenue, Fresno, CA 93726.

AGENDA

1. Call Meeting to Order
2. Roll Call
3. Approve Minutes of: April 19, 2006
4. Public Hearing:

<u>Docket No.</u>	<u>Variance Type</u>	<u>Company Name</u>
C-05-13X	Extension of Regular	Virtus Nutrition Inc. 520 Industrial Way Corcoran, CA 93212

5. Emergency Variances: The Central Region Hearing Board approved the following emergency variance orders:

A. Docket #C-06-05E – Guardian Industries Corporation

On April 21, 2006, Hearing Board member Mr. Jerry Boren denied an emergency variance request. Said variance requested relief from specific requirement of District Rules 2070.7.0, 2201 and 4101 to allow continued operation of the glass melting furnace while the exhaust gas bypassed the electrostatic precipitator. At the time of the hearing the facility complied with all District Rules, therefore, the required findings could not be met.

B. Docket #C-06-06E – Shell Pipeline Company LP

On May 2, 2006, Hearing Board member Mr. Jerry Boren approved an emergency variance request. Said variance provided relief from District Rules 2070.7.0, 2520, 4001 and 4703 to allow the continued operation of the subject 39.5 MMBtu/hr Solar Centaur Model 40 S Gas Turbine #2 with natural gas consumption in excess of 650,000 scf/day.

6. Public Comments:

This time is made available for comments from the public on matters within the Board's jurisdiction that are not on the Agenda. It is requested that no comments be made during this period on items on the Agenda. The public may make comments after each Board Agenda Item during the time allowed for public comment. Additionally, state law prohibits the Hearing Board from acting on matters that are not on this Agenda.

7. Hearing Board Member Comments:

8. New Business:

9. Next Scheduled Meeting: Wednesday, June 21, 2006

10. Adjournment