

### San Joaquin Valley Air Pollution Control District

#### **GOVERNING BOARD**

Sam Armentrout, Chair Councilmember, City of Madera

Ronn Dominici, Vice Chair Supervisor, Madera County

Mike Maggard
Councilmember, City of Bakersfield

Judith G. Case Supervisor, Fresno County

Barbara Patrick Supervisor, Kern County

Tony Barba Supervisor, Kings County

Jerry O'Banion Supervisor, Merced County

Tom Applegate
Councilmember, City of Newman

Jack A. Sieglock Supervisor, San Joaquin County

Nick W. Blom Supervisor, Stanislaus County

William Sanders Supervisor, Tulare County

David L. Crow Executive Director/

Air Pollution Control Officer

Northern Region Office 4230 Kiernan Avenue, Suite 130 Modesto, CA 95356-9322 (209) 557-6400 FAX (209) 557-6475

Central Region Office 1990 East Gettysburg Avenue Fresno, CA 93726-0244 (559) 230-6000 FAX (559) 230-6061

Southern Region Office 2700 M Street, Suite 275 Bakersfield, CA 93301-2370 (661) 326-6900 FAX (661) 326-6985

#### **CENTRAL REGION HEARING BOARD MEETING**

Governing Board Room of the
San Joaquin Valley Unified Air Pollution District – Central Region Office
1990 E. Gettysburg Avenue, Fresno, CA 93726
Wednesday, September 18, 2002 at 10:00 AM

**Note:** Eight copies of any additional information **shall be provided in advance of this meeting**, if it is to be considered by the Hearing Board. This information shall be submitted to Ms. Sissy Smith, Clerk to the Boards, Central Region Office, 1990 E. Gettysburg Avenue, Fresno, CA 93726.

#### **AGENDA**

- 1. Call Meeting to Order
- 2. Roll Call
- 3. Approve Minutes of April 17, 2002
- 4. Public Hearing:

	Docket No.	Variance Type	Company Name
A.	C-02-13S	Short	Del Monte Foods 1101 Marion Street Kingsburg, CA 93631
B.	C-02-12S	Short	AES Mendota L.P. (dba, Mendota Biomass Power, Ltd.) 400 Guillen Parkway Mendota, CA 93640

5. Administrative Agenda – Receive and File:

The following emergency variance orders have been approved by the Central Region Hearing Board:

A. <u>Docket #C-02-05E</u> – Hanford LP / GWF Energy LLC 10550 Idaho Avenue, Hanford, CA 93230

On April 11, 2002, Hearing Board Member, Mr. Jerry Boren approved an emergency variance effective from April 11, 2002, to May 31, 2002. Said variance provided relief from the requirements of District Rules 1080, 2010, 2201, 4001, and 4703, as they pertain to the release of excess  $NO_X$  and CO emissions during proposed turbine commissioning activities.

Central Region Hearing Board Agenda September 18, 2002 Page: 2

### B. <u>Docket #C-02-07E</u> – Cal-Peak Power - Panoche 46399 W. Panoche Road, Firebaugh, CA 93622

On April 30, 2002, Hearing Board Chair, Dr. James V. Glaser approved an emergency variance effective from May 3, 2002, to May 17, 2002. Said variance provided relief from the requirements of District Rules 2010, 2201, and 4703, as they pertain to the release of excess ammonia emissions resulting from required AIG balancing activities.

#### C. <u>Docket #C-02-08E</u> – Long Ranch NE corner of Anchor & American Avenues, Orange Cove, CA

On May 22, 2002, Hearing Board Chair, Dr. James V. Glaser approved an emergency variance effective from May 22, 2002, to May 31, 2002. Said variance provided relief from the requirements of District Rules 4103 and CCR Title 17, as they pertain to the burning of materials on the property from which it was produced.

### D. <u>Docket #C-02-09E</u> – GWF Energy LLC - Henrietta 16027 25<sup>th</sup> Avenue, Lemoore, CA 93245

On June 5, 2002, Hearing Board Chair, Dr. James V. Glaser approved an emergency variance effective from June 6, 2002, to July 6, 2002. Said variance provided relief from the requirements of District Rules 2010 and 2201, as they pertain to the release of excess  $NO_X$  and CO emissions continued operations during turbine startup and commissioning.

## E. <u>Docket #C-02-10E</u> – Shell Pipeline Company LLC 37509 Oil City Road, Coalinga, CA 93210

On June 7, 2002, Hearing Board Chair, Dr. James V. Glaser approved an emergency variance effective from June 7, 2002, to July 7, 2002. Said variance provided relief from the requirements of District Rules 2070, 2201, and 2520, as they pertain to continued operations of two gas turbines while exceeding the daily natural gas usage limitation as specified in condition 15 of PTOs #'s C-1234-8-2 and C-1234-9-2.

# F. <u>Docket #C-02-11E</u> – CertainTeed Corporation 17775 Avenue 23 ½, Chowchilla, CA 93610

On August 19, 2002, Hearing Board Chair, Dr. James V. Glaser approved an emergency variance effective from August 20, 2002, to August 23, 2002. Said variance provided relief from the requirements of District Rules 1080, 2010, 4001, and 4101, but only as they pertain to the continued operation of the glass-melting furnace with excess PM and visible emissions while maintenance activities on the caustic injection system were completed.

Central Region Hearing Board Agenda September 18, 2002 Page: 3

#### 6. Public Comments:

This time is made available for comments from the public on matters within the Board's jurisdiction that are not on the Agenda. It is requested that no comments be made during this period on items on the Agenda. The public may make comments after each Board Agenda Item during the time allowed for public comment. Additionally, state law prohibits the Hearing Board from acting on matters that are not on this Agenda.

- 7. Hearing Board Member Comments:
- 8. New Business:
- 9. Next Scheduled Meeting: Wednesday, October 16, 2002
- 10. Adjournment