

**San Joaquin Valley Air Pollution Control District
CENTRAL REGION HEARING BOARD MEETING**

Central Region Office Governing Board Room
1990 E. Gettysburg Ave, Fresno, CA 93726

ACTION SUMMARY MINUTES

Wednesday, February 20, 2019

*Meeting held in the
Central Region Office (Fresno)*

1. Call Meeting to Order
The Chair, Jerry K. Boren, called the meeting to order at 10:03 a.m.

2. Roll Call
- | | |
|-----------------------------|---------|
| Lorraine Goodwin – Medical | Present |
| Gerry Mulligan – Public | Present |
| Daniel Hartwig – Vice Chair | Present |
| Jerry Boren – Chair | Present |

Staff Present:

Central Region (Fresno) Jessi Fierro, Assist Counsel II; Crystal Bussard, Air Quality Specialist II; Chris Kalashian, Air Quality Specialist II; Shannon Moore, Air Quality Specialist II; Clay Bishop, Supervising Air Quality Specialist; Misa Velasco, Operations and Program Support Supervisor.

3. Approval of Consent Items (9-12)
These items are routine in nature and are usually approved by a single vote. Prior to action by the Hearing Board, the public will be given the opportunity to comment on any consent item.

9. Approve Minutes of December 19, 2018

10. Stipulated Order of Abatement report

11. Emergency Variance

12. Next Scheduled Meeting

The next scheduled meeting is on March 20, 2019. The meeting will be held in the Central Region Office (Fresno) in the Governing Board Room.

Public Comments: None

Moved: Hartwig
Seconded: Goodwin
Ayes: Hartwig, Goodwin, Mulligan, Boren
Nays: None

Motion unanimously carried to approve Consent Calendar Items 9-12

4. Public Hearing

The Chair swore in all those present to testify for all matters.

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
A. C-19-01S	Short	Guardian Industries Corp. 11535 E. Mountain View Ave Kingsburg, CA 93691

Petitioners: Ryan Harold, John Roach, Fabiola Ramos Torres

Mr. Moore presented the Staff Report

GUARDIAN has requested a short variance from the applicable requirements of District Rules 2070, 2201, 2410, 2520, 4101, 4202, and 4354 in addition to the applicable conditions of the subject permits. The requested short variance would be for a non-consecutive 10 day period to occur sometime between February 25, 2019, and March 31, 2019, inclusive. If granted, the variance would allow the continued operation of the regenerative glass melting furnace and glass manufacturing with excess CO and visible emissions while the work is performed.

Petitioner Comments:

Hearing Board Comments:

Moved: Hartwig
Seconded: Goodwin
Ayes: Mulligan, Hartwig, Goodwin, Boren
Nays: None

Motion unanimously carried to approve Docket No. C-19-01S

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
B. C-19-02S	Short	CertainTeed Corporation 17775 Avenue 23 1/2 Chowchilla, CA 93610

Petitioners: Ben Cuthbertson

Mr. Kalashian presented the Staff Report

CERTAINTEED has requested a short variance from the applicable requirements of District Rules 1080, 2070, 2201, 2520, 4104, and 4354, in addition to conditions of the subject permits. The requested short variance period would be for a consecutive 72-hour period to occur sometime between March 1, 2019, and March 31, 2019. If granted, the variance would allow the exhaust stream from the glass melting furnace to bypass the pre-conditioning chamber, caustic soda injection, EP, and CEMS while maintenance is performed on the EP. In addition, the variance would allow visible emissions as high as 95% opacity.

Petitioner Comments: Mr. Cuthbertson wanted to clarify that he is talking strictly about the furnace. When the lines are running they have other emission controlled devices on the lines. There are three other EP's that control the particulate matter that come off the lines, this is strictly for the furnace emissions.

Hearing Board Comments:

Moved: Mulligan
Seconded: Hartwig
Ayes: Mulligan, Hartwig, Goodwin, Boren
Nays: None

Motion unanimously carried to approve Docket No. C-19-02S

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
C. C-19-03S	Short	Ardagh Glass Inc. 24441 Avenue 12 Madera, CA 93637

Petitioners: Sangeetha Arunagiri

Ms. Bussard presented the Staff Report

ARDAGH has requested a short variance from the applicable requirements of District Rules 1080, 2070, 2201, 2520, 4001, and 4354 in addition to conditions of the subject permits. The requested short variance period would from March 4, 2019, through March 20, 2019. If granted, the variance would allow the continued glass manufacturing without an operating or functional CEMS.

Petitioner Comments: Ms. Sangeetha explained in detail what the umbilical cord is and its function.

Hearing Board Comments:

Moved: Goodwin
Seconded: Mulligan
Ayes: Mulligan, Hartwig, Goodwin, Boren
Nays: None

Motion unanimously carried to approve Docket No. C-19-03S

5. Public Comments: None

6. Hearing Board Comments: None

7. New Business:

Nominate and elect Chair and Vice Chair for 2019 Mr. Boren nominated Mr. Hartwig to serve as the Chair of the Central Region Hearing Board. Mr. Mulligan seconded the motion.

Moved: Boren
Seconded: Mulligan
Ayes: Hartwig, Mulligan, Goodwin, Boren
Nays: None

Mr. Boren nominated Dr. Goodwin to serve as the Vice Chair of the Central Region Hearing Board. Mr. Hartwig seconded the motion.

Moved: Boren
Seconded: Hartwig
Ayes: Hartwig, Mulligan, Goodwin, Boren
Nays: None

8. Adjourn
The Chair adjourned the meeting at 10:35 a.m.