

**San Joaquin Valley Air Pollution Control District
CENTRAL REGION HEARING BOARD MEETING**

ACTION SUMMARY MINUTES

Wednesday, June 17, 2020

Meeting held via Zoom webinar

1. Call Meeting to Order

The Chair, Daniel Hartwig, called the meeting to order at 10:04 a.m.

2. Roll Call

Gerry Mulligan – Public	Present
Jerry Boren – Engineer	Present
*David Soldani – Attorney	Present
Daniel Hartwig – Chair	Present
Lorraine Goodwin – Vice Chair / Medical	Present

*Mr. Soldani joined the meeting at 10:05 a.m.

Staff Present:

Central Region (Fresno) Jessi Fierro, Assistant Counsel II; Chris Kalashian, Air Quality Specialist II; Patrick Houlihan, Senior Air Quality Specialist; Clay Bishop, Supervising Air Quality Specialist; See Thao, Operations and Program Support Supervisor and Ariana Orozco, Operations and Program Support Supervisor.

3. Approval of Consent Items (9-12)

These items are routine in nature and are usually approved by a single vote. Prior to action by the Hearing Board, the public will be given the opportunity to comment on any consent item.

9. Approve Minutes of April 15, 2020

10. Stipulated Order of Abatement Report

11. Emergency Variance Report

12. Next Scheduled Meeting

The next scheduled meeting is on July 15, 2020. The meeting will be held via Zoom webinar.

Public Comments: None

Moved: Mulligan

Seconded: Goodwin
Ayes: Mulligan, Boren, Goodwin, Soldani, Hartwig
Nays: None

Motion unanimously carried to approve Consent Calendar Items 9-12

4. Public Hearing

The Chair swore in all those present to testify for all matters.

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
A. C-20-09S	Short	Certain Teed 17775 Avenue 23 ½ Chowchilla, CA 93610

Petitioners: Ben Cuthbertson

Mr. Kalashian presented the Staff Report

CERTAINTEED has requested a short variance from the applicable requirements of District Rules 1080, 2070, 2201, 2520, 4101, and 4354, in addition to conditions of the subject permits. The requested short variance period would be for a non-consecutive 72-hour period to occur sometime between July 13, 2020, and July 19, 2020. If granted, the variance would allow the exhaust stream from the glass melting furnace to bypass the pre-conditioning chamber caustic soda injection, EP, and CEMS while maintenance is performed on the EP. In addition, the variance would allow visible emissions as high as 95% opacity.

Petitioner Comments: Mr. Cuthbertson added that the facility would be idling the furnace during the timeframe of the variance. He continued that while idling the furnace, both manufacturing lines will not be in operation.

Hearing Board Comments: None

Moved: Mulligan
Seconded: Goodwin
Ayes: Mulligan, Hartwig, Boren, Soldani, Goodwin
Nays: None

Motion unanimously carried to approve Docket No. C-20-09S

5. Public Comments: None

6. Hearing Board Comments: None

7. New Business: None

8. Adjourn

The Chair adjourned the meeting at 10:20 a.m.