

**San Joaquin Valley Air Pollution Control District  
CENTRAL REGION HEARING BOARD MEETING**

Central Region Office Governing Board Room  
1990 E. Gettysburg Ave, Fresno, CA 93726

**ACTION SUMMARY MINUTES**

**Wednesday, March 18, 2020**

*Meeting held in the  
Central Region Office (Fresno)*

1. Call Meeting to Order  
The Chair, Daniel Hartwig, called the meeting to order at 10:02 a.m.

2. Roll Call

Gerry Mulligan – Public	Present
**Jerry Boren – Engineer	Present
*David Soldani – Attorney	Present
Daniel Hartwig – Chair	Present
Lorraine Goodwin – Vice Chair / Medical	Present

\*Mr. Soldani joined the meeting at 10:06 a.m.

\*\*Mr. Boren joined the meeting at 10:11 a.m.

Staff Present:

Central Region (Fresno) Jessi Fierro, Assistant Counsel II; Shannon Moore, Air Quality Specialist II; Patrick Houlihan, Senior Air Quality Specialist; Clay Bishop; Supervising Air Quality Specialist; and Ariana Orozco, Operations and Program Support Supervisor.

3. Approval of Consent Items (9-12)  
*These items are routine in nature and are usually approved by a single vote. Prior to action by the Hearing Board, the public will be given the opportunity to comment on any consent item.*

9. Approve Minutes of February 19, 2020

10. Stipulated Order of Abatement Report

11. Emergency Variance [Report](#)

12. Next Scheduled Meeting

The next scheduled meeting is on April 15, 2020. The meeting will be held in the Central Region Office (Fresno) in the Governing Board Room [or via teleconference](#).

Public Comments: None

Moved: Goodwin  
Seconded: Mulligan  
Ayes: Mulligan, Goodwin, Hartwig  
Nays: None

**Motion unanimously carried to approve Consent Calendar Items 9-12**

4. Public Hearing

The Chair swore in all those present to testify for all matters.

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
A. C-20-04S	Short	<b>CalPeak Power – Panoche, LLC</b> 43699 West Panoche Road Firebaugh, CA 93622

Petitioners: Tony Gilmore and John Boyer

Mr. Moore presented the Staff Report

CalPeak has requested a short variance from District Rules 1080, 2070, 2201, 2520, 4001, and 4703 in addition to conditions of the applicable permits. The requested short variance would be for 90 consecutive days to occur between April 27, 2020, and July 25, 2020, inclusive. If granted, the variance would allow CalPeak to operate the subject facility without a certified GEMS while the NOx and O2 analyzers replaced and recertified.

Petitioner Comments: None

Hearing Board Comments: None

Moved: Mulligan  
Seconded: Goodwin  
Ayes: Mulligan, Hartwig, Boren, Soldani, Goodwin  
Nays: None

**Motion unanimously carried to approve Docket No. C-20-04S**

5. Public Comments: None

6. Hearing Board Comments: None

7. New Business: None

8. Adjourn

The Chair adjourned the meeting at 10:20 a.m.