



San Joaquin Valley Air Pollution Control District

GOVERNING BOARD

Barbara Patrick, Chair
Supervisor, Kern County

Thomas W. Mayfield,
Vice Chair
Supervisor, Stanislaus County

Mike Maggard
Councilmember, City of Bakersfield

Susan B. Anderson
Supervisor, Fresno County

Tony Barba
Supervisor, Kings County

Ronn Dominici
Supervisor, Madera County

Sam Armentrout
Councilmember, City of Madera

Michael G. Nelson
Supervisor, Merced County

Dan Prince
Councilmember, City of Ripon

Jack A. Sieglock
Supervisor, San Joaquin County

J. Steven Worthley
Supervisor, Tulare County

David L. Crow
Executive Director/
Air Pollution Control Officer

Northern Region Office
4230 Kiernan Avenue, Suite 130
Modesto, CA 95356-9322
(209) 557-6400
FAX (209) 557-6475

Central Region Office
1990 East Gettysburg Avenue
Fresno, CA 93301-2370
(559) 230-6000
FAX (559) 230-6061

Southern Region Office
2700 M Street, Suite 275
Bakersfield, CA 93301-2370
(661) 326-6900
FAX (661) 326-6985

www.valleyair.org

NORTHERN REGION HEARING BOARD MEETING Northern Region Video Teleconferencing (VTC) Room 4230 Kiernan Avenue, Suite 130, Modesto, CA 95354 Wednesday, January 5, 2005, 10:00 AM

The meeting will be held in the Northern Region Office with the Central Region Office included via VTC. The Central Region Office is located at 1990 E. Gettysburg Avenue, Fresno, CA.

Note: Eight copies of any additional information shall be provided in advance of this meeting, if it is to be considered by the Hearing Board. This information shall be submitted to Ms. Sissy Smith, Clerk to the Boards.

AGENDA

1. Call Meeting to Order
2. Roll Call
3. Approve Minutes of September 1, 2004
4. Public Hearing:

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
A. N-04-10S	Short	Stockton Cogen Company 1010 Zephyr St. Stockton, CA 95206

5. Emergency Variances:

The Southern Region Hearing Board approved the following emergency variance order:

- A. Docket #N-04-08E – G-3 Enterprises – Closure Division

On September 15, 2004, Hearing Board Chairman Mr. Mark Kanai, Esq., approved an emergency variance effective from September 15, 2004, to October 13, 2004. Said variance provided relief from the specific requirements of Section 5.1.1 of District Rule 4653 to allow the continued operation of the PVC capsule production line while using a PVC welding adhesive (Dekapren 1513/14) with a VOC content of 646.1 grams per liter during the variance period.

B. Docket #N-04-09E – Stockton Cogen Company

On November 1, 2004, Hearing Board Chairman Mr. Mark Kanai, Esq., approved an emergency variance effective from October 30, 2004, to midnight on November 4, 2004. Said variance provided relief from the specific requirements of Section 7.0 of District Rule 2070 to allow the operation of the circulating fluidized bed boiler at reduced load during the variance period with excess emissions.

6. Public Comments:

This time is made available for comments from the public on matters within the Board's jurisdiction that are not on the Agenda. It is requested that no comments be made during this period on items on the Agenda. The public may make comments after each Board Agenda Item during the time allowed for public comment. Additionally, state law prohibits the Hearing Board from acting on matters that are not on this Agenda:

7. Hearing Board Member Comments:

8. New Business: 2005 Chair and Vice Chair election

9. Next Scheduled Meeting: February 2, 2005

10. Adjournment