

**San Joaquin Valley Air Pollution Control District  
NORTHERN REGION HEARING BOARD MEETING**

**ACTION SUMMARY MINUTES**

**Wednesday, October 7, 2020**

*Meeting held via Zoom*

1. Call Meeting to Order  
The Chair, Mark Kanai called the meeting to order at 10:02 a.m.

2. Roll Call

Mark Kanai – Attorney	Present
Gerald Schneider – Engineer	Present
Michael Smedshammer – Public	Present
Rob Hofmann– Public	Present

Staff Present:

Central Region (Fresno): Jessi Fierro, Assistant Counsel II; Shannon Moore, Air Quality Specialist II; Clay Bishop, Supervising Air Quality Specialist; Patrick Houlihan, Senior Air Quality Specialist; See Thao; Operations & Support Supervisor; Ariana Orozco, Operations & Support Supervisor

3. Approval of Consent Calendar Items 9-11  
*These items are routine in nature and are usually approved by a single vote. Prior to action by the Hearing Board, the public will be given the opportunity to comment on any consent item.*

9. Approve Minutes of September 2, 2020

10. Emergency Variance Report

11. Next Scheduled Meeting

The next scheduled meeting is on November 4, 2020. The meeting will be held via teleconference.

Public Comments: None

Moved: Hofmann  
Seconded: Schneider  
Ayes: Kanai, Schneider, Smedshammer, and Hofmann  
Nays: None

**Motion unanimously carried to approve Consent Calendar Items 9-11**

4. Public Hearing

The Chair, Mark Kanai swore in all those present to testify for all matters.

	<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
A.	N-20-10S	Short	Owens-Brockway Glass Container, Inc. 14700 West Schulte Road Tracy, CA 95376

Petitioners: Bill Boscacci

Ms. Moore presented the Staff Report.

Owens-Brockway Glass Container, Inc. has requested a short variance from the applicable requirements of District Rule 1080, 2070, 2201, 2520, 4001, and 4354, in addition to the conditions of the subject permits. The requested variance period would be from October 7, 2020 through November 5, 2020, inclusive. If granted, the variance would allow the continued operation of the glass melting furnaces without a functional or operative CEMS during the analyzer change and until the CEMS is certified with the new analyzer.

Petitioners Comments: None

Public Comments: None

Moved: Schneider  
Seconded: Smedshammer  
Ayes: Kanai, Schneider, Smedshammer, Hofmann  
Nays: None

**Motion unanimously carried to approve Docket No. N-20-10S**

5. Public Comments- None

6. Hearing Board Member Comments - None

7. New Business – None

8. Adjournment

The Chair adjourned the meeting at 10:30 a.m.