



GOVERNING BOARD

Oliver L. Baines III, Chair Councilmember, City of Fresno

Buddy Mendes, Vice Chair

Supervisor, Fresno County

David Ayers

Mayor, City of Hanford

John Capitman, Ph.D.

Appointed by Governor

David Couch

Supervisor, Kern County

Bob Elliott

Supervisor, San Joaquin County

Christina Fugazi

Councilmember, City of Stockton

Kristin Olsen

Supervisor, Stanislaus County

Lloyd Pareira

Supervisor, Merced County

Craig Pedersen

Supervisor, Kings County

Monte Reves

Councilmember, City of Porterville

Alexander C. Sherriffs, M.D.

Appointed by Governor

Chris Vierra

Mayor, City of Ceres

Tom Wheeler

Supervisor, Madera County

J. Steven Worthley

Supervisor, Tulare County

Seyed Sadredin

Executive Director

Air Pollution Control Officer

Northern Region Office 4800 Enterprise Way Modesto, CA 95356-8718

Modesto, CA 95356-8718 (209) 557-6400 • FAX (209) 557-6475

Central Region Office 1990 East Gettysburg Avenue Fresno, CA 93726-0244 (559) 230-6000 • FAX (559) 230-6061

Southern Region Office 34946 Flyover Court Bakersfield, CA 93308-9725 (661) 392-5500 • FAX (661) 392-5585 SOUTHERN REGION HEARING BOARD MEETING Southern Region Office Video Tele-Conference (VTC) Room 34946 Flyover Court, Bakersfield, CA 93308 Wednesday, July 12, 2017, 10:00 A.M.

The meeting will be held in the Southern Region Office with the Central Region Office included via VTC. The Central Region Office is located at 1990 East Gettysburg Avenue, Fresno, 93726.

All meeting attendees are advised that all electronic devices should be placed in silent mode in the Governing Board Room or VTC Rooms to prevent interruptions in our Public Meeting proceedings.

Note:

Eight copies of any additional information shall be provided in advance of this meeting, if it is to be considered by the Hearing Board. This information shall be submitted to Ms. Michelle Franco, Deputy Clerk to the Boards.

AGENDA

- Call Meeting to Order
- Roll Call
- 3. Approval of Consent Calendar (items 9-11)

These items are routine in nature and are usually approved by a single vote. Prior to action by the Hearing Board, the public will be given the opportunity to comment on any consent item.

4. Public Hearing:

D - - 1 - 1 N -

	Docket No.	Type	Company Name
A.	S-17-18S	Short	Chevron U.S.A. Inc. 31X Oil Cleaning Plant Cymric Oil Field
B.	S-17-19S	Short	Chevron U.S.A. Inc. 31E, 2F, 29D Oil Cleaning Plant Midway Sunset Oil Field
C.	S-17-20S	Short	California Resources Production Corp McDonald Anticline Facility McDonald Anticline Oil Field

www.valleyair.org

5. Public Comments:

This time is made available for comments from the public on matters within the Board's jurisdiction that are not on the Agenda. It is requested that no comments be made during this period on items on the Agenda. The public may make comments after each Board Agenda Item during the time allowed for public comment. Additionally, state law prohibits the Hearing Board from acting on matters that are not on this Agenda.

- 6. Hearing Board Member Comments:
- 7. New Business:
- 8. Adjournment
- 9. Approve Minutes of May 10, 2017
- 10. The Central Region Hearing Board heard and granted the following emergency variances since the May 10, 2017, hearing:

A. S-17-16E - Chevron U.S.A. Inc.

On June 7, 2017, Hearing Board Vice-Chair, Mr. John Stovall, acting for and on behalf of the Southern Region Hearing Board, approved an emergency variance from June 8, 2017, until June 9, 2017. Said variance provided relief from specific requirements of District Rules 2070, 2201, 4623, and allowed drain tank T-31B to store VOC containing liquids without a functional or operating VRS while a gasket on a manway hatch was replaced.

B. S-17-17E - Chevron U.S.A. Inc.

On June 12, 2017, Hearing Board Vice-Chair, Mr. John Stovall, acting for and on behalf of the Southern Region Hearing Board, approved an emergency variance from June 12, 2017 through July 11, 2017. Said variance provided relief from specific requirements of District Rules 2010, 2201, 2070, 2520, and 4623 and allowed for continued production and storage of VOC containing liquids into the subject tanks without a functional and operating VRS while a section of leaking pipe is replaced.

11. Next Scheduled Meeting: August 9, 2017