

San Joaquin Valley Air Pollution Control District
SOUTHERN REGION HEARING BOARD MEETING

Southern Region Office Video Teleconference (VTC) Room
34946 Flyover Court, Bakersfield, CA 93308

ACTION SUMMARY MINUTES

Wednesday, September 11, 2019

*Meeting held via teleconferencing with the
Central Region Office (Fresno) and the
Southern Region Office (Bakersfield)*

1. Call Meeting to Order

The Chair, Bill Bland, called the meeting to order at 10:04 a.m.

2. Roll Call

William Bland – Public	Present
John Stovall – Attorney	Present
Nancy Dunn– Public	Present
Robert Moeller– Medical	Absent

Staff Present:

Southern Region (Bakersfield): Renee Chavez, Supervising Air Quality Inspector

Central Region (Fresno): Jessi Fierro, Assistant Counsel; Patrick Houlihan, Senior Air Quality Specialist; Shannon Moore, Air Quality Specialist II; Chris Kalashian, Air Quality Specialist II; Clay Bishop, Supervising Air Quality Specialist; Esthela Soto, Air Quality Specialist I; See Thao; Operations & Support Supervisor

3. Approval of Consent Calendar (Items 9-11)

These items are routine in nature and are usually approved by a single vote. Prior to action by the Hearing Board, the public will be given the opportunity to comment on any consent item.

9. Approve Minutes of August 14, 2019

10. Emergency Variance

11. Next Scheduled Meeting

The next scheduled meeting is on October 9, 2019. The meeting will be held in the Southern Region Office (Bakersfield) with the Central Region Office (Fresno) included via VTC.

Public Comments: None

Moved: Stovall
Seconded: Dunn
Ayes: Dunn, Stovall, Bland
Nays: None

Motion unanimously carried to approve Consent Calendar Items 9-11

4. Public Hearing

The Chair, Bill Bland swore in all those present to testify for all matters.

	<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
A.	S-19-16S	Short	California Paper Products, LLC 5901 Zerker Road Shafter, CA 93263

Petitioners: Joe Selgrath

Mr. Houlihan presented the Staff Report.

California Paper Products has requested a short variance from the applicable of District Rules 2070, 2201, 4305, 4306, and 4320, in addition to conditions of the subject permits. The requested short variance period would be from July 31, 2019, through October 28, 2019. If granted, the variance would allow for excess NOx and NH3 emissions from the boiler until the new catalyst is installed and a compliance source test initiated. In addition, to postpone the triennial compliance source test that was due no later than August 29, 2019.

Petitioner Comments: Mr. Selgrath mentioned that testing on the boiler emissions has been conducted and will continue weekly until the end of the variance period.

Public Comments: None

Moved: Stovall
Seconded: Dunn
Ayes: Dunn, Stovall, Bland
Nays: None

Motion unanimously carried to approve Docket No. S-19-16S

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
B. S-19-18S	Short	Chevron U.S.A. Inc. Station 31 Blending Facility Midway Sunset Oil Field

Petitioners: Lance Ericksen and Guillermo Gordy Guillen

Mr. Moore presented the Staff Report.

Chevron has requested a short variance from applicable requirement of District Rules 2070, 2201, and 4623 in addition to the applicable conditions on the subject permits. The requested short variance period would be for a non-consecutive 24-hour period to occur sometime between September 24, 2019 and December 22, 2019, inclusive. If granted, the short variance would allow for the continued storage of VOC containing liquids in the tanks without a functional or operating VRS while Chevron performs the work described above.

Petitioner Comments: None

Public Comments: None

Moved: Stovall
Seconded: Dunn
Ayes: Dunn, Stovall, Bland
Nays: None

Motion unanimously carried to approve Docket No. S-19-18S

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
C. S-19-19S	Short	Chevron U.S.A. Inc. 32 US & Cahn 3 Oil Cleaning Plants Lost Hills Oil Field

Petitioners: Lance Ericksen and Brandon Chang

Mr. Moore presented the Staff Report.

Chevron has requested a short variance from the applicable requirements of District Rules 2070, 2201, 2520, and 4623, in addition to applicable conditions of the subject permits. The requested variance period would be for non-consecutive 96-hour period to occur sometime between October 15, 2019 and January 12, 2019, inclusive. If granted, the variance would allow Chevron to store VOC containing liquids in the subject tanks without an operating or functional VRS while they conduct the proposed work.

Petitioner Comments: None

Public Comments: None

Moved: Stovall
Seconded: Dunn
Ayes: Dunn, Stovall, Bland
Nays: None

Motion unanimously carried to approve Docket No. S-19-19S

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
D. S-19-20S	Short	Chevron U.S.A. Inc. Booster Plant 3, 8Z OCP & 15Z OCP Lost Hills Oil Field

Petitioners: Lance Ericksen and Brandon Chang

Mr. Kalashian presented the Staff Report.

Chevron has requested a short variance from the applicable requirements of District Rules 2070, 2201, 2520, and 4623, in addition to applicable conditions of the subject permits. The requested variance period would be for non-consecutive 7-day period to occur sometime between September 12, 2019, and December 10, 2019, inclusive. If granted, the variance would allow Chevron to store VOC containing liquids in the subject tanks without an operating or functional VRS while they conduct the proposed work.

Petitioner Comments: None

Public Comments: None

Moved: Dunn
Seconded: Stovall
Ayes: Dunn, Stovall, Bland
Nays: None

Motion unanimously carried to approve Docket No. S-19-20S

5. Public Comments: None
6. Hearing Board Member Comments: None
7. New Business: None
8. Adjournment: The Chair adjourned the meeting at 10:40 am.