

San Joaquin Valley Air Pollution Control District
SOUTHERN REGION HEARING BOARD MEETING

ACTION SUMMARY MINUTES

Wednesday, October 12, 2022

Meeting held via Zoom Webinar

1. Call Meeting to Order
The Chair, Mr. John Stovall, called the meeting to order at 10:00 a.m.

2. Roll Call

John Stovall – Attorney	Present
Nancy Dunn – Public	Present
Dr. Chang Na – Medical	Present
Blaine Neptune – Engineer	Present

3. Approval of Consent Calendar (Items 9-11)
These items are routine in nature and are usually approved by a single vote. Prior to action by the Hearing Board, the public will be given the opportunity to comment on any consent item.
 9. Approve Minutes of Wednesday, September 22, 2022

 10. Emergency Variance Report
 - a. None

 11. Next Scheduled Meeting
The next scheduled meeting is on November 9, 2022.

Public Comments: None

Moved: Dr. Na
Seconded: Neptune
Ayes: Stovall, Dr. Na, Neptune, Dunn
Abstain: None
Nays: None

Motion unanimously carried to approve Consent Calendar Items 9-11

4. Public Hearing
The Chair swore in all those present to testify for all matters.

<u>Docket No.</u>	<u>Type</u>	<u>Company Name</u>
A. S-22-04S	Short	Southern California Gas Company Wheeler Ridge Compressor Station 9530 Highway 166 Mettler, CA
B. S-22-16S	Short	Aera Energy LLC 29235 Highway 33 Maricopa, CA 93252

S-22-04S

Petitioner: Vincent Gonazles

Chris Kalashian presented the staff report.

A. HSL has requested a short variance from the applicable requirements of District Rules 1080, 2070, and 2520, in addition to the applicable conditions of the subject permits. The requested variance period would be effective from October 28, 2022, to December 31, 2022, inclusive. If granted, the variance would allow continued operation of the facility without CEMS data being available to DAS while the proposed work is completed.

Public Comment: None

Moved: Neptune
Seconded: Dr. Na
Ayes: Stovall, Dr. Na, Neptune, Dunn
Nays: None

Motion unanimously carried to approve Docket No. S-22-04S

S-22-16S

Petitioner: Aaron Albracht

Chris Kalashian presented the staff report.

B. AERA has requested a short variance from the applicable requirements of District Rules 2010, 2070, 2201, 2520, 4401, and 4623, in addition to applicable conditions of the subject permits. The requested variance period would be for a non-consecutive 60 day period to occur sometime between October 31, 2022, and December 31, 2022, inclusive. If granted, the variance would allow AERA to continue to store VOC containing liquids in the subject tanks without an operating or functional VRS.

Public Comment: None

Moved: Dunn
Seconded: Dr. Na
Ayes: Stovall, Dr. Na, Neptune, Dunn
Nays: None

Motion unanimously carried to approve Docket No. S-22-16S

5. Public Comments: None
6. Hearing Board Member Comments: None
7. New Business: None
8. Adjournment: The Chair adjourned the meeting at 10:20 am.